BASIC ASSESSMENT (BA) AND ENVIRONMENTAL MANAGEMENT PROGRAMME (EMPr) FOR THE PROPOSED INSTALLATION OF AN ADDITIONAL 500M<sup>3</sup> BULK STORAGE FUEL OIL TANK AT GROOTVLEI POWER STATION, MPUMALANGA PROVINCE Basic Assessment

ENVIRONMENTAL IMPACT ASSESSMENT (EIA) AND ENVIRONMENTAL MANAGEMENT PROGRAMME (EMPr)

# COMMENTS AND RESPONSES REPORT – FINAL BASIC ASSESSMENT

# PROPOSED INSTALLATION OF AN ADDITIONAL 500M<sup>3</sup> BULK STORAGE FUEL OIL TANK AT GROOTVLEI POWERSTATION, MPUMALANGA

## SUMMARY OF ENVIRONMENTAL ISSUES/CONCERNS AND SUGGESTIONS RAISED BY INTERESTED AND/OR AFFECTED PARTIES

## AUGUST 2011 – FEBRUARY 2012

Stakeholders who contributed issues ranging across all sectors of society are recorded in this Comments and Responses Report (C&RR). Full record of every issue raised is available from the public participation office and is also included in Appendix G of the Draft Basic Assessment Report. Similar issues raised have been grouped together. The name, affiliation and date of the commentator are also indicated. Technical comments made by the project team are not included in the C&RR.

BASIC ASSESSMENT (BA) AND ENVIRONMENTAL MANAGEMENT PROGRAMME (EMPr) FOR THE PROPOSED INSTALLATION OF AN ADDITIONAL 500M<sup>3</sup> BULK STORAGE FUEL OIL TANK AT GROOTVLEI POWER STATION, MPUMALANGA PROVINCE Basic Assessment

### INDEX TO ISSUES IN THIS TABLE

1.	Social and Socio-Economic Related Comments	3
2.	Biodiversity Related Comments	3
3.	Fauna & Flora Impact Related Comments	3
4.	Fauna & Flora Impact Related Comments Groundwater Impact Related Comments	3
5.	Surface Water Impact Related Comments	3
6.	Geotechnical Related Comments	3
7.	Heritage Related Comments	3
8.	Noise Related Comments	3
9.	Soils and Agriculture Related Comments	3
10.	Risk Related Comments	4
11.	BA Process Related Comments	4
12.	Transport / Traffic Related Comments	4
13.	Project Related Comments	4
14.	Communication Related Comments	4
15.	General Comments	4

#### ABBREVIATIONS USED IN THIS ISSUES TRAL:

BID Background Information Docume	BID	Background	Information	Documer
-----------------------------------	-----	------------	-------------	---------

- **I&AP** Interested and Affected Parties
- PM Public Meeting
- **KSW** Key Stakeholder Workshop
- EMPr Environmental Management Programme
- **BA** Basic Assessment

### BASIC ASSESSMENT (BA) AND ENVIRONMENTAL MANAGEMENT PROGRAMME (EMPr) FOR THE PROPOSED INSTALLATION OF AN ADDITIONAL 500M<sup>o</sup> BULK STORAGE FUEL OIL TANK AT GROOTVLEI POWER STATION, MPUMALANGA PROVINCE Basic Assessment

Issue/Comment	Raised By	Response			
1. Social and Socio-Economic Related Comments					
No comments received.		None.			
2. Biodiversity Related Comments					
No comments received.		None.			
3. Fauna & Flora Impact Related Comments					
No comments received.		None.			
4.	Groundwater Impact Related Commer	nts			
No comments received.		None.			
5. Surface Water Impact Related Comments					
No comments received.		None.			
	6. Geotechnical Related Comments				
No comments received.		None.			
7. Heritage Related Comments					
No comments received.	0 Nation Deleted Comments	None.			
	8. Noise Related Comments	Nama			
No comments received.	Soils and Agriculture Polated Commo	None.			
	Soils and Agriculture Related Comme				
<ul> <li>Comments were submitted on the 14<sup>th</sup> February 2012 after conducting a site inspection on the 10<sup>th</sup> Feburary 2012. The official comments received are as follows:</li> <li>Department of Agriculture Forestry and fisheries, Directorate Land Use and Soil Management have no objection to the proposed project as it will not have any negative impact on agricultural land.</li> <li>The applicant must then furnish this office with a detailed rehabilitation implementation plan of the surrounding or the might be affected natural resources after or during the proposed activity.</li> </ul>	Ms. Mary Mogale & Ms Dan'sile Cindi Directorate Land Use & Soil Management Department of Agriculture, Forestry and Fisheries Letter: 14 February 2012	Clarification was required with regards to the submission of a rehabilitation plan. It was enquired that the interpretation of the aforementioned point could be taken as follows: A rehabilitation implementation plan must be submitted to DAFF only if there are any impacts to the surrounding environment as a result of the proposed activity (either after or during) that have not been identified in the basic assessment process and addressed in the environmental management plan for the proposed development from which the DEA will issue a decision on environmental authorisation. <b>SiVEST – Shaun Taylor</b>			
Clarification was requested from Dan'sile with regards to the second		Clarification from Ms. Dan'sile Cindi in terms of the submission of a rehabilitation plan in light of the above mentioned interpretation			

#### BASIC ASSESSMENT (BA) AND ENVIRONMENTAL MANAGEMENT PROGRAMME (EMPr) FOR THE PROPOSED INSTALLATION OF AN ADDITIONAL 500M<sup>3</sup> BULK STORAGE FUEL OIL TANK AT GROOTVLEI POWER STATION, MPUMALANGA PROVINCE Basic Assessment

Dasic Assessment				
point in terms of the submission of a rehabilitation plan.		was acknowledged. SiVEST – Shaun Taylor		
Dan'sile confirmed that this point could be interpreted as elaborated by the SiVEST.				
10. Risk Related Comments				
No comments received.		None.		
11. BA Process Related Comments				
No comments received.		None.		
12. Transport / Traffic Related Comments				
No comments received.		None.		
13. Project Related Comments				
No comments received.		None.		
14. Communication Related Comments				
No comments received.		None.		
15. General Comments				
Stated that he was in support of the project and that he has a history of working with the Railways and understands that development is necessary.	Mr. J.L. Brits Pensioner from Grootvlei	Comment was noted.		

BASIC ASSESSMENT (BA) AND ENVIRONMENTAL MANAGEMENT PROGRAMME (EMPr) FOR THE PROPOSED INSTALLATION OF AN ADDITIONAL 500M<sup>o</sup> BULK STORAGE FUEL OIL TANK AT GROOTVLEI POWER STATION, MPUMALANGA PROVINCE Basic Assessment

COMMENTS ON DRAFT BASIC ASSESSMENT REPORT		
Issue/Comment	Raised By	Response
No comments received.		None.