

NOTICE OF ENVIRONMENTAL IMPACT ASSESSMENT AND WATER USE LICENSE APPLICATION

DEAT Ref No 12/12/21/1488

Eskom would like to construct a railway line and associated infrastructure to connect Kusile Power Station, west of Witbank to the national railway grid.

ENVIRONMENTAL IMPACT ASSESSMENT

Notice is hereby given, in terms of the Environmental Impact Assessment (EIA) Regulations, under Section 24 (5) of the National Environmental Management Act (NEMA), (Act No 107 of 1998) as published in GN R385, 386, 387 - Government Gazette No. 28753 of 21 April 2006, that an EIA is being undertaken for the proposed development for submission to the Department of Water and Environmental Affairs.

WATER USE LICENSE APPLICATION

Notice is being given, in terms of the National Water Act (NWA) (No 36 of 1998), for the application of a Water Use License for the proposed development to the Department of Water Environmental Affairs.

It is envisaged that the following water uses will be undertaken on site:

- **Section 21 (i): Altering the Bed, Banks, Course or Characteristics of a Watercourse**
- **Section 21 (c): Impeding or Diverting the Flow of Water in a Watercourse**

▪ The Water Use License Application will be accompanied by a Technical Report which will detail all water uses, and propose suitable monitoring programmes and mitigation measures where applicable.

PUBLIC COMMENT ENCOURAGED

For more information and a Background Information Document, please contact the public participation office:

**Anelle Odendaal/ Patiswa Mnqokoyi
Zitholele Consulting, P.O. Box 6002**

Halfway House, 1685. Tel: (011) 254 4855/ 4905 Fax: (011) 805 2100

Email: aodendaal@zitholele.co.za/ patiswam@zitholele.co.za

Please respond within 30 days

This assessment is being conducted on behalf of Eskom

OMGEWINGSIMPAKSTUDIE EN WATERVERBRUIKERSLIENSIE

Verwysingsno: 12/12/21/1488

OMGEWINGSIMPAKSTUDIE

Hiermee word kennis gegee ingevolge die Omgewingsimpakstudie-regulasies kragtens artikel 24 (5) van die Nasionale Wet op Omgewingsbestuur, (Wet no. 107 van 1998) soos gewysig in GK R385, 386 en 387 - Staatskoerant no. 28753 van 21 April 2006 - van die voorneme om 'n omgewingsimpakstudie vir die volgende te doen:

Eskom beplan om 'n spoorweglyn en verwante infrastruktuur te bou sodat die Kusile kragstasie wes van Witbank by die bestaande spoorwegnetwerk kan aansluit

WATERVERBRUIKERSLIENSIE

Hiermee word kennis gegee ingevolge die Nasionale Waterwet, (Wet no. 36 van 1998), van die voorneme om aansoek te doen vir 'n waterverbruikerslisensie vir bogenoemde ontwikkeling by die Departement van Water en Omgewingsake. Daar word voorsien dat die volgende waterverbruike by die beplande ontwikkeling onderneem gaan word:

- **Afdeling 21 (i):** Verandering van die rivierbed, banke of karaktertrekke van 'n waterweg; en
- **Afdeling 21 (c):** Belemmering of verandering van die watervloei van 'n waterweg.

Die waterverbruikerslisensie sal vergesel word van 'n Tegnieese Verslag wat alle waterverbruike volledig uiteen sal sit en geskikte waarnemingsprogramme en versagende maatreëls voorstel waar nodig.

DIE PUBLIEK WORD AANGEMOEDIG OM KOMMENTAAR TE LEWER

Vir verdere inligting en 'n afskrif van die Agtergrondsinsligtingdokument kontak asseblief:

Anelle Odendaal/ Patiswa Mnqokoyi

Zitholele Consulting, Posbus 6002

Halfweghuis, 1685. Tel: (011) 254 4855/ 4905 Faks: (011) 805 2100

epos: aodendaal@zitholele.co.za / patiswam@zitholele.co.za

Antwoord binne 30 dae

Hierdie studie word namens Eskom uitgevoer

NOTICE OF ENVIRONMENTAL IMPACT ASSESSMENT AND WATER USE LICENSE APPLICATION

DEAT Ref No 12/12/21/1488

Eskom would like to construct a railway line and associated infrastructure to connect Kusile Power Station, west of Witbank to the national railway grid.

ENVIRONMENTAL IMPACT ASSESSMENT

Notice is hereby given, in terms of the Environmental Impact Assessment (EIA) Regulations, under Section 24 (5) of the National Environmental Management Act (NEMA), (Act No 107 of 1998) as published in GN R385, 386, 387 - Government Gazette No. 28753 of 21 April 2006, that an EIA is being undertaken for the proposed development for submission to the Department of Water and Environmental Affairs.

WATER USE LICENSE APPLICATION

Notice is being given, in terms of the National Water Act (NWA) (No 36 of 1998), for the application of a Water Use License for the proposed development to the Department of Water and Environmental Affairs.

It is envisaged that the following water uses will be undertaken on site:

- Section 21 (i): Altering the Bed, Banks, Course or Characteristics of a Watercourse
- Section 21 (c): Impeding or Diverting the Flow of Water in a Watercourse

The Water Use License Application will be accompanied by a Technical Report which will detail all water uses, and propose suitable monitoring programmes and mitigation measures where applicable.

PUBLIC COMMENT ENCOURAGED

For more information and a Background Information Document, please contact the public participation office:

Anelle Odendaal/ Patiswa Mnqokoyi

Zitholele Consulting, P.O. Box 6002

Halfway House, 1685. Tel: (011) 254 4855/ 4905 Fax: (011) 805 2100

Email: aodendaal@zitholele.co.za / patiswam@zitholele.co.za

Please respond within 30 days

This assessment is being conducted on behalf of Eskom

The Herald

29 May 2009

OMGEWINGSIMPAKSTUDIE EN WATERVERBRUIKERSLISENSIE

Verwysingsno: 12/12/21/1488

OMGEWINGSIMPAKSTUDIE

Hiermee word kennis gegee ingevolge die Omgewingsimpakstudie-regulasies kragtens artikel 24 (5) van die Nasionale Wet op Omgewingsbestuur, (Wet no. 107 van 1998) soos gewysig in GK R385, 386 en 387 - Staatskoerant no. 28753 van 21 April 2006 - van die voorneme om 'n omgewingsimpakstudie vir die volgende te doen:

Eskom beplan om 'n spoorweglyn en verwante infrastruktuur te bou sodat die Kusile kragstasie wes van Witbank by die bestaande spoorwegnetwerk kan aansluit

WATERVERBRUIKERSLISENSIE

Hiermee word kennis gegee ingevolge die Nasionale Waterwet, (Wet no. 36 van 1998), van die voorneme om aansoek te doen vir 'n waterverbruikerslisensie vir bogenoemde ontwikkeling by die Departement van Water en Omgewingsake. Daar word voorsien dat die volgende waterverbruike by die beplande ontwikkeling onderneem gaan word:

- Afdeling 21 (j): Verandering van die rivierbed, banke of karaktertrekke van 'n waterweg; en
- Afdeling 21 (c): Belemmering of verandering van die watervloei van 'n waterweg.

Die waterverbruikerslisensie sal vergesel word van 'n Tegniese Verslag wat alle waterverbruike volledig uiteen sal sit en geskikte waarnemingsprogramme en versagende maatreëls voorstel waar nodig.

DIE PUBLIEK WORD AANGEMOEDIG OM KOMMENTAAR TE LEWER

Vir verdere inligting en 'n afskrif van die Agtergrondinligtingdokument kontak asseblief:

Anelle Odendaal/ Patiswa Mnqokoyi
Zitholele Consulting, Posbus 6002

Halfweghuis, 1685. Tel: (011) 254 4855/ 4905 Faks: (011) 805 2100

epos: aodendaal@zitholele.co.za/ patiswam@zitholele.co.za

Antwoord binne 30 dae

Hierdie studie word namens Eskom uitgevoer

Beeld, Woensdag 10 Junie 2009

NOTICE OF ENVIRONMENTAL IMPACT ASSESSMENT AND WATER USE LICENSE APPLICATION

DEAT Ref No 12/12/21/1488

Eskom would like to construct a railway line and associated infrastructure to connect Kusile Power Station, west of Witbank to the national railway grid.

ENVIRONMENTAL IMPACT ASSESSMENT

Notice is hereby given, in terms of the Environmental Impact Assessment (EIA) Regulations, under Section 24 (5) of the National Environmental Management Act (NEMA), (Act No 107 of 1998) as published in GN R385, 386, 387 - Government Gazette No. 28753 of 21 April 2006, that an EIA is being undertaken for the proposed development for submission to the Department of Water and Environmental Affairs.

WATER USE LICENSE APPLICATION

Notice is being given, in terms of the National Water Act (NWA) (No 36 of 1998), for the application of a Water Use License for the proposed development to the Department of Water and Environmental Affairs.

It is envisaged that the following water uses will be undertaken on site:

- Section 21 (i): Altering the Bed, Banks, Course or Characteristics of a Watercourse
- Section 21 (c): Impeding or Diverting the Flow of Water in a Watercourse

The Water Use License Application will be accompanied by a Technical Report which will detail all water uses, and propose suitable monitoring programmes and mitigation measures where applicable.

PUBLIC COMMENT ENCOURAGED

For more information and a Background Information Document, please contact the public participation office:

Anelle Odendaal/ Patiswa Mnqokoyi
Zitholele Consulting, P.O. Box 6002

Halfway House, 1685. Tel: (011) 254 4855/ 4905 Fax: (011) 805 2100

Email: aodendaal@zitholele.co.za/ patiswam@zitholele.co.za

Please respond within 30 days

This assessment is being conducted on behalf of Eskom

**NOTICE OF ENVIRONMENTAL IMPACT
ASSESSMENT AND WATER USE LICENSE APPLICATION**

DEAT Ref No 12/12/21/1488

Eskom would like to construct a railway line and associated infrastructure to connect Kusile Power Station, west of Witbank to the national railway grid

ENVIRONMENTAL IMPACT ASSESSMENT

Notice is hereby given, in terms of the Environmental Impact Assessment (EIA) Regulations, under Section 24 (5) of the National Environmental Management Act (NEMA), (Act No 107 of 1998) as published in GN R385, 386, 387 - Government Gazette No. 28753 of 21 April 2006, that an EIA is being undertaken for the proposed development for submission to the Department of Water and Environmental Affairs.

WATER USE LICENSE APPLICATION

Notice is being given, in terms of the National Water Act (NWA) (No 36 of 1998), for the application of a Water Use License for the proposed development to the Department of Water and Environmental Affairs.

It is envisaged that the following water uses will be undertaken on site:

- Section 21 (i): Altering the Bed, Banks, Course or Characteristics of a Watercourse
 - Section 21 (c): Impeding or Diverting the Flow of Water in a Watercourse
- The Water Use License Application will be accompanied by a Technical Report which will detail all water uses, and propose suitable monitoring programmes and mitigation measures where applicable.

PUBLIC COMMENT ENCOURAGED

For more information and a Background Information Document, please contact the public participation office:

Anelle Odendaal/ Patiswa Mnqokoyi
Zitholele Consulting, P.O. Box 6002

Halfway House, 1685. Tel: (011) 254 4855/ 4905 Fax: (011) 805 2100

Email: aodendaal@zitholele.co.za / patiswam@zitholele.co.za

Please respond within 30 days

This assessment is being conducted on behalf of Eskom

MIDDELBURG OBSERVER, Friday 12 June , 2009

NOTICE OF ENVIRONMENTAL IMPACT ASSESSMENT AND WATER USE LICENSE APPLICATION

DEAT Ref No 12/12/21/1488

Eskom would like to construct a railway line and associated infrastructure to connect Kusile Power Station, west of Witbank to the national railway grid.

ENVIRONMENTAL IMPACT ASSESSMENT

Notice is hereby given, in terms of the Environmental Impact Assessment (EIA) Regulations, under Section 24 (5) of the National Environmental Management Act (NEMA), (Act No 107 of 1998) as published in GN R385, 386, 387 - Government Gazette No. 28753 of 21 April 2006, that an EIA is being undertaken for the proposed development for submission to the Department of Water and Environmental Affairs.

WATER USE LICENSE APPLICATION

Notice is being given, in terms of the National Water Act (NWA) (No 36 of 1998), for the application of a Water Use License for the proposed development to the Department of Water and Environmental Affairs.

It is envisaged that the following water uses will be undertaken on site.

- Section 21 (j): Altering the Bed, Banks, Course or Characteristics of a Watercourse
 - Section 21 (c): Impeding or Diverting the Flow of Water in a Watercourse
- The Water Use License Application will be accompanied by a Technical Report which will detail all water uses, and propose suitable monitoring programmes and mitigation measures where applicable.

PUBLIC COMMENT ENCOURAGED

For more information and a Background Information Document, please contact the public participation office:

Anelle Odendaal/ Patiswa Mngokoyi
Zitholele Consulting, P.O. Box 6002

Halfway House, 1685. Tel: (011) 254 4855/ 4905 Fax: (011) 805 2100

Email: aodendaal@zitholele.co.za / patiswam@zitholele.co.za

Please respond within 30 days

This assessment is being conducted on behalf of Eskom

20 Streeknuus : 12 Junie 2009

**NOTICE OF ENVIRONMENTAL IMPACT
ASSESSMENT AND WATER USE LICENSE APPLICATION**
DEAT Ref No 12/12/21/1488

**Eskom would like to construct a railway line and associated infrastructure
to connect Kusile Power Station, west of Witbank to the national railway grid**

ENVIRONMENTAL IMPACT ASSESSMENT

Notice is hereby given, in terms of the Environmental Impact Assessment (EIA) Regulations, under Section 24 (5) of the National Environmental Management Act (NEMA), (Act No 107 of 1998) as published in GN R385, 386, 387 - Government Gazette No. 28753 of 21 April 2006, that an EIA is being undertaken for the proposed development for submission to the Department of Water and Environmental Affairs.

WATER USE LICENSE APPLICATION

Notice is being given, in terms of the National Water Act (NWA) (No 36 of 1998), for the application of a Water Use License for the proposed development to the Department of Water and Environmental Affairs.

It is envisaged that the following water uses will be undertaken on site:

- Section 21 (l): Altering the Bed, Banks, Course or Characteristics of a Watercourse
 - Section 21 (c): Impeding or Diverting the Flow of Water in a Watercourse
- The Water Use License Application will be accompanied by a Technical Report which will detail all water uses, and propose suitable monitoring programmes and mitigation measures where applicable.

PUBLIC COMMENT ENCOURAGED

For more information and a Background Information Document, please contact the public participation office:

Anelle Odendaal/ Patiswa Mngokoyi
Zitholele Consulting, P.O. Box 6002
Halfway House, 1685. Tel: (011) 254 4855/ 4905 Fax: (011) 805 2100
Email: aodendaal@zitholele.co.za / patiswam@zitholele.co.za

Please respond within 30 days

This assessment is being conducted on behalf of Eskom

WITBANK NUUS, VRYDAG 12 Junie 2009