TABLE OF CONTENT

Chapter 1: Introduction

1.	INTRODUCTION	1-1
1.1.	Project background	1-1
1.2.	Assessment of radiological impacts	1-3
1.3.	Summary of the Environmental Authorisation process for the proposed nuclear	
-	power station	1-5
1.3.1.	Original application for a nuclear power station	1-6
	Scoping Phase	1-7
	Impact Assessment Phase	1-9
	Review of Revised Draft EIR and Revised Draft EIR Version 2	1-9
1.4.	Scope of the Environmental Impact Report	1-9
1.5.		1-11
		1-11
	•	1-12
		1-13
1.0.	Way loi wala	1-13
Chapte	er 2: Applicant Details	
Onapti		
2.	DETAILS OF THE APPLICANT, THE ENVIRONMENTAL ASSESSMENT	
2.	PRACTITIONER AND THE DECISION-MAKING AUTHORITY	2-1
2.1.	Introduction	2-1
2.2.	Details of the Applicant	2-1
2.3.	Details of the Environmental Assessment Practitioner	2-1
2.3.	Details of Competent / Relevant Authority	2-2
2		
Chapte	er 3: Project Description	
3.	3 PROJECT DESCRIPTION	3-5
3.1.	Introduction	3-5
3.2.	Other projects related to Nuclear-1	3-6
3.3.	Principles of producing nuclear heat for electricity generation	3-7
3.4.	History of Nuclear Power Plants	3-8
3.5.	Nuclear technology for Nuclear-1	3-9
3.6.		3-10
		3-10
	•	3-11
		3-12
		3-14
		3-14
	5	3-14
		3-14
		3-14
		3-15
	Major associated infrastructure and other activities required during construction	
		3-15
		3-16
		3-16
5.0.0.	22	5 10

Version 2.0 / August 2015

3.8.4. Power supply to the site	3-18
3.8.5. Water supply to the site	3-19
3.8.6. Site offices	3-19
3.8.7. Groundwater monitoring	3-20
3.8.8. Development of construction and operational accommodation	3-20
3.9. Construction of the terrace and power station	3-22
3.9.1. Site layout and position of plant	3-22
3.9.2. Excavation and disposal of spoil	3-22
3.9.3. Dewatering	3-22
3.9.4. Buildings	3-23
3.9.5. Permanent terrace road and lay down storage area	3-23
3.9.6. Installation of plant/equipment	3-23
3.10. Additional associated infrastructure	3-23
3.10.1.Helipad	3-25
3.10.2. Meteorological station	3-25
3.10.3.Backup power supply	3-26
3.10.4. Visitors' centre	3-26
3.10.5.Water requirements	3-26
3.10.6. Sewage treatment plant	3-27
3.10.7. Desalination plant	3-27
3.10.8. Chlorination Plant	3-28
3.11. Marine works	3-29
3.11.1.Intake tunnels	3-29
3.11.2.Outfall tunnels/channels	3-29
3.12. High voltage yard	3-30
3.13. Materials required for construction	3-30
3.14. Roads	3-31
3.14.1.Duynefontein	3-31
3.14.2.Bantamsklip	3-31
3.14.3. Thyspunt	3-32
3.15. Operational inputs and outputs	3-33
3.16. Construction waste	3-35
3.16.1.General construction waste	3-35
3.16.2.Non-radioactive hazardous construction waste	3-36
3.17. Operational waste	3-36
3.17.1.General operational waste	3-36
3.17.2.Non-radioactive, hazardous operational waste	3-36
3.17.3.Radioactive, hazardous operational waste	3-36
a) Low Level Radioactive Waste (LLW)	3-37
b) Intermediate Level Radioactive Waste	3-37
c) Vaalputs radioactive waste disposal site	3-39
d) High Level Radioactive Waste	3-40
3.18. Transportation of solid radioactive waste	3-40
3.19. Transportation of nuclear fuel	3-43
3.20. Gaseous emissions	3-44
3.21. Liquid effluent	3-44
3.21.1.Non-radioactive effluent	3-44
3.21.2.Radioactive effluent	3-44
3.22. Safety	3-45
3.22. Salety 3.22.1.General safety considerations	3-40
J.22. I. Ocheral salely considerations	3-47

3.22.2.Nuclear emergency planning zones	3-47
3.22.3. Security zones	3-49
3.22.4. Occupational exposure to radio nuclides	3-50
3.22.5. Public exposure to radio nuclides	3-50
3.23. Human resources	3-50
3.23.1.Construction personnel	3-51
3.23.2. Operational personnel	3-51
3.23.3. Transport and traffic	3-51
3.24. Environmental aspects related to the nuclear power station	3-52
3.25. Decommissioning of the proposed nuclear power station	3-53
3.26. Decommissioning strategies	3-54
3.26.1. Factors influencing the choice of decommissioning strategy	3-54
3.26.2. Preparation of a decommissioning plan for Nuclear-1	3-56

Chapter 4: Need and Desirability

4.	NEED FOR AND DESIRABILITY OF THE PROJECT	4-1
4.1.	Past electricity demand and predicted future trends	4-1
4.2.	Peak demand vs. installed and nominal capacity	4-2
4.3.	Reserve margin	4-3
4.4.	Impacts of the economic slowdown on electricity demand	4-4
4.5.	Balancing electricity supply and demand	4-4
4.5.1.	Impact of demand side management on electricity demand	4-4
4.5.2.	Current initiatives to increase electricity generation capacity	4-5
4.5.3.	Choice of generation mix for future supply	4-7
4.5.4.	Climate change considerations	4-7
4.6.	Summary of the need for Nuclear-1	4-9
4.7.	Eskom motivation for using Pressurised Water Reactor Technology for	
4.8.	Nuclear-1	4-10
4.9.	Need and desirability guidelines	4-10
4.10.	Conclusion	4-19

Chapter 5: Alternatives

5.	PROJECT ALTERNATIVES CONSIDERED	5-1
5.1.	Introduction	5-1
5.2.	Site Alternatives	5-2
5.2.1.	Background on the site identification and outcome of the Scoping Phase	5-2
5.2.2.	The outcome of the Scoping Phase of the EIA process	5-2
5.2.3.	DEA's response to the proposed exclusion of Brazil and Schulpfontein	5-3
5.2.4.	Coega as an alternative site	5-3
5.2.5.	Description of the identified site alternatives	5-4
5.3.	Activity Alternatives: power generation technologies	5-11
5.3.1.	Activity Alternative 1: Nuclear generation	5-11
5.3.2.	Activity Alternative 2: Wind generation	5-12
5.3.3.	Comparative costs of power generation alternatives	5-13
5.4.	Nuclear Technology alternatives: nuclear plant types	5-19
5.5.	Layout alternatives on each of the sites	5-25
5.5.1.	Duynefontein	5-26
5.6.	Construction and Operational alternatives	5-26

	Source of water supply Management of brine	5-26 5-27
	Outlet of water and chemical effluent	5-27
	Management of spoil material	5-28
5.7.	Off-site access routes to the Thyspunt site	5-30
5.8.	On-site access routes at the Thyspurt Site	5-30 5-30
		5-30 5-39
5.9.	No-Go (No development) alternative	5-39
Chapte	er 6: Planning and Legislative Context	
6.	PLANNING AND LEGISLATIVE CONTEXT	6-1
6.1.	Introduction	6-1
6.2.	The constitutional law dimension and supporting framework legislation regulat	•
	just administrative action and access to information	6-2
	The Constitution (1996)	6-2
	Promotion of Access to Information Act, 2000 (Act No. 2 of 2000)	6-8
6.3.	Policy and planning context	6-9
	The Nuclear Non-Proliferation Treaty and domestic implementation arrangem	
	United Nations Declaration on the Rights of Indigenous People, 2008	6-10
	Nuclear Energy Policy for the Republic of South Africa	6-11
	White Paper on the Energy Policy of the Republic of South Africa	6-13
6.3.5.	Radioactive Waste Management Policy and Strategy	6-13
6.3.6.	Nuclear Governance	6-14
6.3.7.	Integrated Energy Plan	6-16
	National Integrated Resource Plan	6-17
6.3.9.	Energy Efficiency Strategy of the Republic of South Africa	6-18
	Energy Security Master Plan – Electricity (2007-2025)	6-19
6.3.11	.National Response to South Africa's Electricity Shortage	6-20
6.3.12	National Nuclear Disaster Management Plan	6-21
6.3.13	National Spatial Biodiversity Assessment (NSBA)	6-25
6.3.14	National Biodiversity Strategy Action Plan (NBSAP)	6-26
6.3.15	Draft National Strategy for Sustainable Development	6-26
6.3.16	Integrated Development Plans (IDP) relevant to the proposed alternative sites	s for
	Nuclear-1	6-26
6.4.	Legislative Context: National Legislation	6-28
6.4.1.	The National Environmental Management Act, 1998 (Act No. 107 of 1998)	
	(NEMA)	6-28
6.4.2.	The National Environmental Management: Air Quality Act, 2004 (Act No. 39 o	f
	2004)	6-40
6.4.3.	National Water Act, 1998 (Act No. 36 of 1998)	6-41
	The Water Services Act, 1997 (Act No. 108 of 1997)	6-41
	The National Environmental Management: Biodiversity Act, 2004 (Act No. 10	
	2004)	6-42
6.4.6.	National Environmental Management: Protected Areas Act, 2003 (Act No. 57	
	2003) (NEM:PAA)	6-43
	Sea-Shore Act, 1935 (Act No. 21 of 1935)	6-43
	The Maritime Zones Act, 1994 (Act No. 15 of 1994)	6-43
6.4.9.	National Environmental Management: Integrated Coastal Management Act, 2 (Act No. 24 of 2008)	008 6-44
6.4.10	Marine Living Resources Act, 1998 (Act No. 18 of 1998)	6-46
5 0		
	25	

6.4.11.National Environmental Management: Waste Act, 2008 (Act No. 59 of 2008)			
	(NEM: Waste Act)	6-46	
	National Radioactive Waste Disposal Institute Act (Act 53 of 2008)	6-47 6-48	
	Conservation of Agricultural Resources Act, 1983 (Act No. 43 of 1983) National Heritage Resources Act, 1999 (Act No. 25 of 1999)	0-40 6-48	
	Hazardous Substances Act, 1973 (Act No. 15 of 1973)	6-49	
	Transportation of Dangerous Goods and Substances	6-49	
	Non-Proliferation of Weapons of Mass Destruction Act, 1993		
	(Act No. 87 of 1993)	6-49	
	National Key Points Act, 1980 (Act No. 102 of 1980)	6-50	
	National Energy Act, 2008 (Act No. 34 of 2008)	6-50	
	National Energy Regulator Act, 2004 (Act 40 of 2004)	6-51 6-52	
	Nuclear Energy Act, 1999 (Act No. 46 of 1999) National Nuclear Regulator Act, 1999 (Act No. 47 of 1999)	6-52 6-53	
	Regulations on the development surrounding any nuclear installation to	0-00	
	ensure the effective implementation of any Nuclear Emergency Plan	6-57	
6.4.26.	Electricity Act, 1987 (Act No. 41 of 1987)	6-58	
	Electricity Regulation Act, 2006 (Act No. 4 of 2006)	6-58	
	The Mineral and Petroleum Resources Development Act, 2002 (Act No. 28 of		
	2002) The Oivil Aviation Act, 2000 (Act No. 40 of 2000)	6-59	
	The Civil Aviation Act, 2009 (Act No. 13 of 2009)	6-61 6-61	
	Municipal Systems Act, 2000 (Act No. 32 of 2000) Municipal Finance Management Act, 2003 (Act No. 56 of 2003)	6-61	
	Occupational Health and Safety Act (Act 85 of 1993)	6-62	
	Legislative Context: Provincial Legislation	6-63	
	The Land Use Planning Ordinance, 1985 (Ordinance No. 15 of 1985)	6-63	
	Western Cape Provincial Spatial Development Framework	6-64	
	Provincial Parks Board Act (Eastern Cape) (Act 12 of 2003)	6-65	
	Nature and Environmental Conservation Ordinance (Eastern Cape),	C CE	
	19 of 1974 Eastern Cape Land Development Objectives Regulations	6-65 6-66	
	Consistency with National Environmental Management Act (NEMA)	0-00	
	Principles	6-67	
6.8.	Conclusions	6-74	
Chapte	er 7: Public Participation		
7.	PUBLIC PARTICIPATION	7-1	
7.1.	Public Participation Process	7-1	
	Objectives of public participation in an EIA	7-3	
	Public participation during the Scoping Phase	7-4	
	Identification of Interested and Affected Parties	7-4	
	Registration of I&APs Announcement of opportunity to become involved	7-5 7-5	
	Obtaining comment – Scoping Phase	7-13	
	Issues and Response Report	7-13	
	Draft Scoping Report availability and Public Review	7-14	
	Distribution of the Draft Scoping Report to State Departments	7-20	
7.4.	Public Participation for the Draft EIR	7-20	
7.4.1.	Public review of the Draft EIR and EMP	7-20	
Nuclear	26 Version 2.0 / August 20	15	

Announcing opportunity to comment on the findings of the Draft EIR	7-20
Distribution of the Draft EIR for public comment	7-21
Review period of the Draft EIA Report	7-22
Opportunities provided to comment on the findings of the Draft EIR	7-22
Meetings held to review Draft EIR	7-22
Consultation with Authorities	7-24
Public Participation for the Revised Draft EIR	7-25
Public review of the Revised Draft EIR and EMP	7-25
Distribution of the Revised Draft EIR and EMP to the public	7-25
Announcing opportunity to comment on the Revised Draft EIR	7-26
Opportunity provided to comment on the findings of the Revised Draft EIR	7-27
Meetings held to facilitate review the Revised Draft EIR	7-27
Consultation with authorities for the Revised Draft EIR	7-28
Summary of issues raised	7-28
Selected thematic issues and responses	7-28
Individual Issues and Response Reports	7-74
Revised Draft EIR Version 2	7-74
Announcing opportunity to comment on the findings of the EIA	7-74
Public open days / meetings	7-74
Distribution of reports for public comment	7-74
Final EIR and EMP	7-75
Authority review	7-76
Notification of authority decision	7-76
	Distribution of the Draft EIR for public comment Review period of the Draft EIA Report Opportunities provided to comment on the findings of the Draft EIR Meetings held to review Draft EIR Consultation with Authorities Public Participation for the Revised Draft EIR Public review of the Revised Draft EIR and EMP Distribution of the Revised Draft EIR and EMP Distribution of the Revised Draft EIR and EMP to the public Announcing opportunity to comment on the Revised Draft EIR Opportunity provided to comment on the findings of the Revised Draft EIR Meetings held to facilitate review the Revised Draft EIR Consultation with authorities for the Revised Draft EIR Summary of issues raised Selected thematic issues and responses Individual Issues and Response Reports Revised Draft EIR Version 2 Announcing opportunity to comment on the findings of the EIA Public open days / meetings Distribution of reports for public comment Final EIR and EMP Authority review

Chapter 8:

8.	Specialist Assessments.	8-1
8.1.	Description of the affected environment .	
8.2.	Legislation, policies and guidelines	8-3
	Assessment of alternatives	
8.4.	Impact identification and assessment	8-4
8.5.	Mitigation measures	8-4
8.6.	Specialist Peer Reviews	
	Key Conclusion of Specialist Peer Review Reports	

Chapter 9:

9.	DESCRIPTION OF THE EXISTING ENVIRONMENT	9-5
9.1.	Physical environment: Duynefontein	9-5
9.1.1.	Geology	9-5
9.1.2.	Seismological risk	9-5
9.1.3.	Geotechnical suitability	9-6
9.1.4.	Dune geomorphology	9-6
9.1.5.	Hydrology	9-7
9.1.6.	Geohydrology	9-7
9.1.7.	Freshwater supply	9-8
9.1.8.	Oceanography	9-8
9.1.9.	Background Radiation	9-9
9.2.	Physical environment figures: Duynefontein	9-11
9.3.	Physical environment: Thyspunt	9-17

9.3.1.	Geology	9-17
9.3.2.	Seismological risk	9-17
	Geotechnical suitability	9-17
9.3.4.	Dune geomorphology	9-18
9.3.5.	Hydrology	9-20
	Geohydrology	9-20
	Freshwater supply	9-21
	Oceanography	9-21
	Background Radiation	9-21
	Physical environment figures: Thyspunt	9-23
	Biophysical environment: Duynefontein	9-28
	Air quality and climate	9-28
9.5.2.	• •	9-30
	Wetlands	9-31
	Vertebrate fauna	9-31
	Invertebrate fauna	9-33
	Marine biology	9-34
		9-36
9.7	Biophysical environment figures: Duynefontein Biophysical environment: Thyspunt	9-48
	Air quality and climate	9-48
9.7.2.		9-50
	Wetlands	9-50
	Vertebrate fauna	9-51
	Invertebrate fauna	9-54
	Marine biology	9-55
	Biophysical environment figures: Thyspunt	9-57
99	Socio-economic environment - Duynefontein	9-64
	Economic environment	9-64
	Demographic statistics	9-67
	Visual character	9-68
	Heritage resources and archaeology	9-69
	Agricultural practices	9-72
	Tourism industry	9-74
	Noise	9-75
	Control Zones	9-75
	Transportation	9-75
	Urban Land-use	9-76
	Socio-economic environment figures - Duynefontein	9-77
9.11.		9-86
	.Economic environment	9-86
	Demographic statistics	9-89
	.Visual character	9-90
	.Heritage resources and archaeology	9-90
	Agricultural practices	9-96
	.Tourism industry	9-90
	Noise	9-99
	.Transport .Urban Land-use	9-99 9-100
9.11.9		9-100 9-101
	5 7 1	9-101
9.13.	Sensitivity mapping of the alternative sites	9-112

9.13.1. Duynefontein sensitivity maps	9-112
9.13.2. Conclusion on Duynefontein environmental sensi	• • • • =
9.13.3.Thyspunt sensitivity maps	9-121
9.13.4. Conclusion on Thyspunt environmental sensitivity	y 9-128
9.14. Systems Depiction of the Receiving Environment	9-129
Chapter 10: Impact Assessment	
10. THE IMPACT ASSESSMENT	10-7
10.1 Introduction	10-7

	10-1
10.2. Environmental Costs versus Benefits	10-7
10.3. Defining the Implications of the Impacts for Decision-Making	10-8
10.4. Potential Environmental Costs	10-20
10.5. Potential Environmental Benefits	10-21
10.6. Ascribing Significance for Decision-Making	10-21
10.6.1.Consequence	10-21
10.6.2.Likelihood	10-22
10.6.3.Residual risk	10-22
10.7. Public Health and Safety Risk	10-24
10.7.1. Acute radioactive exposure	10-24
10.7.2.Loss of control of fission	10-24
10.7.3. Failure in the Structural Integrity of the Buildings	10-29
10.8. Non-radiological Risks of Death or Serious Injury	10-31
10.8.1. Vehicle Accidents	10-31
10.8.2. Incidents Related to Criminal Activities	10-31
10.9. Public Health Risks Related to the Nuclear Power Station	10-32
10.9.1.Airborne Dust	10-32
10.9.2. Radioactive emissions during operations	10-32
10.9.3.HIV / AIDS / STD's	10-34
10.9.4. The benefit of infrastructure upgrades	10-34
10.10. Compromise in Quality of Fresh Water Resources	10-35
10.10.1. Radioactive Contamination	10-35
10.10.2. Hydrocarbon and hazardous chemical contamination	10-35
10.11. Compromise in Quality of Groundwater Resources	10-37
10.11.1. Saline Water / Seawater Intrusion	10-37
10.11.2. Radioactive Contamination of Groundwater Systems	10-37
10.11.3. Hydrocarbon and hazardous chemical contamination of groundwater	10-38
10.12. Availability of Groundwater Resources to Other Users	10-39
10.12.1. Abstraction of Groundwater	10-39
10.12.2. Cut-off or Disruption of Groundwater due to Structures	10-39
10.13. Loss of Wetlands and Wetland Function	10-41
10.13.1. Duynefontein Wetlands	10-41
10.13.2. Thyspunt Wetlands	10-41
10.13.3. Physical destruction of wetlands	10-41
10.13.4. Reduced Water Supply	10-42
10.13.5. Inflow of Poor Quality Water	10-42
10.13.6. Placing of Spoil Dumps	10-42
10.14. Reduced Marine Environment Quality	10-43
10.15. Important features of the marine environment	10-43
10.15.1. Duynefontein	10-43

29

10.15.2. Thyspunt	10-43
10.15.3. Heated Water and Brine Disposal	10-44
10.15.4. Contaminated Run-off	10-44
10.15.5. Spoil Disposal	10-45
10.15.6. Possible impacts on chokka squid	10-45
10.16. Reduced Populations of Threatened Species	10-46
10.17. Threatened species	10-46
10.17.1. Duynefontein	10-46
10.17.2. Thyspunt	10-46
10.17.3. Loss and Fragmentation of Habitat	10-47
10.17.4. Road Mortality	10-47
10.17.5. Mortality Associated with Overhead Transmission Lines/ Substations	10-47
10.17.6. Disturbance of breeding populations	10-48
10.17.7. Transformation of Wetlands	10-48
10.17.8. Cooling water systems and Brine disposal	10-48
10.17.9. The conservation benefit of site enclosure	10-49
10.18. Changes in Livelihoods	10-50
10.18.1. Spoil Disposal at Sea Altering Surf Breaks	10-50
10.18.2. Radiological Contamination of Agricultural Resources	10-50
10.18.3. Change in Sense of Place	10-50
10.18.4. Reducing Chokka Squid Populations	10-51
10.18.5. Increased Agricultural Production	10-52
10.18.6. Increased Business Opportunities	10-52
10.18.7. New Job Opportunities	10-52
10.19. Heritage Resources	10-54
10.19.1. Duynefontein heritage features	10-54
10.19.2. Thyspunt heritage features	10-54
10.19.3. Destruction of Heritage Artefacts	10-54
10.20. Nuisance	10-56
10.20.1. Noise	10-56
10.20.2. Visual impact	10-56
10.20.3. Informal Settlements due to Nuclear-1	10-56
10.20.4. Additional Vehicular Traffic	10-57
10.21. Summary of Residual Risks	10-57
10.22. Comparing the Sites – A Strategic Overview of the Project	10-58
10.23. Evaluation of Other Alternatives	10-62
10.23.1. Forms of power generation	10-62
10.23.2. Freshwater supply	10-62
10.23.3. Utilisation of Abstracted Groundwater	10-64
10.23.4. Disposal of Brine	10-64
10.23.5. Intake of seawater	10-65
10.23.6. Marine outfall	10-65
10.23.7. Management of spoil material	10-65
10.23.8. Nuclear plant types	10-66
10.23.9. Position of the nuclear power station on the sites	10-66
10.23.10. The Potential for Additional Nuclear Power Stations per Site	10-67
10.24. No-go alternative	10-68

Chapter 11: Conclusions, Recommendations and Way Forward

11.	CONCLUSIONS, RECOMMENDATIONS AND WAY FORWARD	11-2
11.1.	Need for the project	11-2
11.2.	Alternatives	11-2
11.2.1.	Site alternative	11-2
11.2.2.	Generation alternatives	11-3
11.2.3.	Modes of transport during construction	11-3
11.2.4.	Fresh water supply alternative	11-3
11.2.5.	Utilisation of abstracted groundwater	11-3
11.2.6.	Disposal of brine	11-3
11.2.7.	Intake of seawater	11-3
11.2.8.	Release of cooling water and effluent	11-3
11.2.9.	Management of spoil	11-3
11.2.10	D. No-go alternative	11-4
11.2.1 ⁻	1. Additional power stations per site	11-4
11.2.12	2. Coega as an alternative site	11-4
11.3.	Key mitigation measures and conditions of authorisation	11-4
11.3.1.	All sites	11-5
11.3.2.	Duynefontein	11-6
11.3.3.	Thyspunt	11-6
11.4.	Way forward	11-6

Chapter 12: References

LIST OF FIGURES

Figure 1-1: EIA Process as prescribed by the NEMA 2006 EIA Regulations	
	1-5
Figure 1-2: Alternative site locations for Nuclear-1 considered during the EIA	1-0
•	1-14
1	1-14
	1-15
	1-10
5 71 7 1	
0 ,	3-10
Figure 3-2: Simplified diagrammatic depiction of a Pressurised Water Reactor	3-11
	3-11 3-12
	3-12
Figure 3-4: A display of nuclear fuel pellets in a cladding tube at Koeberg	0.40
	3-13
Figure 3-5: A display of a nuclear fuel assembly of 17 x 17 fuel rods at Koeberg	0.40
	3-13
5	3-17
5	3-17
0	3-18
Figure 3-9: Schematic depiction of the desalinisation and demineralisation plants	
	3-32
0 0	3-37
Figure 3-12: Compactable (LLW) and non-compactable (ILW) radioactive waste	
	3-38
Figure 3-13: Standard steel and concrete containers used for radioactive waste	
	3-38
Figure 3-14: Storage facility for ILW and LLW showing concrete drums in the back	kground
and steel drums in the foreground 3-39	
Figure 3-15: Trench layout for low and intermediate level waste at Vaalputs	
	3-40
Figure 3-16: Low Level (steel) and Intermediate Level (concrete) radioactive	
waste drums (respectively above and below) at Vaalputs. The drums are	
	3-42
	3-42
Figure 3-18: Storage pond for HLW at Koeberg Nuclear Power Station	3-42
	3-58
Figure 3-20: Duynefontein full layout during construction	3-59
Figure 3-21: Bantamsklip partial layout during construction	3-60
Figure 3-22: Bantamsklip full layout during construction	3-61
Figure 3-23: Thyspunt partial layout during construction	3-62
Figure 3-24: Thyspunt full layout during construction	3-63
Figure 4-1: Projected electricity requirements for South Africa to 2034 based on	
different scenarios (IRP 2010)	4-2
Figure 4-2: Actual peak demand vs. installed and nominal capacity per year	
	4-3
	4-4
	4-6
Figure 4-5: Comparison of life-cycle greenhouse gas emissions of different	
rigare - c. companden of me cycle greenhedde gae childdione of american	

Revised Environmental Impact Report Version 2

electricity generation systems (Dones et al. 2003)	4-9
Figure 5-1: Alternative site locations (Duynefontein, Thyspunt and Bantamsklip)	F F
deemed suitable for further consideration in the EIA Figure 5-2: View of Duynefontein looking southeast towards the coast, with the	5-5
existing Koeberg Nuclear Power Station in the left background	5-6
Figure 5-3: View of the Thyspunt site looking east from the vegetated dunes	0-0
within the proposed power station footprint	5-7
Figure 5-4: View of the eastern portion of Bantamsklip looking east	5-10
Figure 5-5: Regional ranges of LCOE for nuclear, coal, gas and onshore wind	
power plants (at 5% discount rate)	5-14
Figure 5-6: Regional ranges of LCOE for nuclear, coal, gas and onshore wind	
power plants (at 10% discount rate)	5-15
Figure 5-7: Alternative on and off-site access routes to Thyspunt (Not to scale)	5-33
Figure 5-8: Alternative northern on-site access routes to Thyspunt (Not to scale)	5-34
Figure 5-9: Alternative eastern on-site access routes to Thyspunt (Not to scale)	5-35
Figure 5-10: Initial alternative on-site western access routes to Thyspunt	
assessed in 2011 (Not to scale)	5-36
Figure 5-11: New alternative on-site western access routes to Thyspunt	
assessed in 2013 (Not to scale)	5-37
Figure 5-12: Recommended alignment (Option 4) of the on-site western access	
routes to Thyspunt (Not to scale)	5-38
Figure 6-1: Final energy demand-target outcome to 2015 (DME, 2005)	6-19
Figure 6-2: Capacity expansion programme (Source: DME, 2008)	6-20
Figure 6-3: NNR nuclear installation licensing time frames (NNR 2010)	6-57
Figure 7-1: Flowchart of the Scoping and EIA process, indicating the current	7.0
stage in the process	7-2
Figure 7-2: On site Notice at Duynefontein	7-7
Figure 7-3: On site Notice at Bantamsklip	7-8
Figure 7-4: On site Notice at Brazil, Northern Cape	7-8
Figure 7-5: On site Notice at Schulpfontein, Northern Cape Figure 7-6: On Site Notice at Thyspunt site, Eastern Cape	7-9 7-9
Figure 7-7: Article in The Mercury, 29 May 2007	7-9 7-10
Figure 7-8: Article in The Herald, 6 March 2008	7-10
Figure 7-9: Article in The Cape Times, 7 May 2013	7-12
Figure 7-10: Public Meeting at Duynefontein	7-17
Figure 7-11: Public Meeting at Gansbaai	7-17
Figure 7-12: Public Open Day at Pearly Beach	7-18
Figure 7-13: Discussion session with Hondeklipbaai residents at a Public	7-18
Figure 7-14: Aerial view of the KNPS excavation during construction	7-50
Figure 7-15: Signage for "Walker Bay Nature Reserve", which is in fact not a	
nature reserve, but state land administered by CapeNature	7-59
Figure 7-16: Proposed "industrial bypass C" around Humansdorp	7-72
Figure 9-1: Geological map of Duynefontein and environs	9-12

Figure 9-1: Geological map of Duynefontein and environs	9-12
Figure 9-2: Legend for the Duynefontein geological map	9-13
Figure 9-3: Atlantis corridor dune field in relation to the Duynefontein site	9-14
Figure 9-4: Dune varieties in the Atlantis corridor dune field at Duynefontein	9-15
Figure 9-5: Profile locations and bathymetry for Duynefontein	9-16
Figure 9-6: Geological map of Thyspunt and environs	9-24

33

been destroyed)9-26Figure 9-9: Profile locations and bathymetry for Thyspunt9-27Figure 9-10: Land use in the vicinity of the Duynefontein site9-37Figure 9-11: Population density in the vicinity of the Duynefontein site9-38Figure 9-12: Shaded relief profile of the Duynefontein study area9-39Figure 9-13: Period, day- and night-time wind roses for Duynefontein9-40Figure 9-14: Recorded monthly mean sulphur dioxide levels in Table View.9-41Figure 9-15: Recorded monthly mean PM10 particulate matter levels in Table9-41Figure 9-16: Recorded monthly nitrogen dioxide levels in Table View. The red9-43Figure 9-17: Predicted maximum annual inhalation and immersion radiation9-43dose (µSv) for the Duynefontein site9-44Figure 9-18: Broad plant communities of the Duynefontein site,9-45looking south towards Koeberg Nuclear Power Station9-45Figure 9-20: Duynefontein wetlands map9-46Figure 9-22: An undescribed Tetramorium ant species found at9-47Duynefontein (Photo: M. Burger)9-47Figure 9-23: Land use in the vicinity of the Thyspunt site9-58Figure 9-26: Wind roses for Cape St. Francis and Thyspunt9-60Figure 9-27: Shaded relief profile of the Thyspunt site9-61Figure 9-28: Wetlands at Thyspunt9-61Figure 9-29: Elandsberg dwarf chameleon found at Langefonteinvlei wetland9-63Figure 9-31: Commercial Fishing, Blaauwberg Beach-Bok Point, 1998-20079-65Figure 9-32: Population Distribution within 5km radii of Duynefontein9-67 <th>Figure 9-7: Legend for the Thyspunt geological map Figure 9-8: Illustration of the original St. Francis headland bypass dune field system (including portions like the Santareme dune field, which have since</th> <th>9-25</th>	Figure 9-7: Legend for the Thyspunt geological map Figure 9-8: Illustration of the original St. Francis headland bypass dune field system (including portions like the Santareme dune field, which have since	9-25
Figure 9-9: Profile locations and bathymetry for Thyspunt9-27Figure 9-10: Land use in the vicinity of the Duynefontein site9-37Figure 9-11: Population density in the vicinity of the Duynefontein site9-38Figure 9-12: Shaded relief profile of the Duynefontein study area9-39Figure 9-13: Period, day- and night-time wind roses for Duynefontein9-40Figure 9-14: Recorded monthly mean sulphur dioxide levels in Table View.9-41The red line indicates the linear trend9-41Figure 9-16: Recorded monthly mean PM10 particulate matter levels in Table9-42Figure 9-17: Predicted maximum annual inhalation and immersion radiation9-43dos (µSV) for the Duynefontein site9-44Figure 9-18: Broad plant communities of the Duynefontein site and9-44surroundings9-45Figure 9-20: Duynefontein wetlands map9-46Figure 9-21: The Blouberg Dwarf Burrowing Skink Scelotes montispectus, a recently described and potentially threatened species found at Duynefontein (Photo: M. Burger)9-47Figure 9-22: An undescribed Tetramorium ant species found at Duynefontein9-47Figure 9-23: Land use in the vicinity of the Thyspunt site9-58Figure 9-26: Wind roses for Cape St. Francis and Thyspunt9-60Figure 9-27: Dougeton of tern roost and otter sightings9-63Figure 9-32: Population Distribution within 5km radii of Duynefontein9-67Figure 9-23: Notacial communities of Thyspunt9-66Figure 9-24: Population of tern roost and otter sightings9-63Figure 9-32: Population Distribution within 5km radii of Du	, , , , , , , , , ,	9-26
Figure 9-10: Land use in the vicinity of the Duynefontein site9-37Figure 9-11: Population density in the vicinity of the Duynefontein study area9-38Figure 9-12: Shaded relief profile of the Duynefontein study area9-39Figure 9-13: Period, day- and night-time wind roses for Duynefontein9-40Figure 9-14: Recorded monthly mean sulphur dioxide levels in Table View.9-41Figure 9-15: Recorded monthly mean PM10 particulate matter levels in Table View.9-42Figure 9-16: Recorded monthly nitrogen dioxide levels in Table View. The red line indicates the linear trend9-42Figure 9-17: Predicted maximum annual inhalation and immersion radiation9-43Gose (µSV) for the Duynefontein site9-44Figure 9-18: Broad plant communities of the Duynefontein site and9-45Suroundings9-45Figure 9-20: Duynefontein wetlands map9-46Figure 9-21: The Blouberg Dwarf Burrowing Skink Scelotes montispectus, a recently described and potentially threatened species, found at9-47Duynefontein (Photo: M. Burger)9-47Figure 9-23: Land use in the vicinity of the Thyspunt site9-58Figure 9-25: Shaded relief profile of the Thyspunt site9-58Figure 9-26: Wind roses for Cape St. Francis and Thyspunt9-61Figure 9-31: Commercial Fishing, Blaauwberg Beach-Bok Point, 1998-20079-63Figure 9-32: Population Distribution within 5km radii of Duynefontein9-67Figure 9-33: Duynefontein Nuclear Power Station9-63Figure 9-34: Duynefontein Nuclear Power Station viewshed analysis9-78Figure 9-33: Duynefontein Nuclea		
Figure 9-11: Population density in the vicinity of the Duynefontein site9-38Figure 9-12: Shaded relief profile of the Duynefontein study area9-39Figure 9-13: Period, day- and night-time wind roses for Duynefontein9-40Figure 9-14: Recorded monthly mean sulphur dioxide levels in Table View.9-41Figure 9-15: Recorded monthly mean PM10 particulate matter levels in Table9-42Figure 9-16: Recorded monthly mean PM10 particulate matter levels in Table9-42Figure 9-16: Recorded monthly nitrogen dioxide levels in Table View. The red9-43Figure 9-17: Predicted maximum annual inhalation and immersion radiation9-44Higure 9-18: Broad plant communities of the Duynefontein site and9-44Figure 9-19: A view of the affected environment at the Duynefontein site,9-45Ioking south towards Koeberg Nuclear Power Station9-45Figure 9-20: Duynefontein wetlands map9-46Figure 9-21: The Blouberg Dwarf Burrowing Skink Scelotes montispectus, a recently described and potentially threatened species, found at9-47Duynefontein (Photo: M. Burger)9-47Figure 9-23: Land use in the vicinity of the Thyspunt site9-58Figure 9-24: Population density in the vicinity of the Thyspunt site9-59Figure 9-26: Wind roses for Cape St. Francis and Thyspunt9-60Figure 9-28: Wetlands at Thyspunt9-61Figure 9-29: Elandsberg dwarf chameleon found at Langefonteinvlei wetland9-63Figure 9-31: Commercial Fishing, Blaauwberg Beach-Bok Point, 1998-20079-65Figure 9-32: Population Distribution within 5km radii of Duynefontein9-7		
Figure 9-12: Shaded relief profile of the Duynefontein study area9-39Figure 9-13: Period, day- and night-time wind roses for Duynefontein9-40Figure 9-13: Recorded monthly mean sulphur dioxide levels in Table View.9-41Figure 9-15: Recorded monthly mean PM10 particulate matter levels in Table9-42Figure 9-16: Recorded monthly nitrogen dioxide levels in Table View. The red line indicates the linear trend9-42Figure 9-16: Recorded monthly nitrogen dioxide levels in Table View. The red line indicates the linear trend9-43Figure 9-17: Predicted maximum annual inhalation and immersion radiation9-44dose (µSv) for the Duynefontein site9-44Figure 9-18: Broad plant communities of the Duynefontein site and9-45Surroundings9-45Figure 9-21: The Blouberg Dwarf Burrowing Skink Scelotes montispectus, a recently described and potentially threatened species, found at9-47Figure 9-22: An undescribed Tetramorium ant species found at Duynefontein9-47Figure 9-23: Land use in the vicinity of the Thyspunt site9-58Figure 9-24: Population density in the vicinity of the Thyspunt site9-59Figure 9-28: Wind roses for Cape St. Francis and Thyspunt9-60Figure 9-29: Elandsberg dwarf chameleon found at Langefonteinvlei wetland9-63Figure 9-30: Location of tern roost and otter sightings9-63Figure 9-31: Commercial Fishing, Blaauwberg Beach-Bok Point, 1998-20079-65Figure 9-32: Population Distribution within 5km radii of Duynefontein9-77Figure 9-33: Duynefontein Nuclear Power Station viewshed analysis9-78Figure	· · · ·	
Figure 9-13: Period, day- and night-time wind roses for Duynefontein9-40Figure 9-14: Recorded monthly mean sulphur dioxide levels in Table View. The red line indicates the linear trend9-41Figure 9-15: Recorded monthly mean PM10 particulate matter levels in Table View. The red line indicates the linear trend9-42Figure 9-16: Recorded monthly nitrogen dioxide levels in Table View. The red line indicates the linear trend9-43Figure 9-17: Predicted maximum annual inhalation and immersion radiation dose (µSv) for the Duynefontein site9-44Figure 9-18: Broad plant communities of the Duynefontein site and surroundings9-45Figure 9-19: A view of the affected environment at the Duynefontein site, looking south towards Koeberg Nuclear Power Station9-45Figure 9-20: Duynefontein wetlands map9-46Figure 9-21: The Blouberg Dwarf Burrowing Skink Scelotes montispectus, a recently described and potentially threatened species, found at Duynefontein (Photo: M. Burger)9-47Figure 9-23: Land use in the vicinity of the Thyspunt site9-57Figure 9-24: Population density in the vicinity of the Thyspunt site9-58Figure 9-25: Shaded relief profile of the Thyspunt site9-61Figure 9-29: Elandsberg dwarf chameleon found at Langefonteinvlei wetland Figure 9-30: Location of tern roost and otter sightings9-63Figure 9-32: Population Distribution within 5km radii of Duynefontein9-77Figure 9-33: Duynefontein Nuclear Power Station viewshed analysis9-78Figure 9-34: Duynefontein Nuclear Power Station viewshed analysis9-78Figure 9-34: Duynefontein Nuclear Power Station viewshed analys		
The red line indicates the linear trend9-41Figure 9-15: Recorded monthly mean PM10 particulate matter levels in Table9-42View. The red line indicates the linear trend9-42Figure 9-16: Recorded monthly nitrogen dioxide levels in Table View. The red9-43Figure 9-17: Predicted maximum annual inhalation and immersion radiation9-44Figure 9-17: Predicted maximum annual inhalation and immersion radiation9-44Figure 9-18: Broad plant communities of the Duynefontein site and9-45Surroundings9-45Figure 9-19: A view of the affected environment at the Duynefontein site,9-45looking south towards Koeberg Nuclear Power Station9-45Figure 9-20: Duynefontein wetlands map9-46Figure 9-21: The Blouberg Dwarf Burrowing Skink Scelotes montispectus, a recently described and potentially threatened species, found at9-47Duynefontein (Photo: M. Burger)9-47Figure 9-23: Land use in the vicinity of the Thyspunt site9-57Figure 9-24: Population density in the vicinity of the Thyspunt site9-58Figure 9-25: Shaded relief profile of the Thyspunt site surroundings9-59Figure 9-26: Wind roses for Cape St. Francis and Thyspunt9-61Figure 9-28: Wetlands at Thyspunt9-62Figure 9-31: Commercial Fishing, Blaauwberg Beach-Bok Point, 1998-20079-65Figure 9-32: Population Distribution within 5km radii of Duynefontein9-77Figure 9-33: Duynefontein Nuclear Power Station viewshed analysis9-78Figure 9-34: Duynefontein Nuclear Power Station viewshed analysis9-78Figure	Figure 9-13: Period, day- and night-time wind roses for Duynefontein	
Figure 9-15: Recorded monthly mean PM10 particulate matter levels in Table9-42View. The red line indicates the linear trend9-42Figure 9-16: Recorded monthly nitrogen dioxide levels in Table View. The red9-43Figure 9-17: Predicted maximum annual inhalation and immersion radiation9-44Figure 9-17: Predicted maximum annual inhalation and immersion radiation9-44Figure 9-18: Broad plant communities of the Duynefontein site and9-45Surroundings9-45Figure 9-19: A view of the affected environment at the Duynefontein site,9-45looking south towards Koeberg Nuclear Power Station9-45Figure 9-20: Duynefontein wetlands map9-46Figure 9-21: The Blouberg Dwarf Burrowing Skink Scelotes montispectus, a recently described and potentially threatened species, found at9-47Duynefontein (Photo: M. Burger)9-47Figure 9-23: Land use in the vicinity of the Thyspunt site9-58Figure 9-24: Population density in the vicinity of the Thyspunt site9-59Figure 9-25: Shaded relief profile of the Thyspunt site surroundings9-59Figure 9-26: Wind roses for Cape St. Francis and Thyspunt9-61Figure 9-29: Elandsberg dwarf chameleon found at Langefonteinvlei wetland9-63Figure 9-31: Commercial Fishing, Blaauwberg Beach-Bok Point, 1998-20079-65Figure 9-32: Dopulation Distribution within 5km radii of Duynefontein9-77Figure 9-33: Duynefontein Nuclear Power Station viewshed analysis9-78Figure 9-34: Duynefontein Nuclear Power Station viewshed analysis9-78Figure 9-34: Duynefontein Nuclear Pow		9-41
Figure 9-16: Recorded monthly nitrogen dioxide levels in Table View. The red line indicates the linear trend9-43Figure 9-17: Predicted maximum annual inhalation and immersion radiation dose (µSv) for the Duynefontein site9-44Figure 9-18: Broad plant communities of the Duynefontein site and surroundings9-45Figure 9-19: A view of the affected environment at the Duynefontein site, looking south towards Koeberg Nuclear Power Station9-45Figure 9-20: Duynefontein wetlands map9-46Figure 9-20: Duynefontein wetlands map9-46Figure 9-21: The Blouberg Dwarf Burrowing Skink Scelotes montispectus, a recently described and potentially threatened species, found at9-47Duynefontein (Photo: M. Burger)9-47Figure 9-23: Land use in the vicinity of the Thyspunt site9-58Figure 9-24: Population density in the vicinity of the Thyspunt site9-59Figure 9-25: Shaded relief profile of the Thyspunt site surroundings9-61Figure 9-26: Wind roses for Cape St. Francis and Thyspunt9-61Figure 9-29: Elandsberg dwarf chameleon found at Langefonteinvlei wetland Figure 9-30: Location of tern roost and otter sightings9-63Figure 9-31: Commercial Fishing, Blaauwberg Beach-Bok Point, 1998-20079-65Figure 9-32: Population Distribution within 5km radii of Duynefontein9-77Figure 9-33: Duynefontein Nuclear Power Station : Location of ElA corridor9-79Figure 9-34: Duynefontein Nuclear Power Station: Location of ElA corridor9-79Figure 9-35: Heritage features at the Duynefontein site9-80Figure 9-36: Land use map - Duynefontein9-71<	Figure 9-15: Recorded monthly mean PM10 particulate matter levels in Table	
line indicates the linear trend9-43Figure 9-17: Predicted maximum annual inhalation and immersion radiation dose (µSV) for the Duynefontein site9-44Figure 9-18: Broad plant communities of the Duynefontein site and surroundings9-45Figure 9-19: A view of the affected environment at the Duynefontein site, looking south towards Koeberg Nuclear Power Station9-45Figure 9-20: Duynefontein wetlands map9-46Figure 9-21: The Blouberg Dwarf Burrowing Skink Scelotes montispectus, a recently described and potentially threatened species, found at Duynefontein (Photo: M. Burger)9-47Figure 9-22: An undescribed Tetramorium ant species found at Duynefontein Figure 9-23: Land use in the vicinity of the Thyspunt site9-57Figure 9-25: Shaded relief profile of the Thyspunt site9-58Figure 9-26: Wind roses for Cape St. Francis and Thyspunt9-60Figure 9-27: Botanical communities of Thyspunt9-61Figure 9-28: Wetlands at Thyspunt9-63Figure 9-30: Location of tern roost and otter sightings9-63Figure 9-31: Commercial Fishing, Blaauwberg Beach-Bok Point, 1998-20079-65Figure 9-32: Population Distribution within 5km radii of Duynefontein9-77Figure 9-33: Duynefontein Nuclear Power Station: Location of EIA corridor9-79Figure 9-35: Heritage features at the Duynefontein site9-80Figure 9-36: Land use map - Duynefontein9-79Figure 9-36: Land use map - Duynefontein9-81		•
Figure 9-17: Predicted maximum annual inhalation and immersion radiation dose (μSv) for the Duynefontein site9-44Figure 9-18: Broad plant communities of the Duynefontein site and surroundings9-45Figure 9-19: A view of the affected environment at the Duynefontein site, looking south towards Koeberg Nuclear Power Station9-45Figure 9-20: Duynefontein wetlands map9-46Figure 9-21: The Blouberg Dwarf Burrowing Skink Scelotes montispectus, a recently described and potentially threatened species, found at Duynefontein (Photo: M. Burger)9-47Figure 9-22: An undescribed Tetramorium ant species found at Duynefontein Figure 9-23: Land use in the vicinity of the Thyspunt site9-57Figure 9-24: Population density in the vicinity of the Thyspunt site9-58Figure 9-25: Shaded relief profile of the Thyspunt9-61Figure 9-26: Wind roses for Cape St. Francis and Thyspunt9-62Figure 9-29: Elandsberg dwarf chameleon found at Langefonteinvlei wetland Figure 9-30: Location of tern roost and otter sightings9-63Figure 9-31: Commercial Fishing, Blaauwberg Beach-Bok Point, 1998-20079-65Figure 9-32: Population Distribution within 5km radii of Duynefontein 9-779-77Figure 9-33: Duynefontein Nuclear Power Station viewshed analysis 9-789-78Figure 9-34: Duynefontein Nuclear Power Station viewshed analysis 9-789-78Figure 9-35: Heritage features at the Duynefontein site 9-809-80Figure 9-36: Land use map - Duynefontein9-79	• • •	9-43
dose (µSv) for the Duynefontein site9-44Figure 9-18: Broad plant communities of the Duynefontein site and surroundings9-45Figure 9-19: A view of the affected environment at the Duynefontein site, looking south towards Koeberg Nuclear Power Station9-45Figure 9-20: Duynefontein wetlands map9-46Figure 9-21: The Blouberg Dwarf Burrowing Skink Scelotes montispectus, a recently described and potentially threatened species, found at9-47Duynefontein (Photo: M. Burger)9-47Figure 9-23: Land use in the vicinity of the Thyspunt site9-57Figure 9-24: Population density in the vicinity of the Thyspunt site9-58Figure 9-25: Shaded relief profile of the Thyspunt site surroundings9-59Figure 9-26: Wind roses for Cape St. Francis and Thyspunt9-61Figure 9-28: Wetlands at Thyspunt9-62Figure 9-29: Elandsberg dwarf chameleon found at Langefonteinvlei wetland Figure 9-31: Commercial Fishing, Blaauwberg Beach-Bok Point, 1998-20079-65Figure 9-31: Commercial Fishing, Blaauwberg Beach-Bok Point, 1998-20079-65Figure 9-33: Duynefontein Nuclear Power Station viewshed analysis9-78Figure 9-34: Duynefontein Nuclear Power Station viewshed analysis9-78Figure 9-35: Heritage features at the Duynefontein is the Surrounding9-65Figure 9-35: Land use map - Duynefontein9-79Figure 9-36: Land use map - Duynefontein9-78Figure 9-36: Land use map - Duynefontein9-78Figure 9-36: Land use map - Duynefontein9-78Figure 9-36: Land use map - Duynefontein9-81		
Figure 9-18: Broad plant communities of the Duynefontein site and surroundings9-45Figure 9-19: A view of the affected environment at the Duynefontein site, looking south towards Koeberg Nuclear Power Station9-45Figure 9-20: Duynefontein wetlands map9-46Figure 9-21: The Blouberg Dwarf Burrowing Skink Scelotes montispectus, a recently described and potentially threatened species, found at9-47Duynefontein (Photo: M. Burger)9-47Figure 9-23: Land use in the vicinity of the Thyspunt site9-57Figure 9-24: Population density in the vicinity of the Thyspunt site9-58Figure 9-25: Shaded relief profile of the Thyspunt site surroundings9-60Figure 9-28: Wetlands at Thyspunt9-61Figure 9-30: Location of tern roost and otter sightings9-63Figure 9-31: Commercial Fishing, Blaauwberg Beach-Bok Point, 1998-20079-65Figure 9-32: Population Distribution within 5km radii of Duynefontein9-77Figure 9-33: Duynefontein Nuclear Power Station viewshed analysis9-78Figure 9-34: Duynefontein Nuclear Power Station is set for one fill a corridor9-77Figure 9-35: Heritage features at the Duynefontein site9-80Figure 9-36: Land use map - Duynefontein9-78	•	9-44
Figure 9-19. A view of the affected environment at the Duynefontein site, looking south towards Koeberg Nuclear Power Station9-45Figure 9-20: Duynefontein wetlands map9-46Figure 9-21: The Blouberg Dwarf Burrowing Skink Scelotes montispectus, a recently described and potentially threatened species, found at9-47Duynefontein (Photo: M. Burger)9-47Figure 9-22: An undescribed Tetramorium ant species found at Duynefontein9-47Figure 9-23: Land use in the vicinity of the Thyspunt site9-57Figure 9-24: Population density in the vicinity of the Thyspunt site9-58Figure 9-25: Shaded relief profile of the Thyspunt site surroundings9-59Figure 9-26: Wind roses for Cape St. Francis and Thyspunt9-61Figure 9-27: Botanical communities of Thyspunt9-62Figure 9-28: Wetlands at Thyspunt9-63Figure 9-30: Location of tern roost and otter sightings9-63Figure 9-31: Commercial Fishing, Blaauwberg Beach-Bok Point, 1998-20079-65Figure 9-32: Population Distribution within 5km radii of Duynefontein9-77Figure 9-33: Duynefontein Nuclear Power Station viewshed analysis9-78Figure 9-34: Duynefontein Nuclear Power Station: Location of EIA corridor9-79Figure 9-35: Heritage features at the Duynefontein site9-80Figure 9-36: Land use map - Duynefontein9-81		
looking south towards Koeberg Nuclear Power Station9-45Figure 9-20: Duynefontein wetlands map9-46Figure 9-21: The Blouberg Dwarf Burrowing Skink Scelotes montispectus, a recently described and potentially threatened species, found at9-47Duynefontein (Photo: M. Burger)9-47Figure 9-22: An undescribed Tetramorium ant species found at Duynefontein9-47Figure 9-23: Land use in the vicinity of the Thyspunt site9-57Figure 9-24: Population density in the vicinity of the Thyspunt site9-58Figure 9-25: Shaded relief profile of the Thyspunt site surroundings9-59Figure 9-26: Wind roses for Cape St. Francis and Thyspunt9-60Figure 9-27: Botanical communities of Thyspunt9-61Figure 9-28: Wetlands at Thyspunt9-62Figure 9-29: Elandsberg dwarf chameleon found at Langefonteinvlei wetland9-63Figure 9-30: Location of tern roost and otter sightings9-63Figure 9-31: Commercial Fishing, Blaauwberg Beach-Bok Point, 1998-20079-65Figure 9-32: Population Distribution within 5km radii of Duynefontein9-77Figure 9-33: Duynefontein Nuclear Power Station viewshed analysis9-78Figure 9-34: Duynefontein Nuclear Power Station: Location of EIA corridor9-79Figure 9-35: Heritage features at the Duynefontein site9-80Figure 9-36: Land use map - Duynefontein9-81	surroundings	9-45
Figure 9-20: Duynefontein wetlands map9-46Figure 9-21: The Blouberg Dwarf Burrowing Skink Scelotes montispectus, a recently described and potentially threatened species, found at9-47Duynefontein (Photo: M. Burger)9-47Figure 9-22: An undescribed Tetramorium ant species found at Duynefontein9-47Figure 9-23: Land use in the vicinity of the Thyspunt site9-57Figure 9-24: Population density in the vicinity of the Thyspunt site9-58Figure 9-25: Shaded relief profile of the Thyspunt site surroundings9-59Figure 9-26: Wind roses for Cape St. Francis and Thyspunt9-60Figure 9-27: Botanical communities of Thyspunt9-61Figure 9-28: Wetlands at Thyspunt9-62Figure 9-29: Elandsberg dwarf chameleon found at Langefonteinvlei wetland9-63Figure 9-30: Location of tern roost and otter sightings9-63Figure 9-31: Commercial Fishing, Blaauwberg Beach-Bok Point, 1998-20079-65Figure 9-32: Population Distribution within 5km radii of Duynefontein9-77Figure 9-33: Duynefontein Nuclear Power Station viewshed analysis9-78Figure 9-34: Duynefontein Nuclear Power Station: Location of EIA corridor9-79Figure 9-35: Heritage features at the Duynefontein site9-80Figure 9-36: Land use map - Duynefontein9-81	Figure 9-19: A view of the affected environment at the Duynefontein site,	
Figure 9-21: The Blouberg Dwarf Burrowing Skink Scelotes montispectus, a recently described and potentially threatened species, found at Duynefontein (Photo: M. Burger)9-47Figure 9-22: An undescribed Tetramorium ant species found at Duynefontein Figure 9-23: Land use in the vicinity of the Thyspunt site9-57Figure 9-24: Population density in the vicinity of the Thyspunt site9-58Figure 9-25: Shaded relief profile of the Thyspunt site surroundings9-59Figure 9-26: Wind roses for Cape St. Francis and Thyspunt9-60Figure 9-27: Botanical communities of Thyspunt9-61Figure 9-29: Elandsberg dwarf chameleon found at Langefonteinvlei wetland9-63Figure 9-30: Location of tern roost and otter sightings9-63Figure 9-31: Commercial Fishing, Blaauwberg Beach-Bok Point, 1998-20079-65Figure 9-32: Population Distribution within 5km radii of Duynefontein9-77Figure 9-34: Duynefontein Nuclear Power Station: Location of EIA corridor9-79Figure 9-35: Heritage features at the Duynefontein site9-80Figure 9-36: Land use map - Duynefontein9-81	looking south towards Koeberg Nuclear Power Station	9-45
a recently described and potentially threatened species, found at9-47Duynefontein (Photo: M. Burger)9-47Figure 9-22: An undescribed Tetramorium ant species found at Duynefontein9-47Figure 9-23: Land use in the vicinity of the Thyspunt site9-57Figure 9-24: Population density in the vicinity of the Thyspunt site9-58Figure 9-25: Shaded relief profile of the Thyspunt site surroundings9-59Figure 9-26: Wind roses for Cape St. Francis and Thyspunt9-60Figure 9-27: Botanical communities of Thyspunt9-61Figure 9-28: Wetlands at Thyspunt9-62Figure 9-29: Elandsberg dwarf chameleon found at Langefonteinvlei wetland9-63Figure 9-30: Location of tern roost and otter sightings9-63Figure 9-31: Commercial Fishing, Blaauwberg Beach-Bok Point, 1998-20079-65Figure 9-32: Population Distribution within 5km radii of Duynefontein9-77Figure 9-33: Duynefontein Nuclear Power Station viewshed analysis9-78Figure 9-34: Duynefontein Nuclear Power Station: Location of ElA corridor9-79Figure 9-35: Heritage features at the Duynefontein site9-80Figure 9-36: Land use map - Duynefontein9-81		9-46
Duynefontein (Photo: M. Burger)9-47Figure 9-22: An undescribed Tetramorium ant species found at Duynefontein9-47Figure 9-23: Land use in the vicinity of the Thyspunt site9-57Figure 9-24: Population density in the vicinity of the Thyspunt site9-58Figure 9-25: Shaded relief profile of the Thyspunt site surroundings9-59Figure 9-26: Wind roses for Cape St. Francis and Thyspunt9-60Figure 9-27: Botanical communities of Thyspunt9-61Figure 9-28: Wetlands at Thyspunt9-62Figure 9-29: Elandsberg dwarf chameleon found at Langefonteinvlei wetland9-63Figure 9-30: Location of tern roost and otter sightings9-63Figure 9-31: Commercial Fishing, Blaauwberg Beach-Bok Point, 1998-20079-65Figure 9-32: Population Distribution within 5km radii of Duynefontein9-77Figure 9-33: Duynefontein Nuclear Power Station viewshed analysis9-78Figure 9-35: Heritage features at the Duynefontein site9-80Figure 9-36: Land use map - Duynefontein9-81		
Figure 9-22: An undescribed Tetramorium ant species found at Duynefontein9-47Figure 9-23: Land use in the vicinity of the Thyspunt site9-57Figure 9-24: Population density in the vicinity of the Thyspunt site9-58Figure 9-25: Shaded relief profile of the Thyspunt site surroundings9-59Figure 9-26: Wind roses for Cape St. Francis and Thyspunt9-60Figure 9-27: Botanical communities of Thyspunt9-61Figure 9-28: Wetlands at Thyspunt9-62Figure 9-29: Elandsberg dwarf chameleon found at Langefonteinvlei wetland9-63Figure 9-30: Location of tern roost and otter sightings9-65Figure 9-31: Commercial Fishing, Blaauwberg Beach-Bok Point, 1998-20079-65Figure 9-32: Population Distribution within 5km radii of Duynefontein9-77Figure 9-33: Duynefontein Nuclear Power Station viewshed analysis9-78Figure 9-34: Duynefontein Nuclear Power Station: Location of EIA corridor9-79Figure 9-35: Heritage features at the Duynefontein site9-80Figure 9-36: Land use map - Duynefontein9-81		
Figure 9-23: Land use in the vicinity of the Thyspunt site9-57Figure 9-24: Population density in the vicinity of the Thyspunt site9-58Figure 9-25: Shaded relief profile of the Thyspunt site surroundings9-59Figure 9-26: Wind roses for Cape St. Francis and Thyspunt9-60Figure 9-27: Botanical communities of Thyspunt9-61Figure 9-28: Wetlands at Thyspunt9-62Figure 9-29: Elandsberg dwarf chameleon found at Langefonteinvlei wetland9-63Figure 9-30: Location of tern roost and otter sightings9-63Figure 9-31: Commercial Fishing, Blaauwberg Beach-Bok Point, 1998-20079-65Figure 9-32: Population Distribution within 5km radii of Duynefontein9-77Figure 9-33: Duynefontein Nuclear Power Station viewshed analysis9-78Figure 9-34: Duynefontein Nuclear Power Station: Location of EIA corridor9-79Figure 9-35: Heritage features at the Duynefontein site9-80Figure 9-36: Land use map - Duynefontein9-81		
Figure 9-24: Population density in the vicinity of the Thyspunt site9-58Figure 9-25: Shaded relief profile of the Thyspunt site surroundings9-59Figure 9-26: Wind roses for Cape St. Francis and Thyspunt9-60Figure 9-27: Botanical communities of Thyspunt9-61Figure 9-28: Wetlands at Thyspunt9-62Figure 9-29: Elandsberg dwarf chameleon found at Langefonteinvlei wetland9-63Figure 9-30: Location of tern roost and otter sightings9-63Figure 9-31: Commercial Fishing, Blaauwberg Beach-Bok Point, 1998-20079-65Figure 9-32: Population Distribution within 5km radii of Duynefontein9-77Figure 9-33: Duynefontein Nuclear Power Station viewshed analysis9-78Figure 9-34: Duynefontein Nuclear Power Station: Location of EIA corridor9-79Figure 9-35: Heritage features at the Duynefontein site9-80Figure 9-36: Land use map - Duynefontein9-81		
Figure 9-25: Shaded relief profile of the Thyspunt site surroundings9-59Figure 9-26: Wind roses for Cape St. Francis and Thyspunt9-60Figure 9-27: Botanical communities of Thyspunt9-61Figure 9-28: Wetlands at Thyspunt9-62Figure 9-29: Elandsberg dwarf chameleon found at Langefonteinvlei wetland9-63Figure 9-30: Location of tern roost and otter sightings9-63Figure 9-31: Commercial Fishing, Blaauwberg Beach-Bok Point, 1998-20079-65(Tons)9-65Figure 9-32: Population Distribution within 5km radii of Duynefontein9-77Figure 9-33: Duynefontein Nuclear Power Station viewshed analysis9-78Figure 9-34: Duynefontein Nuclear Power Station: Location of EIA corridor9-79Figure 9-35: Heritage features at the Duynefontein site9-80Figure 9-36: Land use map - Duynefontein9-81	· · · · ·	
Figure 9-26: Wind roses for Cape St. Francis and Thyspunt9-60Figure 9-27: Botanical communities of Thyspunt9-61Figure 9-28: Wetlands at Thyspunt9-62Figure 9-29: Elandsberg dwarf chameleon found at Langefonteinvlei wetland9-63Figure 9-30: Location of tern roost and otter sightings9-63Figure 9-31: Commercial Fishing, Blaauwberg Beach-Bok Point, 1998-20079-65(Tons)9-65Figure 9-32: Population Distribution within 5km radii of Duynefontein9-77Figure 9-33: Duynefontein Nuclear Power Station viewshed analysis9-78Figure 9-34: Duynefontein Nuclear Power Station: Location of EIA corridor9-79Figure 9-35: Heritage features at the Duynefontein site9-80Figure 9-36: Land use map - Duynefontein9-81		
Figure 9-27: Botanical communities of Thyspunt9-61Figure 9-28: Wetlands at Thyspunt9-62Figure 9-29: Elandsberg dwarf chameleon found at Langefonteinvlei wetland9-63Figure 9-30: Location of tern roost and otter sightings9-63Figure 9-31: Commercial Fishing, Blaauwberg Beach-Bok Point, 1998-20079-65(Tons)9-65Figure 9-32: Population Distribution within 5km radii of Duynefontein9-77Figure 9-33: Duynefontein Nuclear Power Station viewshed analysis9-78Figure 9-34: Duynefontein Nuclear Power Station: Location of EIA corridor9-79Figure 9-35: Heritage features at the Duynefontein site9-80Figure 9-36: Land use map - Duynefontein9-81		
Figure 9-28: Wetlands at Thyspunt9-62Figure 9-29: Elandsberg dwarf chameleon found at Langefonteinvlei wetland9-63Figure 9-30: Location of tern roost and otter sightings9-63Figure 9-31: Commercial Fishing, Blaauwberg Beach-Bok Point, 1998-20079-65(Tons)9-65Figure 9-32: Population Distribution within 5km radii of Duynefontein9-77Figure 9-33: Duynefontein Nuclear Power Station viewshed analysis9-78Figure 9-34: Duynefontein Nuclear Power Station: Location of EIA corridor9-79Figure 9-35: Heritage features at the Duynefontein site9-80Figure 9-36: Land use map - Duynefontein9-81	•	
Figure 9-29: Elandsberg dwarf chameleon found at Langefonteinvlei wetland9-63Figure 9-30: Location of tern roost and otter sightings9-63Figure 9-31: Commercial Fishing, Blaauwberg Beach-Bok Point, 1998-20079-65(Tons)9-65Figure 9-32: Population Distribution within 5km radii of Duynefontein9-77Figure 9-33: Duynefontein Nuclear Power Station viewshed analysis9-78Figure 9-34: Duynefontein Nuclear Power Station: Location of EIA corridor9-79Figure 9-35: Heritage features at the Duynefontein site9-80Figure 9-36: Land use map - Duynefontein9-81	•	
Figure 9-30: Location of tern roost and otter sightings9-63Figure 9-31: Commercial Fishing, Blaauwberg Beach-Bok Point, 1998-20079-65(Tons)9-65Figure 9-32: Population Distribution within 5km radii of Duynefontein9-77Figure 9-33: Duynefontein Nuclear Power Station viewshed analysis9-78Figure 9-34: Duynefontein Nuclear Power Station: Location of EIA corridor9-79Figure 9-35: Heritage features at the Duynefontein site9-80Figure 9-36: Land use map - Duynefontein9-81		
Figure 9-31: Commercial Fishing, Blaauwberg Beach-Bok Point, 1998-2007(Tons)9-65Figure 9-32: Population Distribution within 5km radii of Duynefontein9-77Figure 9-33: Duynefontein Nuclear Power Station viewshed analysis9-78Figure 9-34: Duynefontein Nuclear Power Station: Location of EIA corridor9-79Figure 9-35: Heritage features at the Duynefontein site9-80Figure 9-36: Land use map - Duynefontein9-81		
(Tons)9-65Figure 9-32: Population Distribution within 5km radii of Duynefontein9-77Figure 9-33: Duynefontein Nuclear Power Station viewshed analysis9-78Figure 9-34: Duynefontein Nuclear Power Station: Location of EIA corridor9-79Figure 9-35: Heritage features at the Duynefontein site9-80Figure 9-36: Land use map - Duynefontein9-81		9-00
Figure 9-32: Population Distribution within 5km radii of Duynefontein9-77Figure 9-33: Duynefontein Nuclear Power Station viewshed analysis9-78Figure 9-34: Duynefontein Nuclear Power Station: Location of EIA corridor9-79Figure 9-35: Heritage features at the Duynefontein site9-80Figure 9-36: Land use map - Duynefontein9-81		9-65
Figure 9-33: Duynefontein Nuclear Power Station viewshed analysis9-78Figure 9-34: Duynefontein Nuclear Power Station: Location of EIA corridor9-79Figure 9-35: Heritage features at the Duynefontein site9-80Figure 9-36: Land use map - Duynefontein9-81		
Figure 9-34: Duynefontein Nuclear Power Station: Location of EIA corridor9-79Figure 9-35: Heritage features at the Duynefontein site9-80Figure 9-36: Land use map - Duynefontein9-81		
Figure 9-35: Heritage features at the Duynefontein site9-80Figure 9-36: Land use map - Duynefontein9-81		
Figure 9-36: Land use map - Duynefontein 9-81	o i	
Figure 9-37: Types of farming - Duvnefontein 9-82	Figure 9-37: Types of farming - Duynefontein	9-82
Figure 9-38 Duynefontein site location and sphere of tourism impact		
(Not to scale) 9-83		9-83
Figure 9-39: Distance to nearest noise-sensitive land uses at Duynefontein 9-84		9-84
Figure 9-40: Duynefontein transport network 9-85		9-85
Figure 9-41: Commercial fishing, Seal Point-Slang River, 1998-2007 (Kg) 9-87	Figure 9-41: Commercial fishing, Seal Point-Slang River, 1998-2007 (Kg)	9-87
Figure 9-42: Population Distribution within 5km distance radii of Thyspunt9-101		
Figure 9-43: Typical house placement east of site9-102		
Figure 9-44: Holiday home on beach east of site9-102	Figure 9-44: Holiday home on beach east of site	9-102

Figure 9-45: Middens and decorated ceramics at Thyspunt	9-103
Figure 9-46: Tidal fish traps and built structures at Thyspunt	9-104
Figure 9-47: Borrow pit area	9-105
Figure 9-48: Woodlands dairy	9-105
Figure 9-49: Land use map - Thyspunt	9-106
Figure 9-50: Extensive silage production on most farms	9-107
Figure 9-51: Silage bales	9-107
Figure 9-52: Types of farming - Thyspunt	9-108
Figure 9-53: Thyspunt site location and sphere of tourism impact (Not to scale)	9-109
Figure 9-54: Distance to nearest noise-sensitive land uses at Thyspunt	9-110
Figure 9-55: Thyspunt transport network	9-111

LIST OF TABLES

Table 2-1: Details of the Applicant	2-1
Table 2-2: Details of the Environmental Assessment Practitioner	2-2
Table 2-3: Details of the Competent / Relevant Authority	2-2
Table 3-1: Sizes of the development footprints at the alternative sites	3-5
Table 3-2: Main construction activities per year (Eskom Truck Load Table,	
17/05/2010)	3-15
Table 3-3: Accommodation requirements per nuclear power station site	3-20
Table 3-4: Minimum land requirements (hectares) required for accommodation	3-21
Table 3-5: Nuclear Power Station and associated infrastructure requirements Table 3-6: Estimated water consumption during construction and operation	3-23
phases	3-26
Table 3-7: Reservoirs required on site	3-27
Table 3-8: Material required for the construction of key elements of the nuclear	
power station	3-30
Table 3-9: Inputs and outputs related to the operational phase under normal	
operating conditions	3-33
Table 3-10: Typical waste types during construction of nuclear power station	
for a similar plant (Pöyry Energy Oy and Lithuanian Energy Institute 2008)	3-35
Table 3-11: Categories of Radioactive Waste (NNR 2001)	3-36
Table 3-12: Maximum inhalation and external effective dose predicted in the	
40 km by 40 km study area for all three nuclear power station sites	3-44
Table 3-13: Maximum quantities of chemical effluent discharged from	-
demineralisation and desalinisation plants	3-45
Table 3-14: Radii of proposed emergency planning zones and actions required	
within these zones	3-48
Table 3-15: Estimated traffic figures for the construction phase	3-51
Table 3-16: Estimated monthly trips of abnormal loads for the construction	
phase	3-52
Table 4-1: Data for nominal increase in capacity	4-6
Table 4-2: Electricity production from fossil fuels (top 10 countries) (Based on Inter-	ernational
Energy Agency 2007a) 4-8	
Table 4-3: Summary of Need and Desirability Questions (in terms of the DEA & D	EA&DP
EIA Guidelines on Need and Desirability). 4-11	
Table 5-1 Summary of electricity generation technologies that are commercially	
available but not necessarily financially viable for Eskom	5-12
Table 5-2: Summary of the LCOE of generation alternatives in 2020, based on	
learning rates (Table 17 from Department of Energy 2010c)	5-16
Table 5-3: Summary of United Kingdom LCOE of generation alternatives for com	missioning
in 2020 (UK Department of Energy and Climate Change 2013) 5-17	_
Table 5-4: Summary of United States LCOE of generation alternatives for commi	ssioning in
2020 (US Energy Information Administration 2013) 5-18	
Table 5-5: Summary of Eskom's short-listed nuclear plant type technologies	5-19
Table 5-6: Key features of the Nuclear-1 envelope	5-21
Table 5-7: Offshore spoil disposal alternatives at Duynefontein	5-29
Table 5-8: Offshore spoil disposal alternatives at Thyspunt	5-29
Table 6-1: Key responsibilities of various role-players with respect to nuclear	
emergency management	6-23
Table 6-2: Activities requiring Basic Assessment	6-32
36	
Nuclear-1 EIA Version 2.0 / Aug	ust 2015

Revised Environmental Impact Report Version 2

Version 2.0 / August 2015

Table 6-3: Activities requiring Scoping and EIA	6-37
Table 6-4: Consistency of the nuclear power station with the NEMA princip	
Table 7-1: Paid newspaper advertisements for project announcement	7-6
Table 7-2: Distribution of BIDs at public libraries during the Scoping Phase	
Table 7-3: Distribution of BIDs at additional public venues during the Scopi	
Phase	7-7
Table 7-4: Public Meetings held during the Scoping Phase	7-14
Table 7-5:Meetings - Key Stakeholder Workshops	7-15
Table 7-6:Meetings - Focus Group Meetings	7-15
Table 7-7:Public Meetings and Public Open Days	7-16
Table 7-8:Key stakeholder and Authorities Feedback Meetings	7-16
Table 7-9: Availability of the Draft and Final Scoping Reports	7-19
Table 7-10: Newspaper advertisements announcing availability of the Drat	
Table 7-11: Venues where copies of the Draft EIR were made available	7-21
Table 7-12: Review period for the Draft EIR	7-22
Table 7-13: List of meetings held to facilitate the review and obtain comme on the Draft EIR	7-23
Table 7-14: List of Focus Group Meetings held to facilitate the review and on the Draft EIR	7-23
Table 7-15: List of Key Stakeholder Meetings	7-23
Table 7-16: List of Focus Group Meetings with specialists held to facilitate	-
review and obtain comments on the Draft EIR	7-24
Table 7-17: Authority meetings held for the Draft EIR	7-24
Table 7-18: Venues where the Revised Draft EIR was made available	7-25
Table 7-19:Newspaper advertisements announcing the availability of the	
Revised Draft EIR	7-26
Table 7-20: List of public meetings and open houses to facilitate the review	<i>w</i> on
the Revised Draft EIR	7-27
Table 7-21: Authority meetings for the Revised Draft EIR	7-28
Table 7-22:Common thematic issues and responses	7-30
Table 7-23: Venues where the Revised Draft EIR Version 2 will be made	
available	7-75
Table 8-1: EIA specialist team members and their fields of expertise	8-1
Table 8-2: Peer review team	
Table 9-1: Means and extremes of dry-bulb temperature at the Duynefont	ein
site measured at 10 m above ground level (1980 to 2007)	9-29
Table 9-2: Means and extremes of temperature for Cape St. Francis for th	
period 2004 to 2007	9-49
Table 9-3: Civil Structures in a 20 km radius around Duynefontein	9-67
Table 9-4: Farming practices (number of farms)	9-73
Table 9-5: Quantitative representation of tourism industry in the Duynefon	tein
area	9-74
Table 9-6: Civil structures within 30 km of the Thyspunt site	9-89
Table 9-7: Farming practices (number of farms)	9-97
Table 9-8: Approximate visitor expenditure during the BP Billabong Pro	9-98
Table 9-9: Quantitative representation of the tourism industry in the Thysp	unt
area	9-98
37	
Nuclear 1 EIA	0 / August 2015

Table 10-1: Potential impacts at both sites (post mitigation or after optimisation) as identified in the specialist studies conducted for the EIA. Table 10-2: Ranking of consequence. Table 10-3: Likelihood categories and definitions	10-8 10-22 10-22
Table 10-4: Residual risk categories Table -10-5: Implications for decision-making of the different residual risk categories shown in Table 10-4.	10-22 10-23
Table 10-6: The residual risk of acute radiological exposure as a function of the various potential causes of that risk Table 10-7: The residual risk of non-radiological death or serious injury as a	10-30
function of the various potential causes of that risk Table 10-8: The residual risk of increased morbidity as a function of chronic	10-31
exposure risk Table 10-9: The residual risk of increased morbidity as a function of communicable disease risk	10-33 10-34
Table 10-10: The residual risk of contaminated stormwater due to the various risk sources associated with the proposed NPS	10-36
Table 10-11: The residual risk of contaminated groundwater due to the various risk sources associated with the proposed NPS Table 10-12: The residual risk of reduced groundwater yields due to the various	10-38
risk sources associated with the proposed NPS. Table 10-13: The residual risk of reduced wetland function due to the various	10-40
risk sources associated with the proposed NPS Table 10-14: The residual risk of reduced marine environmental quality due to	10-42
the various risk sources associated with the proposed NPS. Table 10-15: The residual risk of reduced populations of threatened species populations as a function of various risk sources associated with the proposed	10-45
NPS Table 10-16: The residual risk of reduced livelihoods due to the various risk	10-49
sources associated with the proposed NPS Table 10-18: The residual risk of loss of heritage resources due to the various	10-52
risk sources associated with the proposed NPS Table 10-19: The residual risk of nuisance due to the various risk sources	10-55
associated with the proposed NPS	10-57