

Date: 2013-02-22 Your Ref: 12/9/11/L1010/6

Our Ref: S0611

Attention: Chief Directorate: Hazardous Waste

**Management and Licensing** 

**Department of Environmental Affairs** 

315 Pretorius Street Fedsure Forum Building 8th Floor South Tower

Pretoria, 0001

**Johannesburg:** Tel: (011) 326-4158, Fax: (011) 326-4118

P.O. Box 68221, Bryanston, 2021, RSA 59 Woodlands Avenue, Hurlingham Office

Park, 2070

**KwaZulu-Natal:** Tel/Fax: (033) 343-5826

2 Wattle Grove, Hilton, 320

**Namibia:** Tel: (+264) (0) 64-406-587

Fax: (+264) (0) 88-647-501 P.O. Box 4821, Swakopmund

Dear Ms M Phoshoko

## SUBMISSION OF DRAFT ENVIRONMENTAL IMPACT ASSESSMENT REPORT

## WASTE MANAGEMENT LICENCE FOR ASH DAM EXTENSION 3 AT KOMATI POWER STATION

Synergistics Environmental Services (Pty) Ltd (Synergistics), working as an independent Environmental Assessment Practitioner to Eskom Holdings SOC Ltd (Eskom), has completed the <u>draft Environmental Impact</u> Assessment Report (DEIR) for Ash Dam Extension 3 at the Komati Power Station. The work was undertaken in terms of the 2010 EIA Regulations, as required to support a Waste Management Licence (WML) application for a Category B waste management activity. The Department of Environmental Affairs (DEA) accepted the WML application on the 30 August 2012.

Synergistics hereby submits the DEIR. This copy has been provided to the DEA in terms of Regulation 56 (4) of GN R 543. The DEIR will now be made available to registered Interested and Affected Parties (IAPs) for a 21 calendar day review period, as per the exemption granted by the DEA on the 23 January 2013.

Synergistics has also provided copies of the DEIR to:

- The Ward 4 Councillor of the Steve Tshwete Municipality Mr Edward Nyambi (072-110-7597);
- Steve Tshwete Municipality Municipal Manager Mr WG Fouche (013 249-7000);
- Steve Tshwete Municipality Senior Manager Mr Meshack Mahamba (013 249-7178);
- Mpumalanga Department of Economic Development Environment and Tourism Dr G Batchelor (013 766 4828);
- Nkangala District Municipality Mr AG Zimbwa (013 249-2000);
- National Department of Water Affairs Mr A Singh (012 336-7531); and
- Mpumalanga Department of Water Affairs Mr M Mahunonyane (013 759-7310.



Once the public review process is complete, the <u>final</u> EIR and any comments submitted by IAPs or commenting authorities will be submitted to the DEA for a decision on the WML. Should you have any queries please don't hesitate to contact the undersigned.

Please acknowledge receipt of the DEIR by signing and returning the attached Document Receipt page.

Kind Regards,

**Matthew Hemming** 

MSc (Conservation Biology)

Director



Date: 2013-02-22 Your Ref: 12/9/11/L1010/6

Our Ref: S0611

Attention: Chief Directorate: Hazardous Waste

**Management and Licensing** 

**Department of Environmental Affairs** 

315 Pretorius Street Fedsure Forum Building 8th Floor South Tower

Pretoria, 0001

**Johannesburg:** Tel: (011) 326-4158, Fax: (011) 326-4118

P.O. Box 68221, Bryanston, 2021, RSA 59 Woodlands Avenue, Hurlingham Office

Park, 2070

**KwaZulu-Natal:** Tel/Fax: (033) 343-5826

2 Wattle Grove, Hilton, 320

Namibia: Tel: (+264) (0) 64-406-587

Fax: (+264) (0) 88-647-501 P.O. Box 4821, Swakopmund

## **DOCUMENT RECIEPT**

Project Name: OPE	ERATION OF ASH DAM AEXTENSION 3
-------------------	---------------------------------

AT KOMATI POWER STATION

**Document Title:** Draft Environmental Impact Assessment

Report

Number of Copies: 1

**Delivered by:** Courier

Received by:

Signature

Designation



**Department Stamp** 



Date