

1. **Introduction**
 2. **Background**
 3. **Methodology**
 4. **Results**
 5. **Discussion**
 6. **Conclusion**
 7. **References**
 8. **Appendix**
 9. **Figure 1**
 10. **Figure 2**
 11. **Figure 3**
 12. **Figure 4**
 13. **Figure 5**
 14. **Figure 6**
 15. **Figure 7**
 16. **Figure 8**
 17. **Figure 9**
 18. **Figure 10**
 19. **Figure 11**
 20. **Figure 12**
 21. **Figure 13**
 22. **Figure 14**
 23. **Figure 15**
 24. **Figure 16**
 25. **Figure 17**
 26. **Figure 18**
 27. **Figure 19**
 28. **Figure 20**
 29. **Figure 21**
 30. **Figure 22**
 31. **Figure 23**
 32. **Figure 24**
 33. **Figure 25**
 34. **Figure 26**
 35. **Figure 27**
 36. **Figure 28**
 37. **Figure 29**
 38. **Figure 30**
 39. **Figure 31**
 40. **Figure 32**
 41. **Figure 33**
 42. **Figure 34**
 43. **Figure 35**
 44. **Figure 36**
 45. **Figure 37**
 46. **Figure 38**
 47. **Figure 39**
 48. **Figure 40**
 49. **Figure 41**
 50. **Figure 42**
 51. **Figure 43**
 52. **Figure 44**
 53. **Figure 45**
 54. **Figure 46**
 55. **Figure 47**
 56. **Figure 48**
 57. **Figure 49**
 58. **Figure 50**
 59. **Figure 51**
 60. **Figure 52**
 61. **Figure 53**
 62. **Figure 54**
 63. **Figure 55**
 64. **Figure 56**
 65. **Figure 57**
 66. **Figure 58**
 67. **Figure 59**
 68. **Figure 60**
 69. **Figure 61**
 70. **Figure 62**
 71. **Figure 63**
 72. **Figure 64**
 73. **Figure 65**
 74. **Figure 66**
 75. **Figure 67**
 76. **Figure 68**
 77. **Figure 69**
 78. **Figure 70**
 79. **Figure 71**
 80. **Figure 72**
 81. **Figure 73**
 82. **Figure 74**
 83. **Figure 75**
 84. **Figure 76**
 85. **Figure 77**
 86. **Figure 78**
 87. **Figure 79**
 88. **Figure 80**
 89. **Figure 81**
 90. **Figure 82**
 91. **Figure 83**
 92. **Figure 84**
 93. **Figure 85**
 94. **Figure 86**
 95. **Figure 87**
 96. **Figure 88**
 97. **Figure 89**
 98. **Figure 90**
 99. **Figure 91**
 100. **Figure 92**
 101. **Figure 93**
 102. **Figure 94**
 103. **Figure 95**
 104. **Figure 96**
 105. **Figure 97**
 106. **Figure 98**
 107. **Figure 99**
 108. **Figure 100**
 109. **Figure 101**
 110. **Figure 102**
 111. **Figure 103**
 112. **Figure 104**
 113. **Figure 105**
 114. **Figure 106**
 115. **Figure 107**
 116. **Figure 108**
 117. **Figure 109**
 118. **Figure 110**
 119. **Figure 111**
 120. **Figure 112**
 121. **Figure 113**
 122. **Figure 114**
 123. **Figure 115**
 124. **Figure 116**
 125. **Figure 117**
 126. **Figure 118**
 127. **Figure 119**
 128. **Figure 120**
 129. **Figure 121**
 130. **Figure 122**
 131. **Figure 123**
 132. **Figure 124**
 133. **Figure 125**
 134. **Figure 126**
 135. **Figure 127**
 136. **Figure 128**
 137. **Figure 129**
 138. **Figure 130**
 139. **Figure 131**
 140. **Figure 132**
 141. **Figure 133**
 142. **Figure 134**
 143. **Figure 135**
 144. **Figure 136**
 145. **Figure 137**
 146. **Figure 138**
 147. **Figure 139**
 148. **Figure 140**
 149. **Figure 141**
 150. **Figure 142**
 151. **Figure 143**
 152. **Figure 144**
 153. **Figure 145**
 154. **Figure 146**
 155. **Figure 147**
 156. **Figure 148**
 157. **Figure 149**
 158. **Figure 150**
 159. **Figure 151**
 160. **Figure 152**
 161. **Figure 153**
 162. **Figure 154**
 163. **Figure 155**
 164. **Figure 156**
 165. **Figure 157**
 166. **Figure 158**
 167. **Figure 159**
 168. **Figure 160**
 169. **Figure 161**
 170. **Figure 162**
 171. **Figure 163**
 172. **Figure 164**
 173. **Figure 165**
 174. **Figure 166**
 175. **Figure 167**
 176. **Figure 168**
 177. **Figure 169**
 178. **Figure 170**
 179. **Figure 171**
 180. **Figure 172**
 181. **Figure 173**
 182. **Figure 174**
 183. **Figure 175**
 184. **Figure 176**
 185. **Figure 177**
 186. **Figure 178**
 187. **Figure 179**
 188. **Figure 180**
 189. **Figure 181**
 190. **Figure 182**
 191. **Figure 183**
 192. **Figure 184**
 193. **Figure 185**
 194. **Figure 186**
 195. **Figure 187**
 196. **Figure 188**
 197. **Figure 189**
 198. **Figure 190**
 199. **Figure 191**
 200. **Figure 192**
 201. **Figure 193**
 202. **Figure 194**
 203. **Figure 195**
 204. **Figure 196**
 205. **Figure 197**
 206. **Figure 198**
 207. **Figure 199**
 208. **Figure 200**
 209. **Figure 201**
 210. **Figure 202**
 211. **Figure 203**
 212. **Figure 204**
 213. **Figure 205**
 214. **Figure 206**
 215. **Figure 207**
 216. **Figure 208**
 217. **Figure 209**

File Reference Number:

Application Number:**Date Received:**

1. This application form is current as of 1 July 2006. It is the responsibility of the EAP to ascertain whether subsequent versions of the form have been published or produced by the competent authority.
2. The application must be typed within the spaces provided in the form. The sizes of the spaces provided are not necessarily indicative of the amount of information to be provided. It is in the form of a table that can extend itself as each space is filled with typing.
3. Where applicable **black out** the boxes that are not applicable in the form.
4. Incomplete applications may be returned to the applicant for revision.
5. The use of "not applicable" in the form must be done with circumspection as if it is used in respect of material information that is required by the competent authority for assessing the application, and may result in the rejection of the application as provided for in the regulations.
6. This application must be handed in at the offices of the relevant competent authority as determined by each authority.
7. No faxed or e-mailed applications will be accepted.
8. The application must be completed by an independent environmental practitioner.
9. Unless protected by law, all information filled in on this application will become public information on receipt by the competent authority. Any interested and affected party should be provided with the information contained in this application on request, during any stage of the application process.

In terms of Section 16 (3) of the EIA Regulations, Subregulation (1) regarding the obtaining of consent from the landowner to undertake the activity on their property does not apply in respect of a linear activity, provided the applicant has given notice of the proposed activity to the owners of the land on which the activity is to be undertaken as soon as the proposed route or alternative routes have been identified. The relevant site identification information is provided below for the proposed substation sites.

TO FOLLOW IN DUE COURSE

[illegible]

(These numbers will be used to link various different applications, authorisations, permits etc. that may be connected to a specific site)

APPLICATION FORM

1. Background information

Project applicant:	Eskom Holdings Limited		
Trading name (if any):			
Contact person:	Mmamoloko Seabe		
Physical address:	Megawatt Park, Maxwell Drive, Sandton		
Postal address:	PO Box 1091 JOHANNESBURG		
Postal code:	2000	Cell:	-
Telephone:	(011) 800-2345	Fax:	(011) 800-3917
E-mail:	Mmamoloko.seabe@eskom.co.za		
Project consultant:	SIVEST SA (PTY) LTD		
Contact person:	Dave Blair		
Postal address:	51 Wessel Road, Rivonia		
Postal code:	2128	Cell:	083 6310102
Telephone:	011 – 798 0630	Fax:	011 – 803 7272
E-mail:	daveb@sivest.co.za		
Professional affiliation(s) (if any)	Pr Sci Nat EAPSA		
Landowner:	TO FOLLOW IN DUE COURSE		
Contact person:			
Postal address:			
Postal code:		Cell:	
Telephone:		Fax:	
E-mail:			
	In instances where there is more than one landowner, please attach a list of landowners with their contact details to this application.		
Local authority in whose jurisdiction the proposed activity will fall:	1. NELSON MANDELA METRO 2. KOUGA LOCAL MUNICIPALITY		
Contact person:	1. JILL MANUEL (Nelson Mandela Metro EIA Co-ordinator) 2. DR E.M. RANKWANA (Kouga LM Municipal Manager)		
Postal address:	1. P.O. Box 11, Port Elizabeth 2. PO Box 21, Jeffreys Bay		
Postal code:	1. 6000 2. 6330	Cell:	1. Not provided 2. 082 894 7711
Telephone:	1. 041 – 506 1332 2. 042 – 293 1111	Fax:	1. 041 – 585 7261 2. 042 – 293 3606
E-mail:	1. jmanuel@mandelametro.gov.za 2. mm@ec108.org.za		
	In instances where there is more than one local authority involved, please attach a list of local authorities with their contact details to this application.		
Project title:	Eskom Thuyspunt Nuclear 400kV Integration Lines EIA: • New Port Elizabeth Sub Station		
Property description:	TO FOLLOW IN DUE COURSE		
	(Farm name, portion etc.) Where a large number of properties are involved (e.g. linear activities), please attach a full list to this application.		
Town(s) or district(s):	Nelson Mandela Metro & Cacadu District Municipality (Kouga Local Municipality)		
Physical address:	TO FOLLOW IN DUE COURSE		
	In instances where there is more than one town or district involved, please attach a list of towns or districts to this application.		
Current land-use zoning:	TO FOLLOW IN DUE COURSE		
	In instances where there is more than one current land-use zoning, please attach a list of current land use zonings that also indicate which portions each use pertains to, to this application.		
Is a change of land-use or a consent use application required?			YES
Must a building plan be submitted to the local authority?			YES

APPLICATION FORM

Locality map:	<p>A locality map must be attached to the back of this document, as Appendix A. The scale of the locality map must be at least 1:50 000. The scale must be indicated on the map. The map must indicate the following:</p> <ul style="list-style-type: none"> • an accurate indication of the project site position as well as the positions of the alternative sites, if any; • road access from all major roads in the area; • road names or numbers of all major roads as well as the roads that provide access to the site(s); • all roads within a 1km radius of the site or alternative sites; and • a north arrow.
Owners consent:	<p>In line with the requirements of the EIA regulations, letters of consent of all landowners or a detailed explanation by the applicant explaining why consent is not possible must be attached to the back of this document as Appendix B.</p> <p>TO FOLLOW IN DUE COURSE</p>

2. Activities applied for

An application may be made for more than one listed or specified activity that, together, make up one development proposal. All the listed activities that make up this application must be listed.

Indicate the number and date of the relevant notice:	Activity No (s) (in terms of the relevant or notice) :	Describe each listed activity:
Government Notice R387 (21 April 2006)	1(l)	The construction of facilities or infrastructure, including associated structures or infrastructure, for the transmission and distribution of above ground electricity with a capacity of 120 kilovolts or more
Government Notice R386 (21 April 2006)	12	The transformation or removal of indigenous vegetation of 3 hectares or more or of any size where the transformation or removal would occur within a critically endangered or an endangered ecosystem listed in terms of section 52 of the National Environmental Management: Biodiversity Act, 2004 (Act No. 10 of 2004).
Government Notice R386 (21 April 2006)	14	The construction of masts of any material of type and of any height, including those used for telecommunications broadcasting and radio transmission, but excluding (a) masts of 15m and lower exclusively used by (i) radio amateurs; or (ii) for lightening purposes (b) flagpoles; and (c) lightening conductor poles
Government Notice R386 (21 April 2006)	15	The construction of a road that is wider than 4 metres or that has a reserve wider than 6 metres, excluding roads that fall within the ambit of another listed activity or which are access roads of less than 30 metres long.
Government Notice R386 (21 April 2006)	16(b)	The transformation of undeveloped, vacant or derelict land to residential, mixed, retail, commercial, industrial or institutional use where such development does not constitute infill and where the total area to be transformed is bigger than 1 hectare.
Government Notice R386 (21 April 2006)	7	The above ground storage of a dangerous good, including petrol, diesel, liquid petroleum gas or paraffin, in containers with a combined capacity of more than 30 cubic metres but less than 1 000 cubic metres at any one location or site.
Government Notice R386 (21 April 2006)	1 (m)	<p>The construction of facilities or infrastructure, including associated structures or infrastructure, for any purpose in the one in ten year flood line of a river or stream, or within 32 m from the bank of a river or stream where the flood line is unknown, excluding purposes associated with existing residential use, but including -</p> <ul style="list-style-type: none"> (i) canals; (ii) channels; (iii) bridges; (iv) dams; and (v) weirs

Please note that any authorisation that may result out of this application will only cover activities applied for. Omissions may render any authorisation that is based on incomplete information to be nil and void.

APPLICATION FORM

3. Type of application

3.1 Application for Basic Assessment

Is this an application for conducting a basic assessment (as defined in the regulations)?

<input type="checkbox"/>	NO
YES	<input type="checkbox"/>

If, YES, is a basic assessment report attached?

If, NO, please indicate when the basic assessment report will be submitted:

--

3.2 Application for Scoping and Environmental Impact Assessment (EIA)

Is this an application for Scoping and EIA (as defined in the regulations)?

YES	<input type="checkbox"/>
<input type="checkbox"/>	NO

If, YES, is a Scoping Report and Plan of Study for EIA attached?

If, NO, please indicate when the Scoping Report and Plan of Study for EIA will be submitted:

30 DECEMBER 2008

The scoping report and/or the plan of study for EIA will be submitted after consultation with the competent authority:

YES	<input type="checkbox"/>
-----	--------------------------

A consultation with the competent authority is hereby requested:

YES	<input type="checkbox"/>
-----	--------------------------

APPLICATION FORM

4.2 The Applicant

I, MAMOLOKO SEABE, declare under oath that I -

- Am, or represent, the applicant in this application;
- appointed the environmental assessment practitioner as indicated under point 4.1 above to act as the independent environmental assessment practitioner for this application;
- will provide the environmental assessment practitioner and the competent authority with access to all information at my disposal that is relevant to the application;
- will be responsible for the costs incurred in complying with the Environmental Impact Assessment Regulations, 2005, including but not limited to -
 - costs incurred in connection with the appointment of the environmental assessment practitioner or any person contracted by the environmental assessment practitioner;
 - costs incurred in respect of the undertaking of any process required in terms of the regulations;
 - costs in respect of any fee prescribed by the Minister or MEC in respect of the regulations;
 - costs in respect of specialist reviews, if the competent authority decides to recover costs; and
 - the provision of security to ensure compliance with conditions attached to an environmental authorisation, should it be required by the competent authority;
- will ensure that the environmental assessment practitioner is competent to comply with the requirements of these regulations;
- am responsible for complying with the conditions of any environmental authorisation issued by the competent authority;
- hereby indemnify, the government of the Republic, the competent authority and all its officers, agents and employees, from any liability arising out of the content of any report, any procedure or any action for which the applicant or environmental assessment practitioner is responsible in terms of these regulations; and
- will not hold the competent authority responsible for any costs that may be incurred by the applicant in proceeding with an activity prior to an appeal being decided in terms of these regulations.


Signature of the applicant:

ESKOM HOLDINGS LTD
Name of company:

2 JUNE 2008
Date:


Signature of the Commissioner of Oaths:

2/6/08
Date:

SURVEYOR
Designation:

Official stamp (below):

ERNEST THEODORE JULIUS GRUNEWALD
EX OFFICIO
COMMISSIONER OF OATHS
SURVEYOR
ESKOM
P.O. BOX 1091
JOHANNESBURG
REP. OF SOUTH AFRICA