REFERENCES CHAPTER 11

Acha, A. 1997. Negative impact of wind generators on the Eurasian Griffon Gyps fulvus in Tarifa, Spain. Vulture News 38:10-18

- Acocks, J.P.H. 1953. Veld types of South Africa. Memoirs of the Botanical Society of South Africa 28, pp 1-192.
- Allaby, A. and Allaby, M. (Editors), 1991. The Concise Oxford Dictionary of Earth Sciences. Oxford University Press. Oxford. New York. USA.
- Aller, L., Bennett, T., Petty, R.J. and Hackett, G., 1987. DRASTIC: A Standardized System for Evaluating Ground Water Pollution Potential using Hydrogeologic Settings. EPA-600/2-87-035. Environmental Potection Agency. Washington DC. USA.
- Anderson, M.D. 2001. The effectiveness of two different marking devices to reduce large terrestrial bird collisions with overhead electricity cables in the eastern Karoo, South Africa. Draft report to Eskom Resources and Strategy Division. Johannesburg. South Africa.
- ARC-ISCW, 2004. Overview of the status of the agricultural natural resources of South Africa (First Edition). ARC-Institute for Soil, Climate and Water, Pretoria
- Australian Wind Energy Association www.auswea.com.au (accessed 25/04/07)
- Avian Literature Database National Renewable Energy Laboratory www.nrel.gov
- Avian Powerline Interation Committee (APLIC). 1994. Mitigating bird collisions with power lines: the state of the art in 1994. Edison Electric Institute. Washington DC.
- Baard, E.H.W., Branch, W.R., Channing, A.C., de Villiers, A.L., le Roux, A. & Mouton, P.LE F.N. (alphabetical order). (1999). A review of the amphibians and reptiles of the Cape Floristic Region as indicators of centres of biodiversity, sensitive habitats and sites of special interests. Cape Nature Conservation, Jonkershoek. 35pp.
- Ball, J.B. (2005). Approaches towards a critical evaluation and update of the Red Data List of South African butterflies. Unpublished MSc thesis, University of Stellenbosch, South Africa.
- Barnes, K.N. (ed.) 1998. The Important Bird Areas of southern Africa. BirdLife South Africa: Johannesburg.
- Barnes, K.N. (ed.) 2000. The Eskom Red Data Book of Birds of South Africa, Lesotho and Swaziland. BirdLife South Africa, Johannesburg.
- Branch, W.R. (1998). Field guide to Snakes and other Reptiles of Southern Africa. 3rd Edition. Struik, Cape Town. 399 pp.
- Brink, A. B. A. 1979. Engineering Geology of Southern Africa. The first 2 000 million years of geological time. Building Publications Pretoria. 310 pp.
- Brink, A. B. A. 1985. Post-Gondwana deposits. Building Publications Pretoria. 332 pp.

- Brownlie, S. 2005. Guideline for involving biodiversity specialists in EIA processes: Edition 1. CSIR Report No. ENV–S–C 2005 053 C. Republic of South Africa, Provincal Government of the Western Cape, Department of Environmental Affairs and Development Planning, Cape Town.
- Cade, T.J. 1994. Industry research: Kenetech Windpower. In Proceedings of the National Avian-Wind Power Planning Meeting, 1994.
- Cape Town Routes Unlimited, 2007, Research programme to track visitor patterns and trends, report from the December 2006/ January 2007 survey
- Chief Director of Surveys and Mapping, varying dates. 1:50 000 Topo-cadastral Maps
- Cooke, R.U. and Doornkamp, J.C. 1990. Geomorphology in Environmental Management. A New Introduction. Second Edition. Clarendon Press, Oxford.
- Colson & associates 1995. Avian interaction with wind energy facilities: a summary. Prepared for the American Wind Energy Association. Washington DC
- Couto, M, Naicker-Bugwandeen, K. and Govender, I. 2006. Strategic Environmental Assessment for locating a commercial wind farm along the west coast. Eskom Holdings Ltd: Eskom Research and Innovation Department (ERID).
- Cowling, R.M., Esler, K.J. & Rundel, P.W. (1999). Namaqualand, South Africa an overview of a unique winter-rainfall desert ecosystem. Plant Ecology 142: 3-21.
- Crockford, N.J. 1992. A review of the possible impacts of wind farms on birds and other wildlife. Joint Nature Conservation Committee. JNCC Report number 27. Peterborough. United Kingdom
- CSIR/ARC, 2000. National Land-cover Database 2000 (NLC 2000).
- **Cumberland Times**
- Curry & Kerlinger, LCC www.currykerlinger.com (accessed 27/04/07)
- Curry, R.C., & Kerlinger, P. 2000. Avian mitigation plan: Kenetech model wind turbines, Altamont Pass WRA, California. In Proceedings of the National Avian-Wind Power Planning Meeting III, San Diego California, May 1998.
- De Beer, C. H., Gresse, P. G., Theron, J. N. and Almond, J. E. 2002. The Geology of the Calvinia Area. Explanation Sheet 3118 Calvinia, 1:250 000 Scale. Council for Geoscience, South Africa.
- Department of Environmental Affairs and Development Planning. 2007. Provincial Guideline on Biodiversity Offsets. Republic of South Africa, Provincial Government of the Western Cape, Department of Environmental Affairs & Development Planning, Cape Town.
- Department of Environmental Affairs and Tourism (DEAT), 2001. Environmental Potential Atlas (ENPAT) for the Western Cape Province
- Department of Environment and Tourism. Environmental Potential Atlas for South Africa. Erodibility Index. www.deat.gov.za (July 2007)
- Desholm, M. & Kahlert, J. 2005. Avian collision risk at an offshore wind farm. Biology Letters (2005) 1. 296-298.

- Desmet, P.G. & Cowling, R.M. (1999a). The climate of the karoo a functional approach. Pp 3-16 in W.R.J. Dean and S.J. Milton, editors. The Karoo: ecological patterns and processes. Cambridge University Press, Cambridge.
- Desmet, P.G. & Cowling, R.M. (1999b). Biodiversity, habitat and range-size aspects of a flora from a winter rainfall desert in North-western Namaqualand, South Africa. Plant Ecol. 142: 23-33.
- De Villiers, A.L. (1990). West Coast Heavy Mineral Sands Project: Amphibians and Reptiles of Brand se Baai. Environmental Evaluation Unit Report No 4/90/49, University of Cape Town.
- De Villiers, C., Driver, A., Brownlie, S., Day, E., Euston-Brown, D., Helme, N., Holmes, P., Job, N., and A. Rebelo. 2005. Fynbos Forum Ecosystem Guidelines for Environmental Assessment in the Western Cape. Fynbos Forum, c/o Botanical Society of South Africa, Conservation Unit, Kirstenbosch, Cape Town.
- Dewar, G.I. 2007. The Archaeology of the Coastal Desert of Namaqualand, South Africa: A regional sysnthesis. Unpublished Phd Dissertation, Department of Archaeology, University of Cape Town.
- Erickson, W.P., Johnson, G.D., Strickland, M.D., Kronner, K., & Bekker, P.S. 1999. Baseline avian use and behaviour at the CARES wind plant site, Klickitat county, Washington. Final Report. Prepared for the National Renewable Energy Laboratory.
- Erickson, W.P., Johnson, G.D., Strickland, M.D., Young, D.P., Sernka, K.J., Good, R.E. 2001. Avian collisions with wind turbines: a summary of existing studies and comparison to other sources of avian collision mortality in the United States. National Wind Co-ordinating Committee Resource Document.
- Erickson, W.P., Johnson, G.D., Strickland, M.D., Young, Good, R., Bourassa, M., & Bay, K. 2002. Synthesis and comparison of baseline avian and bat use, raptor nesting and mortality from proposed ans existing wind developments. Prepared for Bonneville Power Administration.
- European Wind Energy Association www.ewea.org (accessed 27/04/07)
- Everaert, J. 2003. Wind turbines and birds in Flanders: Preliminary study results and recommendations. Natuur. Oriolus 69 (4): 145-155
- Forman, R.T.T. & Alexander, L.E. (1998). Roads and their major ecological effects. Annual Review of Ecology and Systematics 29: 207-231.
- Friedmann, Y. & daly, B., (eds). (2004). Red Data Book of the Mammals of South Africa: A Conservation Assessment: CBSG Southern Africa, Conservation Breeding Specialist Group (SSC/IUCN, Endangered Wildlife Trust. South Africa.
- German Wind Energy Association www.wind-energie.de
- Geological Survey, 2001. 1:250 000 scale geological map 3118 Calvinia. Department of Mineral and Energy Affairs, Pretoria.
- Gill, J.P., Townsley, M. & Mudge, G.P. 1996. Review of the impact of wind farms and other aerial structures upon birds. Scottish Natural Heritage Review. Number 21.

- Halkett, D. 1998. Report on an initial visit to assess the impact of mining on archaeological sites in the Richtersveld. Unpublished report prepared for Trans Hex Mining Ltd. U.C.T: Archaeology Contracts Office.
- Halkett, D. 1999. A phase one archaeological assessment of heritage resources in the TransHex Diamond Concession, Richtersveld. Unpublished report prepared for Trans Hex Mining Ltd. U.C.T: Archaeology Contracts Office.
- Halkett, D and Hart, TJG.1987. An archaeological assessment of the coastal strip, and a proposed heritage management plan for De Beers Namaqualand Mines. Unpublished report prepared for De Beers Namaqualand Mines Division. U.C.T. Archaeology Contracts Office.
- Halkett, D. 2003 A report on the archaeological mitigation program at DeBeers Namaqualand mines March 2002 to June 2003, Report for DeBeers created by the Archaeology Contracts Office, University of Cape Town, 2003.
- Hanowski, J.M., & Hawrot, R.Y. 2000. Avian issues in development of wind energy in western Minnesota. In Proceedings of the National Avian-Wind Power Planning Meeting III, San Diego California, May 1998.
- Harrison, J.A., Allan, D.G., Underhill, L.G., Herremans, M., Tree, A.J., Parker, V & Brown, C.J. (eds). 1997. The atlas of southern African birds. Vol. 1&2. BirdLife South Africa, Johannesburg.
- Hart, T.J.G and Halkett, DJ. 1993. Excavations at six archaeological sites in the Near-Shore Diamond Mining Area, Brandsebaai, Namaqualand.,
- Hart, T.J.G and Halkett, DJ 1993, Namaqualand, Report on the monitoring of Borrow Pit #3: Namakwa Sands. Namakwa Sands Ltd
- Hart, T.J.G and Halkett, DJ. 1994. Archaeological survey of the Namakwa Sands trucking facility. Namakwa Sands Ltd
- Hart, T.J.G and Halkett, DJ .1994. Report On The Phase 2 Archaeological Excavations at the Namakwa Sands Project (first Phase), Vredendal District, Namaqualand., Namakwa Sands Ltd
- Hart, T.J.G and Lanham, J. 1997. Phase 2 archaeological excavations at two Late Stone Age sites in the Phase II (WOB) mining area, Namakwa Sands, Vredendal District, Namagualand., Namakwa Sands Ltd
- Helme, N. and P. Desmet. 2003. Namakwa Sands: Description of the vegetation of the expanded Brand se Baai mine site. Unpublished baseline report for CCA, Cape Town. Nick Helme Botanical Surveys, Scarborough.
- Helme, N. A. 2007. Botanical report: Fine scale vegetation mapping in the Sandveld. Report for CapeNature, as part of the C.A.P.E. programme.
- Hilton Taylor, C. 1996. Red data list of southern African plants. Strelitzia 4. National Botanical Institute, Pretoria.
- Hockey, P.A.R., Dean, W.R.J., Ryan, P.G. (Eds) 2005. Roberts Birds of Southern Africa, VIIth ed. The Trustees of the John Voelcker Bird Book Fund, Cape Town.
- Hodos, W. 2002. Minimization of motion smear: Reducing avian collisions with turbines. Unpublished subcontractor report to the National Renewable Energy Laboratory. NREL/SR 500-33249

- Howell, J.A. 1995. Avian mortality at rotor sweep areas equivalents Altamont Pass and Montezuma Hills, California. Prepared for Kenetech Wind Power, San Francisco, California.
- http://www.wave-guide.org/archives/waveguide\_3/birdkill.html.
- http://www.demarcation.org.za
- Hunt, W.G. 2002. Golden Eagles in a perilous landscape: predicting the effects of migration for wind turbine blade strike mortality. Report to the California Energy Commission. Pier grant number 500-97-4033 to the University of California.
- Janss, G. 2000. Bird behaviour in and near a wind farm at Tarifa, Spain: Management considerations. In Proceedings of National Avian-Wind Power Planning Meeting III, San Diego California, May 1998
- Jaroslow, B. 1979. A review of factors involved in bird-tower kills, and mitigation procedures. In G.A. Swanson (Tech co-ord). The Mitigation symposium. A national workshop on mitigation losses of Fish and Wildlife Habitats. US Forest Service General Technical Report. RM-65
- Johnson, G.D., Erickson, W.P., Strickland, M.D., shepherd, M.F., Shepherd, D.A., Sarappo, S.A. (2003). Mortality of Bats at a Large-scale Wind Power Development at Buffalo Ridge, Minnesota. The American Midland Naturalist 150: 332–342.
- Karlsson. 1983. as cited in Winkelman 1995.
- Kemper, C.A. 1964. A tower for TV: 30 000 dead birds. Audubon Magazine 66 (1): 86-90
- Kerlinger, P. 2001. Avian issues and potential impacts associated with wind power development of near shore waters of Long Island, New York. Prepared for Bruce Bailey, AWS Scientific.
- Kerlinger, P. 2003. Addendum to the Phase I avian risk assessment for the Flat Rock Wind Power Project, Lewis County, New York: Phase One and Phase Two. March 31, 2003. Report to Flat Rock Wind Power, L.L.C
- Kerlinger, P. & Dowdell, J. 2003. Breeding bird survey for the Flat Rock wind power project, Lewis County, New York. Prepared for Atlantic Renewable Energy Corporation.
- Kerns, J. & Kerlinger, P. (2004). A study of bird and bat collision fatalities at the Mountaineer Wind Energy Center, Tucker County, West Virginia: Annual Report for 2003. Report prepared by Curry & Kerlinger, LLC., for FPL Energy and Mountaineer Wind Energy Center Technical Review Committee.
- Kingsley, A & Whittam, B. 2005. Wind turbines and birds A background review for environmental assessment. Unpublished report for Environment Canada/Canadina Wildlife Service.
- Kuyler, E.J. 2004. The impact of the Eskom Wind Energy Demonstration Facility on local avifauna Results from the monitoring programme for the time period June 2003 to Jan 2004. Unpublished report to Eskom Peaking Generation.

- Lewis, C. A. 1996. The Geomorphology of the Eastern Cape. Grocott & Sherry Publishers.
- Low, A.B. & Robelo, A.G. (eds). 1996. Vegetation of South Africa, Lesotho and Swaziland. Department of Environmental Affairs and Tourism: Pretoria.
- MacVicar, C.N., de Villiers, J.M., Loxton, R.F, Verster, E., Lambrechts, J.J.N., Merryweather, F.R., le Roux, J., van Rooyen, T.H. & Harmse, H.J. von M., 1977. Soil classification. A binomial system for South Africa. ARC-Institute for Soil, Climate & Water, Pretoria.
- McCarthy, T., and Rubidge, B. 2005. The Story of Earth and Life. A southern African perspective on a 4.6 billion year journey. Kumba Resources. University of Witwatersrand, Johannesburg.
- McIsaac, H.P. 2001. Raptor acuity and wind turbine blade conspicuity. Pp. 59-87. National Avian-Wind Power Planning Meeting IV, Proceedings. Prepared by Resolve, Inc., Washington DC
- Minter, L.R., Burger, M., Harrison, J.A., Braack, H.H., Bishop, P.J., and Kloepfer, D., eds. (2004). Atlas and Red data Book of the Frogs of South Africa, Lesotho and Swaziland. SI/MAB Series No. 9. Smithsonian Institution, Washington, DC.
- Mittermeier, R.A., Myers, N., Robles GIL, P. & Mittermeier, C.G. (2000). Hotspots: earth's biologically richest and most endangered terrestrial ecoregions. CEMEX, Mexico.
- Mouton, P.LE F.N. & Alblas, A. (2003). Proposed extension of Namakwa Sands mine site at Brand se Baai: Faunal survey. Crowther Campbell & Associates, Cape Town. 27 pp.
- Mouton, P.LE F.N., Hayward, J. & Meyer, A. (2007). Proposed Development of the Ibhubesi Gasfield and Associated Infrastructure: Terrestrial Fauna Specialist Study. CCA Environmental, Roeland Street, Cape Town.
- Mouton, P.LE F.N., Oelofsen, B.W. & Mostert, D.P. (1987). New data on threatened lizard species in the south-western Cape. South African Journal of Science 83: 48-52.
- Mucina, L. and M. Rutherford. Eds. 2006. Vegetation map of South Africa, Lesotho, and Swaziland. Strelitzia 19. South African National Biodiversity Institute, Pretoria.
- National Botanical Institute (NBI), 2004. Vegetation Map of South Africa, Lesotho and Swaziland (Unpublished Beta Version 3.0)
- National Wind Co-ordinating Committee. 2004. Wind turbine interactions with birds and bats: A summary of research results and remaining questions. Fact Sheet Second Edition.
- New Zealand Wind Energy Association www.windenergy.org.nz (accessed 25/04/07)
- Orloff, S., & Flannery, A. 1992. Wind turbine effects on avian activity, habitat use and mortality in Altamont Pass and Solano County Wind Resource Areas, 1989-1991. Prepared by Biosystems Analysis Inc, Tiburon, California.

- Prepared for the California Energy Commission, Sacramento, Grant 990-89-003.
- Parkington, J.E. and Hart, TJG 1991 Archaeological assessment of 3 potential power station sites, De Beers Namaqualand mines, Kleinzee. Unpublished report prepared for the EEU
- Parkington, J.E and Poggenpoel, CE. 1990. West Coast Heavy Mineral Sand Project: archaeological report. (Namakwa Sands), Environmental Evaluation Unit, UCT
- Parkington, J.E and Hart, T.J.G. 1993. Namakwa Sands main access road: archaeological survey, Environmental Evaluation Unit, UCT
- Penn, N. 1995. The Orange River Frontier Zone C1700 –1805. In Smith A.B. eds. Einiqualand: University of Cape Town Press.
- Pether, J. 1986. Late Tertiary and early Quaternary marine deposits of the Namaqualand coast, Cape Province: new perspectives. South African Journal of Science, 82, 464-470.
- Picker, M.D. (1990). West Coast Heavy Mineral Sands Project: Insect Fauna of the West Coast Heavy Mineral Sands Project Area (Brand se Baai and surrounds). Environmental Evaluation Unit Report No 4/90/49, University of Cape Town.
- Potgieter, L.J.C., 1995. Land types of the map 3118 Calvinia. Field information. Mem. Nat. Agric. Res. S. Afr. No. 30. ARC-Institute for Soil, Climate and water, Pretoria.
- Rahn, P. 1996. Engineering Geology, An environmental approach. Prentice Hall PTR. Upper Saddle River, New Jersey.
- Raimondo, D. & N. Helme. In prep. Contribution to the updated Red Data Book list of threatened plants of South Africa.
- Rautenbach, I.L. (1990). West Coast Heavy Mineral Sands Project: Observation on the Terrestrial Mammal fauna at Brand-se-Baai, Western Cape Coast, with emphasis on the conservation status of individual species in view of proposed mining. Environmental Evaluation Unit Report No 4/90/49, University of Cape Town.
- Richardson, W.J. 2000. Bird migration and wind turbines: Migration timing, flight behaviour and collision risk. In Proceedings of the National Avian-wind Power Planning Meeting III, San Diego, California, May 1998.
- Robertshaw, P.T. 1978. Khoi and San: Aspects of the later prehistory of the western Cape, South Africa. Unpublished Ph.D. dissertation, University of Cambridge.
- Robertshaw, P.T. 1978. The archaeology of an abandoned pastoralist camp-site. South African Journal of Science. 74:29-31
- Robertshaw, P.T. 1978. Khoi and San: Aspects of the later prehistory of the western Cape, South Africa. Unpublished Ph.D. dissertation, University of Cambridge.

- Romin, L.A. & Bissonette, J.A. (1996). Temporal and spatial distribution of highway mortality of mule deer on newly constructed roads at Jordanelle Reservoir, Utah. Great Basin Naturalist 56: 1-11.
- Ross, G. 2003. The romance of Cape mountain passes. Cape Town: David Phillip.
- Rouget, M., Reyers, B., Jonas, Z., Desmet, P., Driver, A., Maze, K., Egoh, B. & Cowling, R.M. 2004. South African National Spatial Biodiversity Assessment 2004: Technical Report. Volume 1: Terrestrial Component. Pretoria: South African National Biodiversity Institute.
- Saayman, I., 2005. Guideline for Involving Hydrogeologists in EIA Processes: Edition 1. CSIR Report No. ENV-S-C 2005-053D. Republic of South Africa. Provincial Government of the Western Cape. Department of Environmental Affairs & Development Planning. Cape Town.
- SABS, 2005. South African National Standard (SANS) 241 for Drinking Water Quality. Sixth edition. South African Bureau of Standards. Pretoria. RSA.
- Sagrillo, M. (2003). Bats and wind turbines. American Wind Energy Association, http://www.awea.org/.
- Skinner, J.D., & Smithers, R.H.N. (1990). The mammals of the Southern African Subregion. University of Pretoria, Pretoria. 771 pp.
- Smit, I. 2007. Personal communication. Eskom Research and Innovation Department, Eskom Resources and Strategy Group.
- Smith, I. 2006. Smith's Elements of Soil Mechanics. 8th Edition. Blackwell Publishing.
- Soil Classification Working Group, 1991. Soil classification. A taxonomic system for South Africa. ARC-Institute for Soil, Climate and Water, Pretoria.
- South African Tourism, 2004, Gearing up to be Globally Competitive: Tourism Growth Strategy: 2005 2007
- Steenkamp, W. 1977 Land of the thirst King. Cape Town: Howard Timmins.
- Van Rooyen, C. 2001. Bird Impact Assessment Study Eskom Wind Energy Demonstration Facility, Western Cape South Africa. Prepared for Eskom Enterprises, TSI Division.
- Van Rooyen, C.S. 2004a. The Management of Wildlife Interactions with overhead lines. In The fundamentals and practice of Overhead Line Maintenance (132kV and above), pp217-245. Eskom Technology, Services International, Johannesburg.
- Van Rooyen, C.S. 2004b. Investigations into vulture electrocutions on the Edwardsdam-Mareetsane 88kV feeder, Unpublished report, Endangered Wildlife Trust, Johannesburg.
- Vegter, J.R., 1995. Groundwater Resources of the Republic of South Africa. Sheet 2. Water Research Commission. Pretoria. RSA.
- Visser, D.J.L., 1989. Explanation of the 1:1 000 000 Geological Map, Fourth Edition, 1984: The Geology of the Republics of South Africa, Transkei, Bophuthatswana, Venda and Ciskei and the Kingdoms of Lesotho and Swaziland. Geological Survey. Department of Mineral and Energy Affairs. Pretoria. RSA.

- Webley. L 1984. Archaeology and Ethnoarchaeology in the Lelliefontein Reserve and surrounds. Unpublished MA thesis. Department of Archaeology. University of Stellenbosch.
- Webley, L 1992. The history and archaeology of pastoralist and hunter gatheror settlement in the North Western Cape, South Africa. Unpublished Phd Thesis. Department of Archaeology, University of Cape Town.
- Weir, R. D. 1976. Annotated bibliography of bird kills at manmade obstacles: a review of the state of the art and solutions. Canadian Wildlife Services, Ontario Region, Ottawa.
- Western Cape Provincial Government, 2001, Integrated Tourism Development Framework for the Western Cape
- West Coast District Municipality, 2001, Tourism implementation strategy for the West Coast Region Phase 1
- West Coast District Municipality, 2007, Draft Integrated Development Plan
- West Coast Investment Initiative, 1999, Spatial Framework and Strategy Mapping
- Winkelman, J.E. 1995. Bird/wind turbine investigations in Europe. In Proceedings of the National Avian- wind Power Planning Meeting 1994.