

16. REFERENCES

- ACOCKS J.P.H (1988) Veld Types of South Africa. *Memoirs of the Botanical Survey of South Africa* 57.
- ALLAN, D. (1988) Raptors nesting on transmission pylons. *Afr. Wildl.* 42: 325-327.
- ALLAN, D.G. (1997) Kori Bustard; Stanley's Bustard; Ludwig's Bustard; Black Stork. In: Harrison, J.A., Allan, D.G., Underhill, L.G., Herremans, M., Tree, A.J., Parker, V. & Brown, C.J. (eds) *The atlas of southern African birds*. Vol. 1. Johannesburg, Bird Life South Africa.
- ANDERSON, M.D. (2000) Kori Bustard; Ludwig's Bustard; Greater Flamingo; Lesser Flamingo. In: Barnes, K.N. (ed.) *The Eskom Red Data Book of birds of South Africa, Lesotho and Swaziland*. Johannesburg, BirdLife South Africa.
- ANDREOLI, M.A.G., DOUCOURE, M., VAN BEVER DONKER, J., BRANDT, D., and ANDERSEN, N.J.B. (1996) *Neotectonics of southern Africa - a review*. *Africa Geoscience Review*, 3, 1, 1-16.
- ANON. (1965) Climate of South Africa, Part 8. W.B.28, Weather Bureau, Department of Environment Affairs, Pretoria, 330pp.
- ANON. (1974) Extreme values of rainfall, temperature and wind for selected return periods, Part II. W.B.36, Weather Bureau, Department of Transport, Pretoria, 29pp.
- ANON. (1991) *Caelum - a history of notable weather events in South Africa: 1500 - 1990*. The Weather Bureau, Department of Environment Affairs, Pretoria, 125pp.
- ANONYMOUS (2000) Decision Surveys International (for Satour).
- ARMBRUSTER, P. and LANDE, R. (1993) A population viability analysis for African elephant (*Loxodonta africana*): how big should reserves be? *Cons. Biol.* 7: 602-610.
- BAARD, E.H.W. (1994) *Cape tortoises: their identification and care*. Cape Nature Conservation, Cape Town.
- BANNISTER, A., GORDON, R. and SIEGFRIED, W.R. (1987) *The National Parks of South Africa*. C. Struik Publishers, pp. 189.
- BARNES, K.N. (ed.) (2000) *The Eskom Red Data Book of birds of South Africa, Lesotho and Swaziland*. Johannesburg, BirdLife South Africa.
- BARRATT, D.G. & HALL-MARTIN, A.J. (1991) The effects of indigenous browsers on valley bushveld in the Addo Elephant National Park. In: *Proceedings of the First Valley Bushveld Symposium*, Zacharias, P.J.K., Stuart-Hill, G.C. & Midgley, J. (eds). *Spec. Publ. Grasslnd Soc, S Afr.* pp.14-16.
- BAYNE, E.M. and HOBSON, K.A. (1997) Comparing the effects of landscape fragmentation by forestry and agriculture on predation of artificial nests. *Conservation Biology* 11: 1418-1429.

- BIRCH, N.V., AVIS, A.M. and PALMER, A.R. (1999) Changes to the vegetation communities of natural rangelands in response to land use in the mid-Fish River valley, South Africa. VIIth International Rangeland Congress Proceedings Vol. 1:319-320.
- BOSHOFF, A.F. (1993) Density, breeding performance and stability of martial eagles *Polemaetus bellicosus* breeding on electricity pylons in the Nama-Karoo, South Africa. *Proc. VIII Pan-Afr. Orn. Congr.* 95-104.
- BOSHOFF, A.F. and JENNINGS, P.J. (1990) A preliminary assessment of the distribution and status of the vaalribbok in the Eastern Cape Province. Internal report No. 4. Chief Directorate: Nature & Environmental Conservation. Cape Provincial Administration. 20 pp.
- BRANCH, W.R., (1999) Dwarf adders of the *Bitis cornuta-inornata* complex (Serpentes: Viperidae). In: Systematics, Phylogeny and Biology of the Viperidae (Eds. U. Joger & G. Nilson). *Kaupia* 8: 39-63.
- BRANCH, W.R. (1988a) Distribution and diversity of the reptiles and amphibians of the Eastern Cape. In: Bruton, M.N. & Gess, F.W. (eds) *Towards an environmental plan for the Eastern Cape*. Rhodes University, Grahamstown. pp 218-245.
- BRANCH, W.R. (1988b) South African Red Data Book - Reptiles and Amphibians. *S. Afr. Natl Sci. Prgm Rep.* 151:1-241.
- BRANCH, W. R. (1999) Dwarf adders of the *Bitis cornuta-inornata* complex (Serpentes: Viperidae). In: Systematics, Phylogeny and Biology of the Viperidae (Eds. U. Joger & G. Nilson). *Kaupia* 8: 39-63.
- CAINE, N. (1980) *The rainfall intensity - duration control of shallow landslides and debris flows*. *Geografiska Annaler*, 62-A (1-2), 23-27.
- CAMPBELL, B.M. (1985) A classification of the Mountain Vegetation of the Fynbos Biome. *Memoirs of the Botanical Survey of South Africa* 50.
- CASTLEY, J.G. (1997) *Vertebrate diversity in indigenous forests of the Eastern Cape*. Ph.D thesis. University of Port Elizabeth.
- COETZEE, P.W. (1979) *Present distribution and status of some of the mammals of Albany*. Albany Divisional Council, Grahamstown. 72 pp.
- COLES, K.S. (1992) The biology and conservation of *Circellium bacchus* in the Addo Elephant Park. *Pelea* 11: 27-30.
- COWLING, R.M. & CAMPBELL, B.M. (1982) The Definition of Leaf Consistence Categories in the Fynbos Biome and their distribution along an Altitudinal Gradient in the South Eastern Cape. :87-101.
- COWLING, R.M. & CAMPBELL, B.M. (1983) A comparison of fynbos and non-fynbos coenoclines in the lower Gamtoos River Valley, South Eastern Cape, South Africa:161-178.

- COWLING, R.M. & CAMPBELL, B.M. (1984) Beta diversity along fynbos and non-fynbos coenoclines in the lower Gamtoos River Valley, South-Eastern Cape. *South African Journal of Botany* 3:187-189.
- COWLING, R.M. & HOLMES P.M. (1991) Subtropical thicket in the South-Eastern Cape: a biogeographical perspective. In: (eds) Zacharias PJK, Stuart-Hill GC & Midgley J. *Proceedings of the first Valley Bushveld/Subtropical Thicket Symposium*.
- COWLING, R.M. (1983a) The occurrence of C3 and C4 grasses in fynbos and allied shrublands in the South Eastern Cape, South Africa. *Oecologia* 58:121-127.
- COWLING, R.M. (1983b) Patterns of plant endemism in the South Eastern Cape. *The Naturalist* 27(1):17-20.
- COWLING, R.M. (1983c) Phytochorology and vegetation history in the South Eastern Cape South Africa. *Journal of Biogeography* 10:393-419.
- COWLING, R.M. (1984) A syntaxonomic and synecological study in the Humansdorp region of the Fynbos Biome. *Bothalia* 15:175-227.
- COWLING, R.M., PRESSEY, R.L., LOMBARD, A.T., HEIJNIS, C.E., RICHARDSON, D.M. and COLE, N. (1999) *Framework for a conservation plan for the Cape Floristic Region*. Report IPC 990. Institute for Plant Conservation, University of Cape Town.
- DEAN, W.R.J. (1975) Martial eagles *Polemaetus bellicosus* nesting on high tension pylons. *Ostrich* 46: 116-117.
- DE CORTE, M.W.M., FULLSTONE, M.J., RUDMAN, R.B., and OOSTHUIZEN, A.B. (1987) 3324 Port Elizabeth, 1: 250 000 Land Type Series, Soil and Irrigation Research Institute, Department of Agriculture and Water Supply, Pretoria.
- DE KLERK, W.J. and du S. READ, J. (1988) *An account of historical seismic activity in southern Africa with emphasis on the southern and eastern Cape coastal belts*. Albany Museum Report, Grahamstown, South Africa (unpublished).
- DE KLERK, W.J., FORSTER, C.A., SAMPSON, S.D., CHINSAMY, A. and ROSS, C.F. (2000) A new Coelurosaurian dinosaur from the Early Cretaceous of South Africa. *Journal of Vertebrate Paleontology*, 20:324-332.
- EMSLIE, R.H. (1994) Regional conservation goals for black rhinos in Namibia/ South Africa. *Proc. Symposium on Rhinos as Game Ranch Animals. S. Afr. Vet. Assoc. Pretoria*, pp. 50-54.
- ESSOP, M.F., HALL-MARTIN, A.J. and HARLEY, E.H. (1996) Mitochondrial DNA analysis of two southern African elephant populations. *Koedoe* 39:85-89.
- ESKOM (1997) Droërivier – Grassridge 400 kV Transmission Line Environmental Impact Report.
- ESKOM (2000) Standard for bush clearance and maintenance within overhead powerline servitudes. May, 2000. Reference – ESKASABG3

- EVANS, N.V., AVIS, A.M. and PALMER, A.R. (1997) Changes to the vegetation of the mid-Fish River valley, Eastern Cape, South Africa, in response to land-use, as revealed by a direct gradient analysis. *African Journal of Range & Forage Science* 14(2):68-74.
- EVANS, F.J. (1997) Palaeobiology of Early Carbiniferous fishes and contemporary lacustrine biota of the Waaipoort Formation (Witteberg Group), South Africa. *MSc Thesis, University of Stellenbosch*, 213p.
- EVERARD, D.A. (1985) Conservation status of some unique plant communities in the eastern Cape. Unpublished MSc thesis Rhodes University, Grahamstown.
- EVERARD, D.A. (1987) A classification of the subtropical transitional thicket in the eastern Cape, based on syntaxonomic and structural attributes. *South African Journal of Botany* 53:329-340.
- EVERARD, D.A. (1988) Threatened plants of the Eastern Cape: a synthesis of collection records. *Bothalia* 18:271-277.
- FERNANDEZ, L.M. and GUZMAN, J.A. (1979a) Earthquake hazard in southern Africa. Seismological Series 10, Geological Survey, Department of Mines, Republic of South Africa, Pretoria, 22pp.
- FERNANDEZ, L.M. and GUZMAN, J.A. (1979b) Seismic history of southern Africa. Seismological Series 9, Geological Survey, Department of Mines, Republic of South Africa, Pretoria, 38pp.
- FIEDLER, G. (1999) Zur Gefährdung des Weißstorchs (*Ciconia ciconia*) durch Freileitungen in europäischen Staaten. In: Schulz, H. (ed.) Weißstorch im Aufwind? White Storks on the up? Proceedings, International Symposium on the White Stork, Hamburg 1996. Bonn, Naturschutzbund Deutschland e.V. Pp 505-511.
- GEACH, B.G.S. (1997) The Addo Elephant National Park as a model of sustainable land-use through ecotourism. M.Sc. thesis, Univ. Port Elizabeth.
- GESS, R.W. and HILLER, N. (1995) A preliminary catalogue of fossil algal, plant, arthropod, and fish remains from a Late Devonian black shale near Grahamstown, South Africa. *Annals of the Cape Provincial Museums (Natural History)*, 19(5):225-304.
- HALL-MARTIN, A.J. and BARRATT, D.G. (In press) The effects of elephants *Loxodonta africana* on thicket vegetation in the Addo Elephant National Park. *Afr. J. Ecol.*
- HALL-MARTIN, A.J. and KNIGHT, M.H. (1994) Conservation and management of black rhinoceros in South African National Parks. Proc. Symposium Rhinos as Game Ranch Animals, S. Afr. Vet. Assoc. Pretoria, pp. 11-19.
- HALL-MARTIN, A.J. and PENZHORN, B.L. (1977) Behaviour and recruitment of translocated black rhinoceros *Diceros bicornis* in Addo Elephant National Park. *Koedoe* 20: 147-162.
- HALL-MARTIN, A.J. (1980) Elephant survivors. *Oryx* 15: 355-362.

- HANKINSON, M. (1999) Landscape and Visual Impact assessment. In: Petts, J (ed.), *Handbook of Environmental Impact Assessment, Vol. 1., Environmental Impact Assessment: Process, Methods and Potential*. Blackwell, Oxford.
- HARRISON, J.A., ALLAN, D.G., UNDERHILL, L.G., HERREMANS, M., TREE, A.J., PARKER, V. and BROWN, C.J. (eds) (1997) *The atlas of southern African birds*. Vols 1 & 2. Johannesburg, Bird Life South Africa.
- HENLEY, S.R. (1997) On the proposed reintroduction of serval (*Felis serval*) into the Great Fish River Reserve, Eastern Cape. *Terrestrial Ecology Research Unit Report* 16: 1-9.
- HENNING, S.F. and HENNING, G.A. (1989) South African Red Data Book - butterflies. *S. Afr. Natl. Sci. Prgm Rep.* 158: 1-175.
- HILL, R.S. (1988) Quaternary faulting in the south-eastern Cape province. *S. Afri. J. Geol.*, 91, 399-403.
- HOFFMAN, M.T. and COWLING, R.M. (1991) Phytochorology and endemism along aridity and grazing gradients in the lower Sundays River Valley: Implications for vegetation history. *Journal of Biogeography* 18:189-201.
- HOFFMAN, M.T. (1993) Major P.J. Pretorius and the decimation of the Addo elephant herd in 1919-1920: important reassessments. *Koedoe* 36:23-44.
- HOLM, A.M. (2000) A study of degradation processes at patch to landscape scale within the arid shrubland of Western Australia. PhD thesis, University of Western Australia.
- HOSKING, S.G. (1999) Comparing heavy industry and agro-aquaculture options in the Coega River mouth area. *Agrekon* 38: 53-57.
- INNES, J.L. (1983) Debris flows. *Progress in Physical Geography*, 7, 469-501.
- JUBB, R.A. and GARDINER, B.G. (1975) A preliminary catalogue of identifiable fossil fish material from Southern Africa. *Annals of the South African Museum* 67(11):381-440.
- KEEFER, D.K. (1984) *Landslides caused by earthquakes*. Geological Society of America Bulletin, 95, 406-421.
- KERLEY, G.I.H, NEL, S. and GEACH, B.G.S. (1997) Jumbos or bust: do tourists undervalue diversity? *Zool. Soc. s. Afr. Annual Symposium*, Cape Town.
- KERLEY, G.I.H. and BOSHOFF, A.F. (1997) A proposal for a Greater Addo National Park- A regional and national conservation and development opportunity. *Terrestrial Ecology Research Unit (University of Port Elizabeth) Report No. 17*. 62 pp.
- KERLEY, G.I.H., KNIGHT, M.H. and DE KOCK, M. (1995) Desertification of Subtropical Thicket in the Eastern Cape, South Africa: are there alternatives? *Env. Monitor. Assessment*. 37: 211-230.
- KING, D.I., DEGRAAF, R.M. and GRIFFIN, C.R. (1998) Edge related nest predation in clearcut and groupcut stands. *Conservation Biology* 12: 1412-1415.

- KNIGHT, R.L. and KAWASHIMA, J.Y. (1993) Response of raven and red-tailed hawk populations to linear right-of-ways. *J. Wildl. Mgmt.* 57: 266-271.
- KNIGHT, R.L., KNIGHT, H.A.L. and CAMP, R.J. (1995) Common ravens and number and type of linear rights-of-way. *Biol. Cons.* 74: 65-67.
- LE ROUX, F.G. (1989) The lithostratigraphy of the Cenozoic deposits along the South-Eastern Cape coast as related to sea-level changes. *MSc Thesis, Stellenbosch University.* 247p.
- LE ROUX, F.G. (1993) Updated macrofossil checklist for Cenozoic marine deposits along the south-eastern and southern Cape coasts, South Africa. *South African Journal of Science*, 89:375-386.
- LOUW, W.J. (1976) Meso-climate of the Port Elizabeth-Uitenhage metropolitan area. Technical Paper No.4, Weather bureau, Department of Transport, Pretoria, 60pp.
- MAIL AND GUARDIAN (2000) *Eskom goes into a creative flap.* June 2 to 8, 2000. Pg. 17
- MALAN, G. and CROWE, T.M. (1997) Perch availability and ground cover: factors that may constitute suitable hunting conditions for pale chanting goshawk families. *S. Afr. J. Zool.* 32: 14-20.
- MARSH, D.M. and PEARMAN, P.B. (1997) Effects of habitat fragmentation on the abundance of two species of Leptodactylid frogs in an Andean montane forest. *Conservation Biology* 11: 1323-1328.
- MARTIN, P. (1996) Zwartkops Valley nature reserve – managing valley bushveld adjacent to a township. *Proceedings of the 2nd Valley Bushveld Symposium. Grassland Society of Southern Africa.* Spec. Publ. pp. 28-31.
- McCANN, K. (2000) Blue Crane. In: Barnes, K.N. (ed.) *The Eskom Red Data Book of birds of South Africa, Lesotho and Swaziland.* Johannesburg, BirdLife South Africa.
- McLACHLIN, I.R. and McMILLIAN, I.K. (1976) Review and stratigraphic significance of Southern Cape Mesozoic palaeontology. *Trans. Geol. Soc. S.A.* 79:197-212.
- MIDGLEY, J.J. and JOUBERT, D. (1992) Mistletoes, their host plants and the effects of browsing by large mammals in Addo Elephant National Park. *Koedoe* 34: 149-152.
- MOOLMAN, H.J. and COWLING, R.M. (1994) The impact of elephant and goat grazing on the endemic flora of South African succulent thicket. *Biol. Cons.* 68: 53-61.
- MORGAN, R.P.C. (1986) *Soil erosion and conservation.* Longman Scientific and Technical, Harlow, England, 298pp.
- MÜLLER-HELMBRECHT, A. and AL-JANABI, S. (1999) The Convention on the Conservation of Migratory Species of Wild Animals (CMS or Bonn Convention) (as of December 1998). In: Schulz, H. (ed.) *Weißstorch im Aufwind? White Storks on the up? Proceedings, International Symposium on the White Stork, Hamburg 1996.* Bonn, Naturschutzbund Deutschland e.V. Pp 585-608.

- NOVELLIE, P. (1991) National Parks Board and valley bushveld. In: *Proceedings of the First Valley Bushveld Symposium*, Zacharias, P.J.K, Stuart-Hill, G.C. & Midgley, J. (eds). *Spec. Publ. Grasslnd Soc, S Afr.* pp. 11-13.
- PALMER, A.R. (1982) A study of the vegetation of the Andries Vosloo Kudu Reserve. MSc Thesis, Rhodes University, Grahamstown.
- PALMER, A.R., CROOK, B.J.S. and LUBKE, R.A. (1988) Aspects of the vegetation and soil relationships in the Andries Vosloo Kudu Reserve, Cape Province. *South African Journal of Botany* 54:309-314.
- PARTRIDGE, T.C. and MAUD, R.R. (1987) Geomorphic evolution of southern Africa since the Mesozoic. *S. Afr. J. Geol.* 90: 179-208.
- PENTZHORN, B.L., ROBERTSE, P.J. and OLIVIER, M.C. (1974) The influence of the African elephant on the vegetation of the Addo Elephant National Park. *Koedoe* 17: 137-158.
- PRESTON, G.R. and FUGGLE, R.F. (1988) Profiles and preferences of visitors to three South African nature reserves. *South African Journal of Wildlife Research* 18: 1-5.
- ROOKMAKER, L.C. (1989) *The zoological exploration of southern Africa 1650-1790*. AA Balkema, Rotterdam. 368 pp.
- RUBIDGE B.S. (Ed) (1995) Biostratigraphy of the Beaufort Group (Karoo Supergroup), South Africa. South African Committee for Stratigraphy (SACS), *Biostratigraphic Series No. 1. Council for Geosciences, Dept. of Mineral and Energy Affairs S.A.*
- SCOTT WILSON ENVIRONMENTAL DIVISION. (2000) Minimising the negative environmental impact of telecommunication towers and related infrastructure on rural areas in KwaZulu Natal: Policy Document. *Town and Regional Planning Report No. 84.* 28 pp.
- SHOSHANI, J (Ed) (1992) Elephants: majestic creatures of the Wild. Weldon Owen Pty Limited. Pg. 140.
- SKEA, J. (1997) The Energy Sector. In Russel D. Thompson & Allen Perry (Eds.), *Applied Climatology: Principles and Practice*. Routledge, London, p. 256-270.
- SKEAD, C.J. (1967) Ecology of birds in the eastern Cape Province. *Ostrich suppl.* 7: 1-103.
- SKEAD, C.J. (1987) *Historical mammal incidence in the Cape Province. Vol 2: the eastern half of the Cape Province, including the Ciskei, Transkei and East Griqualand*. Chief Directorate: Nature and Environmental Conservation, Cape Town.
- SMIT, D. (2000) The value of the views in Golden Gate National Park, within the framework of an Environmental Impact Assessment. Unpublished M.Sc. thesis. Potchefstroom University, Potchefstroom.
- SMITHERS, R.H.N. (1986) South African Red Data Book - Terrestrial Mammals. *S. Afr. Natl. Sci. Prgm Rep.* 125: 1-216.

- SOUTH AFRICAN COMMITTEE FOR STRATIGRAPHY (SACS). (1980) Stratigraphy of South Africa, Part 1 (Comp. By L.E. Kent). Lithostratigraphy of the Republic of South Africa, South West Africa/Namibia, and the Republics of Bophutatswana, Transkei and Venda. Handbook Geol. Surv. S.Afr., 8.
- STEENHOF, K., KOCHERT. M.N. and ROPPE, J.A. (1993) Nesting by raptors and common ravens on electrical transmission line towers. *J. Wildl. Mgmt* 57: 271-281.
- STEYN, P. (1982) *Birds of prey of southern Africa*. David Philip, Cape Town.
- STUART-HILL, G.C. (1992) Effects of elephants and goats on the Kaffrarian succulent thicket of the eastern Cape, South Africa. *J. Appl. Ecol.* 29: 699-710.
- TANSER, F.C. and PALMER, A.R. (1999) The application of a remotely-sensed diversity index to monitor degradation patterns in a semi-arid, heterogeneous, South African landscape. *Journal of Arid Environments* 43:477-484.
- TANSER, F.C. (1997) The development of a landscape diversity index using remote sensing and geographical information systems to identify degradation patterns in the Great Fish River Valley, Eastern Cape Province, South Africa. MSc thesis, Rhodes University.
- TAYLOR, P.B., NAVARRO, R.A., WREN-SARGENT, M., HARRISON, J.A. and KIESWETTER, S.L. (1999) *TOTAL CWAC report. Co-ordinated Waterbird Counts in South Africa, 1992-1997*. Cape Town, Avian Demography Unit.
- TAYLOR, F.F. and HILLER, N. (1993) A new Devonian fossil plant locality in the Eastern Cape Province, South Africa. *South African Journal of Science*, 89, 11-12, 565-568.
- TOERIEN, D.K. and HILL, R.S. (1989) The Geology of the Port Elizabeth area. Geological Survey, Department of Mineral and Energy Affairs, Republic of South Africa, Pretoria, 35pp.
- TYSON, C. and PALMER, A.R. (1996) Grazing capacity information system (GCIS). Published by the ARC-Range and Forage Institute, Grahamstown.
- UNDERHILL, L.G., TREE, A.J., OSCHADLEUS, H.D. and PARKER, V. (1999) *Review of ring recoveries of waterbirds in southern Africa*. Cape Town, Avian Demography Unit.
- VAN JAARSVELD, A.S., NICHOLLS, A.O. and KNIGHT, M.H. (1999) Modelling and assessment of South African elephant (*Loxodonta africana*) populations persistence. *Env. Model. Assessment* 4: 155-163.
- VAN ROOYEN, C. (1999) Eskom-EWT strategic partnership. Annual report 1999. Unpublished internal report, Endangered Wildlife Trust.
- VAN ROOYEN, C.S. and PIPER, S.E. (1997) The effects of powerlines on vultures. In: Boshoff, A.F. , Anderson, M.D. & Borello, W.D. (eds) *Vultures in the 21st century*. Proceedings of a workshop on vulture research and conservation in southern Africa. Johannesburg, Vulture Study Group. Pp. 102-104.

- VAN WYK, B-E., NOVELLIE, P.A. and VAN WYK, C.M. (1988a) Flora of the Zuurberg National Park. 1. Characterisation of major vegetation units. *Bothalia* 18(2):211-220.
- VAN WYK, B-E., VAN WYK, C.M. and NOVELLIE, P.A. (1988b) Flora of the Zuurberg National Park. 2. An annotated checklist of ferns and seed plants *Bothalia* 18(2):221-232.
- WATSON, J.J., CAMPBELL, E.E. and KERLEY, G.I.J. (1999) Bontveld rangeland communities determined by soil features. In: Proceedings of the VI International Rangeland Congress, Eldridge D & Freudenberger D (eds), Vol 2: 804-806.
- YOUNG, D. and HARRISON, J. (1998-1999) Co-ordinated Avifaunal Roadcounts (CAR). Circular/Newsletter 5-7. Unpublished reports circulated to participants.
- YOUNG, K.R. (1994) Roads and the environmental degradation of tropical montane forests. *Conservation Biology* 8: 972-976.