

Advert placed in the Mossel Bay Advertiser, 16 May 2008

| BOERPOT | 1 wenner | | R 1 201 781 | | |
|--|--|---|---|--|----|
| 5 en BONUS | R 0 | 4 nommers | R 68 | | |
| 5 nommers | R 3 424 | 3 en BONUS | R 53 | | |
| 4 en BONUS | R 1 038 | 3 nommers | R7 | | |
|)IE BURGER aanvaar | geen verantwoorde | likheid vir foute met die ir | nligting nie. Lesers kan hul | | |
| ren-nommers en prysgi | eld bevestig deur die | spelers-hulplyn te skake | et by 0800 / / / / / / / | ' NK | |
| | | | THE STATE STATE OF A DAME STATE | | |
| | | SEWING | | | 53 |
| | | INGSIM | | orstel | |
| | | INGSPRO | A CONTRACTOR OF | | |
| | | OMSKAKELIN | | - I manage | |
| GOURIKWA | OOPSIKL | US GASTURBI | LAR LEVEL ON TO A DATION D | E Dice | |
| (IN MOSSE | LBAAI) NA | 'N GEKOMBI | NEERDE SIKLU | S Sladde | |
| (IN MOSSE GASTURE 400kV T | LBAAI) NA INE TESAN RANSMISS | 'N GEKOMBI AE MET 'N GE HELYN TUSSEI | NEERDE SIKLU ASSOSIEERDE N GOURIKWA | E Sice Sladde r Jenheid | |
| (IN MOSSE GASTURE 400kV T KRA | LBAAI) NA INE TESAN RANSMISS GSTASIE EI | 'N GEKOMBI AE MET 'N GE HELYN TUSSEN N PROTEUS S | NEERDE SIKLU ASSOSIEERDE N GOURIKWA UBSTASIE | S 3ladde r | |
| (IN MOSSEI GASTURE 400kV T KRA | IBAAI) NA INE TESAM RANSMISS GSTASIE EI SKOM | IN GEKOMBI AE MET 'N GE BIELYN TUSSEI N PROTEUS SI ONDERN | NEERDE SIKLU ASSOSIEERDE N GOURIKWA UBSTASIE EMING | s Slade r Jenheid | |
| (IN MOSSEI GASTURE 400kVT KRA 400kVT KRA | IBAAI) NA INE TESAN RANSMISS GSTASIE EI SKOM | 'N GEKOMBI AE MET 'N GE IELYN TUSSE N PROTEUS S ONDERN om die vyf (5) bestaandderde Siklus Gasturbines (6 | ASSOSIEERDE N GOURIKWA UBSTASIE EMING Gourikwa Oopsiklus Gastur SGI) om, deur verbetering in | s Filade r Jenheid | |
| (IN MOSSEI GASTURE 400kV T KRA COSCI) eenhede om te a doeltreffendheid van die (oeleie in Mosselbeai) met | BAAI) NA INE TESAN RANSMISS GSTASIE EI SKOM is van voorneme o kakel na Gekombine proses, die opwekk 400 MV te verhoog. | 'N GEKOMBI AE MET 'N GE IELYN TUSSE N PROTEUS SU ONDERN om die vyf (5) bestaande erde Siklus Gasturbines (G ingskapasiteit van die best Die voorgestelde omskake | NEERDE SIKLU ASSOSIEERDE N GOURIKWA UBSTASIE EMING | s jladde r Jenheid))))))) elk elk | |
| (IN MOSSEI GASTURE 400kVT KRA COSCI) eenhede om te a doeltreffendheid van die (geleë in Mosselbaai) mel infrastruktuur geassosiee ontwikkel sal word. Ten einde die addisionele elektrisiteitsnetwerk te ac | BAAI) NA INE TESAN RANSMISS GSTASIE EI SKOM is van voorneme o kakel na Gekombine proses, die opwekk 400 MW te verhoog, r met GSGT eenhede v elektrisiteit wat deut dei, is Eskom Holdings | 'N GEKOMBI AE MET 'N GE IELYN TUSSE IELYN TUSSE IELYN TUSSE IELYN TUSSE IELYN TUSSE ONDERN ONDERN om die vyf (5) bestaande erde Siklus Gasturbines (G ingskapasiteit van die bes Die voorgestelde omskakel rat op die terrein van die be | NEERDE SIKLU ASSOSIEERDE N GOURIKWA UBSTASIE EMING Gourikwa Oopsiklus Gastur (SGT) om, deur verbetering ir aande Gourikwa GSGT Krags ingsproses behels die oprigting staande Gourikwa OSGT krags ogewek sal word, na die nasio 'n 400kV transmissiekraglyn tu | s jladde r Jenheid hone hone tasie yvan tasie hone tasie | |
| (IN MOSSEI GASTURE 400kV1 kRA 200kV1 kRA 200kV1 kRA 200kV1 kRA 200kV1 20 | LBAAI) NA THE TESAN RANSMISS GSTASIE EI SKOM is van voorneme a kakel na Gekombine proses, die opwekk 400 MW te verhoog, r met GSGT eenhede v elektrisiteit wat deur del, is Eskom Holdings lie bestaande Proteus 24D van die Nasional s R385 (Regulasie 27 vir die voorgestelde ewingaske en Toeri | YN GEKOMBI A GEKOMBI PROTEUS SU PROTEUS SU ONDERN ONDERN or die vyf (5) bestaande erde Siklus Gasturbines (G ingskapasiteit van die best Die voorgestelde omskakel rat op die terrein van die best Die voorgestelde omskakel rat op die terrein van die best Die voorgestelde omskakel rat op die terrein van die best Limited van voorneme om Substasie, oor 'n aftstand v le Wet op Omgewingsbestuu '-36) en R387 word 'n Be o proiek. Hierdie proiek | NEERDE SIKLU ASSOSIEERDE NGOURIKWA UBSTASIE EMING of Gourikwa Oopsiklus Gastur SGT) om, deur verbetering in aande Gourikwa GSGT Krags ingsproses behels die oprigting staande Gourikwa OSGT krags pgewek sal word, na die nasia 'n 400kV transmissiekraglyn tu an sowat 11 km, op te rig. ur (No. 107 van 1998) soos ggi is geregistreer by die Nasie ingsnommers van onderskei | S Sladde r Jenheid J) 9 elk dose gran fasie J.99 iroot j.99 iroot | |
| (IN MOSSEI GASTURE 400kV1 kRA 200kV1 kRA 200kV1 kRA 200kV1 200k1 2 | LBAAI) NA FINE TESAN RANSMISS GSTASIE EI SKOM is van voorneme o kakel na Gekombine proses, die opwekk 400 MW te verhoog, r met GSGT eenhede v elektrisiteit wat deur dei, is Eskom Holdings lie bestaande Proteus 24D van die Nasional R385 (Regulasie 27 vir die voorgestelde ewingsake en Toeri tasie omskakeling) en is aangestel as onafho prosesse van die voo | 'N GEKOMBI ALE MET 'N GE ELLYN TUSSEN N PROTEUS SU ONDERN ONDERN om die vyf (5) bestaande erde Siklus Gasturbines (G ingskapasiteit van die best Die voorgestelde omskakel rat op die terrein van die best Die voorgestelde omskakel rat op die terrein van die best die betrokke kragstasie o Limited van voorneme om Substasie, oor 'n aftstand v ie Wet op Omgewingsbestuu (-36) en R387 word 'n Bé e projek. Hierdie projek sme met aansoekverwysi 12/12/20/1142 (voorges unklike konsultant om die vor rgestelde projek te onderr | NEERDE SIKLU ASSOSIEERDE NGOURIKWA UBSTASIE EMING of Gourikwa Oopsiklus Gastur SGT) om, deur verbetering in aande Gourikwa GSGT Krags ingsproses behels die oprigting staande Gourikwa OSGT krags pgewek sal word, na die nasia 'n 400kV transmissiekraglyn tu an sowat 11 km, op te rig. ur (No. 107 van 1998) soos ggi is geregistreer by die Nasie ingsnommers van onderskei | S Sladde r Jenheid Johne n die tosie g van tasie Jonale delik delik ering g e n B.99 | |
| (IN MOSSEI GASTURE 400kV1 kRA 200kV1 kRA 200kV1 kRA 200kV1 200k1 2 | LBAAI) NA FINE TESAN CANSALE EN SKOM is van voorneme a daakel na Gekombine proses, die opwekk 400 MW te verhoog. met GSGT eenhede v eelektrisiteit wat deut dei, is Eskom Holdings lie bestaande Proteus 24D van die Nasional s R385 (Regulasie 27 vir die voorgestelde eewingsake en Toeri asie omskakeling) en is aangestel as onafho prosesse van die voo latabasis verlang, stut Sustainable Futures Kaapstad, 7701 | 'N GEKOMBI A MET 'N GE ELIYN TUSSE IN PROTEUS S ONDERN ONDERN om die vyf (5) bestaande erde Siklus Gasturbines (G ingskapasiteit van die best Die voorgestelde omskake rat op die terrein van die best Die voorgestelde omskake rat op die terrein van die best die betrokke kragstasie o Limited van voorneme om Substasie, oor 'n aftstand v de Wet op Omgewingsbestuu '-36) en R387 word 'n Be e projek. Hierdie projek sme met aansoekverwysi 12/12/20/1142 (voorges unklike konsultant om die vo rgestelde projek te onderr ir u naam, kontakbesonder | NEERDE SIKLU ASSOSIEERDE NGOURIKWA UBSTASIE EMING e Gourikwa Oopsiklus Gastur SGT) om, deur verbetering in aande Gourikwa GSGT Krags ingsproses behels die oprigting istaande Gourikwa OSGT krags pgewek sal word, na die nasia 'n 400kV transmissiekraglyn tu an sowat 11 km, op te rig. ur (No. 107 van 1998) soos gu istekopname en Omgewingsin is geregistreer by die Nasie ingsnommers van onderskei telde transmissielyn). preiste omgewingsimpak evalu. | S Sladde r Jenheid Johne n die tosie g van tasie Jonale delik delik ering g e n B.99 | |

Advert placed in Die Burger, 10 April 2008



Site notice of EIA process placed on Gourikwa Power Station Main Gate



Site notice of EIA process placed on other access gate at Gourikwa Power Station



Notice of EIA process placed at D'Almeida Library, Mossel Bay



Notice of EIA process placed at Dana Bay Friendly Store, Mossel Bay



Notice of EIA process close to the proposed Gourikwa-Proteus power line corridor



Site notice placed at the Kwanonaqaba Library, Mossel Bay



Notice of EIA process placed at the Marsh Street Library



Notice of EIA process placed at the Proteus Substation main gate



Notice of EIA process placed at Dana Bay Spar, Mossel Bay

Bladsy 42

Wil u adverteer? Tel: 044-690 7156

Mossel Bay Advertiser, Vrydag 6 Junie 2008

Naaldwerkgilde

Die St Blaize Naaldwerkgilde vergader op Vrydag, 13 Junie om 09:00 in die Hartenbos Biblioteek saal. Dit is die jaarlikse brei en hekel vergadering. Verskillende artikels sal behandel



word en patrone sal beskikbaar wees. Indien jy 'n serp of onderbaadjie gemaak het, bring dit saam en kom spog daarmee.

Onthou ook van die mark tafel. Lede, besoekers en belangstellendes is welkom. Daar word 'n besoekers fooi van R10 gevra.

Vir meer inligting, skakel Martie Barnard by 044-695 2343 of 079 672 6557.

Suid-Kaap Fynproswersgilde Die Suid-Kaap Fynproewersgilde hou op 12 Junie 'n demonstrasie oor die bak en versier van soetgebak reg oor die wêreld.

Mariet Buitendag en Adele Jones gaan ons alles leer wat nodig is om te weet om fynproe gebak voor te sit.

Die demonstrasie vind plaas in die Mosselbaai Stadsaal om 09:00 vir 09:30. Kom kry inspirasie vir mooi gedekte tafels en bring 'n geldjie saam om iets te koop.

Vir meer inligting, kontak Alet op 083 764 2840.

POLOK Winter Bans

POLOK (Punt Oud leerders en ondersteuners klub) hou op Saterdag, 21 Junie om 19:30 'n informele dans in Hoerskool Punt se skoolsaal.

Kaartjies kos R80 per persoon en is beskikbaar te Danie de Jagerstraat 7. Vir meer inligting, skakel 044-

690 7205. **Poshoom Seëlvereniging** Die maandelikse byeenkoms van die Poshoom Seëlvereniging word op Maandag, 9 Junie om 19:00 in die saal agter die St Peter's kerk

gehou. Die tema van hierdie aand sy byeenkoms is "Groen". Almal is meer al welkom - toegang is

Vir meer nuigting, skakel vir di JA Visser op 082 332 5353. Winterwaarde

Kenani Dienssentrum hou op Woensdag, 25 Junie 'n trui en jasse verkope vanaf 09:30 tot 12:30.

Jasse en Truie sal te koop wees vanaf slegs R120. Vir meer inligting, skakel vir Rina

of Kathy by 044-690 3204. Resepte Bocke beskikbaar

Die Knuppeldik en Watertand Resepte boeke van die polisie is nou op Maandag, bymekaar te Ok Brakrivier.

Omgewingski joen, sal 'n pras verwarming. \ May op 044-69

Kindersorg S gemene Jaarv Maandag, 23 Ju Amy Searle Sa Ledegeld van ten einde om te



week from 09:0 games, snacks, lots more. Phone Natash

0100 to enrol y Jeugd

'n Jeugdag Ve Sondag, 15 Jur skap saal te As sal om 19:00 b Vir meer in Tony Maart op Jeugd Die Nativity / Jeug in samew naval Komitee 16 Junie n dag en dams by di

en dans by di kerkstal 'n Springkaste word om die ki Toegang by d

persoon. Worst en skyfies sal bied word. Die uitdunne

Karnaval sal oo theid plaasvind skakel vir Wil 249 2892 of Sar

693 0781. Peësiebes

Die volgende Poësiebespreki Vrydag, 6 Junie van Jackie Cali Die tema var die ouer-kind v

Advert placed in the Mossel Bay Advertiser, 6 June 2008

To obtain further information, please solurit your name, contact information and interest in the project to: Sharven Johnstom of Sustainable Futures ZA PO Ison 749, Rondebach, Cape Iown, 7701 Id: 033 325 9965 Con 096 510 2527

Fax: 086 510 2537 E-mail: swjahrsten@mweb.co.za www.savennahSA.com

GOURIKWA POWER STATION CONVERSION AND TRANSMISSION INTEGRATION PROJECT, WESTERN CAPE Final Scoping Report July 2008



Advert placed in Die Burger, 30 May 2008



04 April 2008

Dear Stakeholder,

GOURIKWA POWER STATION CONVERSION AND TRANSMISSION INTEGRATION PROJECT

Eskom Holdings Limited is proposing the conversion of the to existing Gourikwa Power Station (An Open Cycle Gas Turbine – OCGT-Plant) to a Combined Cycle Gas Turbine (CCGT) Plant and construction of an associated 400kV transmission power line from Gourikwa Power Station to Proteus Substation. The project includes:

- » Conversion of 5 units to CCGT units at Gourikwa Power Station;
- Construction of a new water pipeline between the PetroSA facility and Gourikwa Power Station;
- Construction of a new 400 kV transmission power line between Gourikwa Power Station and Proteus Substation; and,
- » Construction of a new access road to Gourikwa Power Station.

In terms of the EIA Regulations published in terms of Section 24(5) of the National Environmental Management Act (NEMA, No 107 of 1998), Eskom requires authorisation from the National Department of Environmental Affairs and Tourism (DEAT) (in consultation with the Western Cape Department of Environmental Affairs and Development Planning) for the undertaking of the proposed project. In order to obtain authorisation for this project, comprehensive, independent environmental studies must be undertaken in accordance with the EIA Regulations. This project has been registered with National DEAT under Application Reference numbers 12/12/20/1141 (power station conversion) and 12/12/20/1142 (transmission line).

In this regard, Savannah Environmental has been appointed as an independent consultant to undertake the required environmental impact assessment and public participation for the proposed project. Savannah Environmental has appointed Sustainable Futures ZA to assist in the process of facilitating the public participation process.

You are invited to participate in this process and register as an interested and/or affected party (I&AP). As a stakeholder or organisation in the region, you can get involved in the process by:

- Registering as an interested and affected party (by completing the attached reply form);
- » Requesting a meeting with the public participation team;
- » Attending the upcoming open house/public meeting scheduled in your region;
- » Commenting on the draft Scoping Report, draft Environmental Impact Assessment (EIA) report and the Environmental Management Plan (EMP) once its has been completed and made available for comment;
- » Informing other stakeholders of the process.

Please find enclosed a copy of the Gourikwa Power Station Conversion and Transmission Integration Briefing Paper and a reply form to register as an interested and affected party. As a registered stakeholder you will be notified of dates and venues of the planned public meetings to be held throughout the process, as well as the availability of reports for review and comment.

For more information on the mentioned process and EIA, please do not hesitate to contact Shawn Johnston (083 325 9965). Registration as an interested and affected party as well as written comments can be sent to:

P.O. Box 749, Rondebosch, 7701 Tel: 083 325 9965 (Shawn Johnston) E-mail: swjohnston@mweb.co.za Fax: 086 510 2537

Our team welcomes your participation and look forward to your involvement throughout this process.

Yours sincerely,

Shawn Johnston Process Facilitator

30 May 2008



Dear Stakeholder,

PROPOSED GOURIKWA POWER STATION CONVERSION AND TRANSMISSION INTEGRATION PROJECT: ENVIRONMENTAL IMPACT ASSESSMENT (EIA) PROCESS

INVITATION TO REVIEW THE DRAFT SCOPING REPORT AND ATTEND A PUBLIC FEEDBACK MEETING: 19 JUNE 2008

Eskom Holdings Limited is proposing the conversion of the to existing Gourikwa Power Station (An Open Cycle Gas Turbine – OCGT-Plant) to a Combined Cycle Gas Turbine (CCGT) Plant and construction of an associated 400kV transmission power line from Gourikwa Power Station to Proteus Substation. The project includes:

- » Conversion of 5 units to CCGT units at Gourikwa Power Station;
- » Construction of a new water pipeline between the PetroSA facility and Gourikwa Power Station;
- » Construction of a new 400 kV transmission power line between Gourikwa Power Station and Proteus Substation; and,
- » Construction of a new access road to Gourikwa Power Station.

In terms of the EIA Regulations published in terms of Section 24(5) of the National Environmental Management Act (NEMA, No 107 of 1998), Eskom requires authorisation from the National Department of Environmental Affairs and Tourism (DEAT) (in consultation with the Western Cape Department of Environmental Affairs and Development Planning) for the undertaking of the proposed project. In order to obtain authorisation for this project, comprehensive, independent environmental studies must be undertaken in accordance with the EIA Regulations. This project has been registered with National DEAT under Application Reference numbers 12/12/20/1141 (power station conversion) and 12/12/20/1142 (transmission line).

In this regard, Savannah Environmental has been appointed as an independent consultant to undertake the required environmental impact assessment and public participation for the proposed project. Savannah Environmental has appointed Sustainable Futures ZA to assist in the process of facilitating the public participation process.

PUBLIC REVIEW OF THE DRAFT ENVIRONMENTAL SCOPING REPORT

In accordance with the EIA Regulations, a draft Scoping Report has been prepared and will be made available for review and comment by Interested and Affected Parties (I&APs) and stakeholders. The **30-day period for review is 30 May 2008 to 30 June 2008**. The draft Environmental Scoping Report will be available for review at:

| Websites: | www.eskom.co.za/eia | www.savannahSA.com |
|------------------------|-----------------------------------|-----------------------------------|
| Physical locations: | Marsh Street Library - Mossel Bay | D'Almeida Library - Mossel Bay |
| | Kwanogaba Library - Mossel Bay | Residents Association of Dana Bay |
| | Kwalioqaba Library - Mosset bay | Conservancy |
| | Mossel Bay Environmental Forum | SANCO Mossel Bay |

Comments can be made as written submissions via fax, post or e-mail.

| Please submit your comments to | |
|--|--|
| Shawn Johnston of Sustainable Futures ZA | |
| PO Box 749, Rondebosch, Cape Town, 7701 | |
| Fax: 086 510 2537 | |
| E-mail: swjohnston@mweb.co.za | |
| | |
| The due date for comments on the Draft Environmental Scoping Report is | |
| 30 June 2008 | |

PUBLIC MEETING

In order to facilitate comments on the draft Environmental Scoping Report, a public meeting will be held during the review period. All interested and affected parties are invited to attend a public meeting:

DATE:Thursday, 19 June 2008TIME:6h30-8h30VENUE:Die Oude Skuur at the Diaz Museum - Mossel Bay

The aim of the public meeting is to provide you with more information regarding the proposed project, to provide a summary of the findings of the environmental scoping undertaken, and to invite comment on the proposed project.

Our team welcomes your participation and looks forward to your continued involvement.

Yours sincerely,

Shawn Johnston Process Facilitator