

**Tania Oosthuizen**

**From:** Tricia Njapha  
**Sent:** Tuesday, September 13, 2016 5:02 PM  
**Cc:** Tania Oosthuizen  
**Subject:** EIA FOR KENDAL 30 YEAR ASH DISPOSAL FACILITY - NOTIFICATION OF AVAILABILITY OF DRAFT ENVIRONMENTAL IMPACT REPORT  
**Attachments:** 12935-85-Let-003 DEIR Notification Rev2.pdf; 12935-83-001-DEIR CommentSheet-Rev0.docx; 12935-85-Reg-001-DEIR PM-Rev0.docx

**Importance:** High

**Tracking:** **Recipient** **Delivery** **Read**

Recipient	Delivery	Read
Tania Oosthuizen	Delivered: 13/09/2016 5:03 PM	Read: 13/09/2016 6:21 PM
'0731897250@mtnloaded.co.za'		
'nomsa@lantic.net'		
'nloser@cer.org.za'		
'nkabindesolomon@gmail.com'		
'niel@witbankbrickworks.co.za'		
'nick.rademan@mweb.co.za'		
'nelrico@penta-net.co.za'		
'naudekobie@gmail.com'		
'natasha.joseph@citypress.co.za'		
'naseema@lrc.org.za'		
'Nandi.Sibanyoni@bhpbilliton.com'		
'Mukoma.peter@nbi.org.za'		
'mrsukwene@gmail.com'		
'mrberry@icon.co.za'		
'ntombits@googlemail.com'		
'nuus@beeld.com'		
'pnavale@hmesa.net'		
'pietprok@gmail.com'		
'phumzile.matsimbi@bhpbilliton.co.za'		
'phumisani@gmail.com'		
'Phillipjimi@gmail.com'		
'phdlinde@mweb.co.za'		
'peter.molapo@labour.gov.za'		
'pennymahon@hugocronje.co.za'		
'pavan.rajlal@angloamerican.com'		
'paulosnkosi704@gmail.com'		
'pauline.shole@angloamerican.co.za'		
'paul@malachitemining.co.za'		
'paticiamabaso@gmail.com'		
'pashton@csir.co.za'		
'parks4@web4us.co.za'		
'owen@soft.co.za'		
'owen.mgauta@gmail.com'		
'onverwacht@mweb.co.za'		
'ogispholataxi@telkomza.net'		
'ogieslibrary@gmail.com'		
'nvjv@mweb.co.za'		
'nventer@joy.co.za'		
'nuus@rapport.co.za'		
'ppmare@netactive.co.za'		
'mpphobheki@gmail.com'		
'mashiane.harry@gmail.com'		
'masangoabel@gmail.com'		
'martin@kuipersgroup.co.za'		
'martin@engineeringnews.co.za'		
'martham@mbuyelo.com'		
'marten.bartle@jsgroup.co.za'		
'mark.pickering@globeleq.com'		
'mariusberry@vodamail.co.za'		
'mariettel@pea.org.za'		
'marietjiesteenberg@gmail.com'		
'Mariante@ecogain.co.za'		
'marco@ecotone-sa.co.za'		
'mankinde@mweb.co.za'		
'makoma@earthlife.org.za'		
'makam.aaron@gmail.com'		
'mail@spiros.co.za'		
'mathapelo.phala@wessa.co.za'		
'morgan@wessaep.co.za'		
'mp.landbou@mweb.co.za'		
'mathebula.freeda15@gmail.com'		
'matrixpr@ananzl.co.za'		
'morothiza@yahoo.com'		
'molepome@eskom.co.za'		
'mokhine.makgalemele@angloamerican.com'		
'moeketsi.mofokeng@angloamerican.com'		
'mkkoen@rukkisa.co.za'		
'mkhak586@gmail.com'		
'mikee@vodaemail.co.za'		
'mike.verte@angloamerican.com'		
'michel.coetsier@sasol.com'		
'michaelnaidoo@angloamerican.com'		
'mfourie@cer.org.za'		
'melg.welmans@geckogrp.com'		
'melchior.joseph@angloamerican.com'		
'Mayihlome.tshwete@dpe.gov.za'		

Recipient	Delivery	Read	Recipient	Delivery	Read
'matshanej@sabc.co.za'			'peet@aplaasweb.co.za'		
'mathekud@yahoo.com'			'jos@ross.co.za'		
'MahlanguNM@gmail.com'			'tbtt@mweb.co.za'		
'ppnkosi@mtnloaded.co.za'			'thusi.candi@gmail.com'		
'prudencemantombi@gmail.com'			'sirrouch@vodamail.co.za'		
'zephbsdy@gmail.com'			'sipho.mkhathwa@shandukacoal.		
'zaalklap@gmail.com'			'siobhan.forman@angloamerican.		
'yolanf@ewt.org.za'			'sidney.sekhukhune@angloamerica		
'wtbnews@mweb.co.za'			'sharon.clark@bhpbilliton.com'		
'witlibrary@mweb.co.za'			'sekhukhuni@gmail.com'		
'westa1@workmail.co.za'			'schalkb@schalkburger.co.za'		
'wayleaves@sasol.com'			'sanmarie@mweb.co.za'		
'vvuurej2@telkom.co.za'			'sanetdejong@plantic.net'		
'vikesh.dhanooklal@bhpbilliton.co			'sandria64@gmail.com'		
'vik.cogho@glencore.co.za'			'samuel.ngwenya@webmail.co.za'		
'ursulaf@ewt.org.za'			'rynettec@ewt.org.za'		
'tshepo@geovicon.co.za'			'rworthington@wwf.org.za'		
'trorke@bme.co.za'			'Rudzani.Nemukula@wessa.co.za'		
'tristen@earthlife.org.za'			'rudie@eaglespride.co.za'		
'tobie@mobserver.co.za'			'rstrydom32@gmail.com'		
'ntimbane@yahoo.com'			'robindewitt4@gmail.com'		
'tlu@axxess.co.za'			'rk@kusilemining.com'		
'zeroplus@penta-net.co.za'			'rico@groundwork.org.za'		
'zowmar@pixie.co.za'			'rhugo@cer.org.za'		
'admin@bio-select.com'			'february@wwf.org.za'		
'ewt@ewt.org.za'			'qwabe511@gmail.com'		
'sweetladysam@gmail.com'			'putter7@saps.gov.za'		
'theuns@ntshovelo.co.za'			'pta.newsdesk@inl.co.za'		
'sanco86@gmail.com'			'sizanani@worldonline.co.za'		
'bnxusani@bullion.org.za'			'siziwe@groundwork.org.za'		
'sanmarie@equispedis.co.za'			'smme@mweb.co.za'		
'parks1@web4us.co.za'			'thokozani.chris@webmail.co.za'		
'newsdesk@miningweekly.co.za'			'theuns@conticoal.com'		
'kerryn@savingcranes.org'			'hembani.mashamba@bhpbilliton.		
'janejohn@mweb.co.za'			'theherald@telkomrsa.net'		
'kmarx@wessanorth.co.za'			'thanyani.nthangeni@angloamerica		
'bcnррholes@telkomrsa.net'			'thandieleonar@gmail.com'		
'denise.dias@mega.go.za'			'thandi@nokengmun.co.za'		
'news@citizen.co.za'			'thabisogwambe@yahoo.com'		
'duv_sec@global.co.za'			'terry@eyethucoal.com'		
'elda@ikangalawater.co.za'			'terry.vdwalt@dailysun.co.za'		
'secretary@birdlife.org.za'			'teresabo@telkomrsa.net'		
'wentzelca@yahoo.com'			'teresa.steele@angloamerican.com'		

Recipient	Delivery	Read	Recipient	Delivery	Read
'tellus@sowetan.co.za'			'editor@echoridge.co.za'		
'teboho.motiryane@bhpbilliton.co			'editor@citizen.co.za'		
'Taaibos@absamail.co.za'			'eci168@gmail.com'		
'sylvester.peverelle@bhpbilliton.co			'eben.kotze@wspgroup.co.za'		
'sylvester.mokoena@gauteng.gov.			'duvenagejag@gmail.com'		
'sunil.mungaroo@shandukacoal.co			'duv.sec@gmail.com'		
'stefan@topigssa.co.za'			'dumsani13motha@gmail.com'		
'stanleyl@wrc.org.za'			'dsinger@africa.com'		
'sssmarothis@yahoo.com'			'dnel@wwfsa.org.za'		
'ssmnqunsi@gmail.com'			'dmacpherson@anglocoal.co.za'		
'sonia.chipu@aemfc.gov.za'			'desiree@justcoal.co.za'		
'snk@mtechindustrial.com'			'desbeldertien@vodamail.co.za'		
'SMudau@chamberofmines.org.za'			'deltap@lantic.net'		
'skamanja@cer.org.za'			'dcat9@tiscali.co.za'		
'barry.hertsgpg76@gmail.com'			'davidowen@telkommsa.net'		
'lucas.mtsweni@hotmail.co.za'			'DavidN@abenzi.co.za'		
'crisalix@penta-net.co.za'			'davidkl@nda.agric.za'		
'corrievanniekerk@telkommsa.net'			'danier@sgbcape.co.za'		
'constanth@ewt.org.za'			'danie@blastmanagement.co.za'		
'cmzimu@vodamail.co.za'			'cwesselman@xstratacoal.co.za'		
'cml@xsinet.co.za'			'elizabeth.bousfield@angloamerica		
'claude@kusilemining.com'			'andrebr@interwaste.co.za'		
'Cindy.Smith@angloamerican.com			'andreb@ewt.org.za'		
'chrisvoigt8@gmail.com'			'andreas@bio-select.com'		
'christofvdmerwe@gmail.com'			'andre.cherry3@gmail.com'		
'christo.vandermerwe@bhpbilliton			'amuller@cozamail.co.za'		
'christinem@ewt.org.za'			'Alucica.tjale@shandukacoal.com'		
'christina@delmasmunic.co.za'			'alphatow@theskylink.net'		
'chrís.yelland@ee.co.za'			'allenmhlambda@yahoo.com'		
'chrís.vanrooyen@dieselpower.co:			'alcedo@lantic.net'		
'charles@kuipersgroup.co.za'			'albert.froneman@gmail.com'		
'chantelle.gerber@angloamerican.			'ajnortjie@distel.co.za'		
'cfgerber@penta-net.co.za'			'ahuis@gptglobal.com'		
'ceo@birdlife.org.za'			'afaasen@wwf.org.za'		
'cecilia.russell@inl.co.za'			'advocacy@birdlife.org.za'		
'ccolvin@wwf.org.za'			'adri@penta-net.co.za'		
'carissaschool@telkommsa.net'			'adri@geosoilwater.co.za'		
'carelfrylink@telkommsa.net'			'admin@wozungithathe.com'		
'cssibiya@ikangalawater.co.za'			'admin@truterboerdery.co.za'		
'cuba@vodamail.co.za'			'admin@rockblend.co.za'		
'd.zoekop@lando.co.za'			'admin@jgprinsloo.co.za'		
'eliset@beeld.com'			'abraham@wescoal.com'		
'ejdcons@vodamail.co.za'			'a321@lantic.net'		

Recipient	Delivery	Read	Recipient	Delivery	Read
'a.beetge@sanbi.org.za' '22887903@nwu.ac.za' '0766792550P@mud.com' 'andrewp@ewt.org.za' 'buks.brickmart@gmail.com' 'angela@lrc.org.za' 'arthurp@cefgroup.co.za' 'botesannelie@gmail.com' 'bongani@mpmirror.co.za' 'bongani.mkhari@power.alstom.cc 'bomamac@gmail.com' 'bncube@anglocoal.co.za' 'BlackmambaT@Webmail.co.za' 'bjmtshali@telkomza.net' 'bigboy@employworx.co.za' 'bhswilgeconserv@vox.co.za' 'bhs@eaglespride.co.za' 'bhavenga@gibb.co.za' 'bezuidenhoutj@sundaytimes.co.z' 'bezboerdery@plaasweb.co.za' 'bert@wescoal.com' 'bennie@hydrosol.co.za' 'ben@acusolv.co.za' 'Ben.greyling@geckogrp.com' 'baumannj@bdfm.co.za' 'barrydoman@hotmail.co.za' 'babamthembu025@gmail.com' 'awanzi@telkomza.net' 'aubrey@ross.co.za' 'elizabeth@wescoal.com' 'elsabe.telperion@gmail.com' 'KhozaMR@telkom.co.za' 'khethokuhle@gmail.com' 'kevinr@mhp.co.za' 'kerrynm@ewt.org.za' 'ken@cabangaconcepts.co.za' 'kathp@ewt.org.za' 'jwesson@wessanorth.co.za' 'JValdicept@yahoo.com' 'june1botha@vodamail.co.za' 'julie.wolfaardt@sasol.com' 'juliana.erasmus@yahoo.com' 'judith.lehoale@gauteng.gov.za'			'jswolv@gmail.com' 'jsolomon@hmesa.net' 'john@fairacres.co.za' 'john.strick@baesystems.com' 'johan.swanepoel@angloamerican 'johan.henning@babcock.co.za' 'joesingh@justcoal.co.za' 'joe@wescoal.com' 'jmeyerc@mweb.co.za' 'jmabona@gmail.com' 'kleynme@mweb.co.za' 'jjpotgieter@gmail.com' 'LPPhakathi@anglocoal.co.za' 'louwboshoff@hotmail.com' 'lourensl@ewt.org.za' 'Louism@fraseralexander.co.za' 'lmartin@anglocoal.co.za' 'lkboerdery@gmail.com' 'Lindie.Moore@bhpbilliton.com' 'leoseng@telkomza.net' 'leonard.durow@angloamerican.co. 'lbeta@wessanorth.co.za' 'lareze@streeknuus.co.za' 'l.p.louw@angloamerican.com' 'kristina.lukhele8@gmail.com' 'kopo.mokale@mega.gov.za' 'kobus.wach74@ymail.com' 'jenny.day@uct.ac.za' 'jeanre@telkomza.net' 'health2@webmail.co.za' 'hbooyse5@gmail.com' 'haplap@kleinfoitein.net' 'hanrec@interwaste.co.za' 'hanneswetlands@gmail.com' 'hannes@cas-quarries.co.za' 'hanlie@solidariteit.co.za' 'gstenzel@anglocoal.co.za' 'granny.kgole@shandukacoal.com 'graeme@streeknuus.co.za' 'glanga@salga.org.za' 'gijimane.dladla@mega.gov.za' 'giep@gptgloba.com' 'gert@smithfarm.co.za'		

Recipient	Delivery	Read
'gerson@vodamail.co.za'		
'geovin@africa.com'		
'geovicon@africa.com'		
'gemay@germartrust.co.za'		
'Fulufhelo.Mabuduga@bhpbilliton		
'frans@mtpa.co.za'		
'fielies_57@telkomsa.net'		
'fellaaaa@telkom.co.za'		
'emo@mtechindustrial.com'		
'hk@mtechindustrial.com'		
'JE.Pillay@shandukacoal.com'		
'jcexecupor@gmail.com'		
'janetl@lrc.org.za'		
'J.Dini@sanbi.org.za'		
'info@wessonorth.co.za'		
'info@mtadventures.co.za'		
'info@iea.org'		
'info@botetitraders.co.za'		
'ikuhne@rapport.co.za'		
'idejongh@xstratacoal.co.za'		
'lan@cabangaconcepts.co.za'		
'hvrkantoor@telkomsa.net'		
'hskhosana@ruraldevelopment.go		
'howard.parry@sasol.com'		
'howard.nkohla@sasol.com'		
'hmcloete@vodamail.co.za'		
'hlahlaf@webmail.co.za'		
'henk@romabricks.co.za'		
'mariettel@iburst.co.za'		

This communication serves to notify you of the availability of the Draft Environmental Impact Assessment Report (DEIR) for Public Review and Comment.

Please find attached the following documents for your perusal.

- DEIR Notification Letter;
- Comment Sheet; and
- Public Meeting Registration Sheet.

Kindly submit your comments on or by **Monday, 24 October 2016** to Tricia Njapha at the Public Participation Office on Tel: (011) 207 2060 or Fax: 086 676 9950 or Email: [publicprocess@zitholele.co.za](mailto:publicprocess@zitholele.co.za).

We look forward to receiving your comments.

Kind regards,

**Tricia Njapha**  
*Public Participation Practitioner*  
 Building 1, Maxwell Office Park, Magwa Crescent West, cnr Allandale Road & Maxwell Drive, Waterfall City, Midrand, RSA  
**T:** +27 11 207 2060 **D:** +27 11 088 8454 **F:** +27 86 206 7720/+27 86 676 9950 **C:** +27 83 420 1597 **E:** [trician@zitholele.co.za](mailto:trician@zitholele.co.za) **W:** [www.zitholele.co.za](http://www.zitholele.co.za)  
 Please consider the environment before printing this e-mail!



## DEA Reference No.: 14/12/16/3/3/3/68) (NEAS REF.NO.:

**DEA/EIA/00001624/2013**

Dear Stakeholder

### ENVIRONMENTAL IMPACT ASSESSMENT AND WASTE MANAGEMENT LICENCE APPLICATION FOR NEW 30 YEAR ASH DISPOSAL FACILITY AT KENDAL POWER STATION

- **Notification of availability of Draft Environmental Impact Report for Public Review and Comment**
- **Invitation to Public Meetings**

An Environmental Impact Assessment (EIA) process has been underway for the proposed New 30 Year Ash Disposal Facility at Kendal Power Station in Mpumalanga Province.

**Tania Oosthuizen**

**From:** Tricia Njapha  
**Sent:** Tuesday, October 25, 2016 12:28 PM  
**To:** Tania Oosthuizen  
**Subject:** FW: EIA FOR KENDAL 30 YEAR ASH DISPOSAL FACILITY - NOTIFICATION OF AVAILABILITY OF DRAFT ENVIRONMENTAL IMPACT REPORT

---

**From:** Smith, Cindy [mailto:cindy.smith@angloamerican.com]  
**Sent:** Wednesday, September 14, 2016 12:07 PM  
**To:** Tricia Njapha <trician@zitholele.co.za>; Public Participation Process <publicprocess@zitholele.co.za>  
**Cc:** Rajjal, Pavan <pavan.rajjal@angloamerican.com>; Tania Oosthuizen <taniao@zitholele.co.za>  
**Subject:** RE: EIA FOR KENDAL 30 YEAR ASH DISPOSAL FACILITY - NOTIFICATION OF AVAILABILITY OF DRAFT ENVIRONMENTAL IMPACT REPORT

Hi Tricia, I think it just took a while to download as I now have the DEIA. Many thanks!

---

**From:** Tricia Njapha [mailto:trician@zitholele.co.za]  
**Sent:** 14 September 2016 11:55 AM  
**To:** Smith, Cindy <cindy.smith@angloamerican.com>; Public Participation Process <publicprocess@zitholele.co.za>  
**Cc:** Rajjal, Pavan <pavan.rajjal@angloamerican.com>; Tania Oosthuizen <taniao@zitholele.co.za>  
**Subject:** RE: EIA FOR KENDAL 30 YEAR ASH DISPOSAL FACILITY - NOTIFICATION OF AVAILABILITY OF DRAFT ENVIRONMENTAL IMPACT REPORT  
**Importance:** High

Good day Cindy,

Thank you for your email and comment sheet.

In the interests of sending the report to you timeously, may I suggest that we try Drop Box?  
I will share the link with you shortly directly from Dropbox.

I have copied below it for you:

<https://www.dropbox.com/home/Kendal%2030%20Year%20EIA%20and%20Appendices>

Please will you let me know if you have successfully managed to download the report and its appendices from here.  
If not, let me know soonest and I will have CD sent to you.

Have a lovely day further.

Kind regards,

**Tricia Njapha**

**Public Participation Practitioner**

Building 1, Maxwell Office Park, Magwa Crescent West, cnr Allandale Road & Maxwell Drive, Waterfall City, Midrand, RSA

**T:** +27 11 207 2060 **D:** +27 11 088 8454 **F:** +27 86 206 7720/+27 86 676 9950 **C:** +27 83 420 1597 **E:** [trician@zitholele.co.za](mailto:trician@zitholele.co.za) **W:** [www.zitholele.co.za](http://www.zitholele.co.za)

 Please consider the environment before printing this e-mail!



---

**From:** Smith, Cindy [mailto:cindy.smith@angloamerican.com]

**Sent:** Wednesday, September 14, 2016 8:56 AM

**To:** Tricia Njapha; Public Participation Process

**Cc:** Rajjal, Pavan

**Subject:** RE: EIA FOR KENDAL 30 YEAR ASH DISPOSAL FACILITY - NOTIFICATION OF AVAILABILITY OF DRAFT ENVIRONMENTAL IMPACT REPORT

Good day

Please find attached comment sheet on behalf of AAIC New Largo.

Regards,  
Cindy

---

**From:** Tricia Njapha [mailto:trician@zitholele.co.za]

**Sent:** 13 September 2016 05:03 PM

**Cc:** Tania Oosthuizen <taniao@zitholele.co.za>

**Subject:** EIA FOR KENDAL 30 YEAR ASH DISPOSAL FACILITY - NOTIFICATION OF AVAILABILITY OF DRAFT ENVIRONMENTAL IMPACT REPORT

**Importance:** High

**DEA Reference No.: 14/12/16/3/3/3/68 (NEAS REF.NO.:  
DEA/EIA/00001624/2013**

Dear Stakeholder

**ENVIRONMENTAL IMPACT ASSESSMENT AND WASTE MANAGEMENT LICENCE APPLICATION FOR NEW 30 YEAR ASH DISPOSAL FACILITY AT KENDAL POWER STATION**

- Notification of availability of Draft Environmental Impact Report for Public Review and Comment
- Invitation to Public Meetings

An Environmental Impact Assessment (EIA) process has been underway for the proposed New 30 Year Ash Disposal Facility at Kendal Power Station in Mpumalanga Province.

This communication serves to notify you of the availability of the Draft Environmental Impact Assessment Report (DEIR) for Public Review and Comment.

Please find attached the following documents for your perusal.

- DEIR Notification Letter;
- Comment Sheet; and
- Public Meeting Registration Sheet.

Kindly submit your comments on or by **Monday, 24 October 2016** to Tricia Njapha at the Public Participation Office on Tel: (011) 207 2060 or Fax: 086 676 9950 or Email: [publicprocess@zitholele.co.za](mailto:publicprocess@zitholele.co.za).

We look forward to receiving your comments.

Kind regards,


**INTEGRATED ENVIRONMENTAL IMPACT  
ASSESSMENT AND WASTE MANAGEMENT LICENCE  
APPLICATION FOR PROPOSED 30-YEAR ASH  
DISPOSAL FACILITY AT KENDAL POWER STATION**

(DEA REF. NO.:14/12/16/3/3/68) (NEAS REF.NO.:  
DEA/EIA/00001624/2013)

**COMMENT SHEET FOR THE DRAFT ENVIRONMENTAL  
IMPACT REPORT**

Available for public review from  
Wednesday, 24 August 2016 to Monday, 24 October 2016

Please complete by Monday, 24 October 2016 and return to the EIA Public Participation Office (as above)

TITLE	Mrs	FIRST NAME	Cindy
INITIALS	WS	SURNAME	Smith
ORGANISATION (Please do not use any acronyms)	Anglo American		
ADDRESS	1 Farm Road, Old Landau Village, District Witbank Private Bag x9, Leraatsfontein		
	POSTAL CODE	1038	
TELEPHONE NO	(013) 691 5117		
FAX NO			
CELL PHONE NO	083 659 2194		
E-MAIL ADDRESS	<a href="mailto:Cindy.Smith@angloamerican.com">Cindy.Smith@angloamerican.com</a>		
SIGNATURE			
DATE	14 September 2016		

**REGISTRATION TO RECEIVE AN ELECTRONIC COPY OF THE DRAFT IMPACT ASSESSMENT REPORT**

**BASIC ASSESSMENT REPORT**

I would like to receive an electronic copy of the Draft Impact Assessment Report (please circle the appropriate block)

CD by mail

YES

NO

1. Have your questions, concerns, issues and suggestions been captured? If not, please indicate below.

**We did previously comment on the EIA on behalf of New Largo and are still standing – the DEIA Report does not want to download. Please can you e-mail a copy?**

- .....
2. Of the issues already covered, do you wish to add additional aspects that have not yet been mentioned?
- .....

3. Please tell us, did you find the Draft Impact Report useful? Please indicate below.

YES, USEFUL	Please tell us why:
NEED IMPROVEMENT	Can't Download
NO, NOT USEFUL	.....

4. Any other comments you may have:

*Pending info in DEIA*



**EIA Public Participation Office**

Tricia Njapha

Zitholele Consulting (Pty) Ltd

P O Box 6002, Halfway House, 1685

Tel: (011) 207 2060

Fax: 086-676-9950

Email: [publicprocess@zitholele.co.za](mailto:publicprocess@zitholele.co.za)

**Tania Oosthuizen**

**From:**

Mary Ntolwane

**Sent:** Thursday, September 15, 2016 8:47 AM

Tania Oosthuizen; Mathys Vosloo

**To:** FW: Environmental Impact Assessment & Water Management License Application For New 30 Year Ash Disposal Facility At Kendal Power Sation

**Subject:** 1909\_001.pdf; 1908\_001.pdf; 1907\_001.pdf

**Attachments:**

**From:** Thami Hadebe Transnet Pipelines DBN [mailto:[Thami.Hadebe@transnet.net](mailto:Thami.Hadebe@transnet.net)]

**Sent:** Thursday, 15 September 2016 8:45 AM

**To:** Mary Ntolwane

**Cc:** robbie bulderen Transnet Pipelines DBN; Muzi Zulu Transnet Pipelines DBN

**Subject:** Environmental Impact Assessment & Water Management License Application For New 30 Year Ash Disposal Facility At Kendal Power Sation

For Attention: Ms Tania Oosthuizen and Dr Mathys Vosloo

Your letter and CD with reference number 12935-83-Let-001-DEIR Notification dated 23 August 2016 has reference.

We wish to inform you that this office on behalf of Transnet Pipelines, a division of Transnet SOC Limited, has not changed from the views that were shared with you previously on the proposed project. We have included correspondence that have been exchanged overtime on this subject, with the recent letter from you Ms J. Heera about the proposal to relocate our pipelines in the affected area and our subsequent response. Our conditions dated 19 August 2014 are also attached for your information and reference.

Yours Sincerely  
Thami

**THANK YOU FOR YOUR CONTRIBUTION**

## 30 Year Ash Disposal Facility for Kendal power Station

Our Ref: 2574, 16/5/1 Kendal Power Station Ash Disposal



an agency of the  
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za  
South African Heritage Resources Agency | 111 Harrington Street | Cape Town  
P.O. Box 4637 | Cape Town | 8001  
www.sahra.org.za

Enquiries: Nokukhanya Khumalo

Tel: 021 462 4502

Email: nkhumalo@sahra.org.za

CaseID: 2574

Date: Tuesday September 20, 2016

Page No: 1

### Final Comment

#### In terms of Section 38(8) of the National Heritage Resources Act (Act 25 of 1999)

Attention: Zitholele Consulting

Zitholele Consulting (Pty) Ltd  
P O Box 6002, Halfway House  
1685

**30 Year Ash Disposal Facility for Kendal Power Station situated in Mpumalanga Province, Nkangala District Municipality, Emalahleni Local Municipality on the farms Heuvelfontein 215 IR and Schoongezicht 218 IR. The project footprint will be about 405 Ha.**

Eskom SOC Ltd has appointed Zitholele Consulting cc to carry out an Environmental Impact Assessment (EIA) in support of an application for Environmental Authorisation for the construction of the Kendal 30 years Ash Disposal Facility, in terms of the NEMA EIA Regulations, 2014. The project is located in the Emalahleni Local Municipality of Mpumalanga Province and consists of the construction of a conveyor belt; emergency dump and ash return water dams, power lines, water pipelines and access roads. This project aims to extend the existing Kendal Ash disposal by extending the total area of the facility to accommodate more ash dumping. The South African Heritage Resources Agency (SAHRA) previously commented on this proposed development in 2013/06/18, requesting that a Heritage Impact Assessment be conducted for the various options for the facility and conveyor belt route. Subsequently Zitholele Consulting cc appointed PGS Heritage (Pty) Ltd to conduct the HIA and the report has been submitted to the case.

*Fourie, W. June 2016. Kendal Power Station 30-year Ash Disposal Facility, Nkangala District Municipality, Mpumalanga. Heritage Impact Assessment.*

The author has conducted various surveys on all the proposed options for the Kendal ash disposal facility. Once the preferred Site H was finalised the author conducted a field survey and identified 8 new heritage sites that have previously been unidentified. Seven of the sites are stone packed cemeteries consisting of a total of 149 graves and one heritage site is a farmstead. All of the sites will be directly impacted by the proposed development.

Two Palaeontological Impact Assessments were conducted by Dr G Groenewald in 2013. The Kendal Ash Disposal Facility is underlain by rocks of the Vryheid Formation and the potential impact to Very Highly sensitive palaeontological significant rocks is considered moderate.

The author of the report recommends the following:

## 30 Year Ash Disposal Facility for Kendal power Station

Our Ref: 2574, 16/5/1 Kendal Power Station Ash Disposal



an agency of the  
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za  
South African Heritage Resources Agency | 111 Harrington Street | Cape Town  
P.O. Box 4637 | Cape Town | 8001  
www.sahra.org.za

Enquiries: Nokukhanya Khumalo

Tel: 021 462 4502

Email: nkhumalo@sahra.org.za

CaseID: 2574

Date: Tuesday September 20, 2016

Page No: 2

Sites (KAD 10; 17; 18; 19; 20; 21), which are cemeteries with the earliest identifiable date being 1901, these cemeteries are all considered to be of high significance. These sites are to be relocated and a full graves relocation process should be conducted and potential relations to the graves be identified, before a permit application to the Burial Grounds and Graves (BGG) Unit is made.

Site KAD 15 is a farmstead which dates to the 1900, with some out buildings, all constructed using stone. The site will be demolished in the construction phase and the site needs to be fully documented, mapped and the plans of the structure recorded along with the history of the surrounding landscape of the farmstead. This will be followed by an application for demolition made to the Mpumalanga Provincial Heritage Authority (MPHRA).

The site KAD 16 is also cemetery with 5 graves identifiable with stone headstones and brick frames. The earliest date of the graves is 1912, and the cemetery is not maintained. The cemetery is fenced and the cemetery also contains a memorial of Dr Albert Hertzog placed there in 1990. This particular grave is rated as grade 3B.

If the Vryheid Formation will be exposed and impacted during construction of the Ash Disposal Facility then a qualified professional palaeontologist needs to be hired as part of the Environmental Construction Team. His responsibilities as a palaeontologist is to obtain a mitigation permit from SAHRA and monitor the ground clearance and deep excavations during the excavation phases, for any fossils that may be uncovered. He/she will compile a phase 2 report to be submitted to SAHRA after the construction phase detailing the finds (if any).

### Final Comment

SAHRA Archaeology, Palaeontology and Meteorites (APM) Unit accepts the HIA as is, and agrees with the recommendations provided in the report. As such SAHRA has no objections to the proposed Kendal 30 year Ash Disposal Facility being constructed on the following conditions:

A letter of appointment for the palaeontologist must be submitted to the case in the case private field. The letter must also indicate the days in which he/she will be on site for monitoring.

The graves must be mitigated in terms of section 36 of the NHRA as mentioned in the recommendations of the report.

Comment on site KAD 15 the farmstead must be obtained from the MPHRA. Please contact Mr Ben Moduka at [bmoduka@mpg.gov.za](mailto:bmoduka@mpg.gov.za) and 013 766 5196.

If any newly discovered heritage resources during construction and operation phases of the proposed

## 30 Year Ash Disposal Facility for Kendal power Station

Our Ref: 2574, 16/5/1 Kendal Power Station Ash Disposal



an agency of the  
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za  
South African Heritage Resources Agency | 111 Harrington Street | Cape Town  
P.O. Box 4637 | Cape Town | 8001  
[www.sahra.org.za](http://www.sahra.org.za)

Enquiries: Nokukhanya Khumalo

Tel: 021 462 4502

Email: [nkhumalo@sahra.org.za](mailto:nkhumalo@sahra.org.za)

CaseID: 2574

Date: Tuesday September 20, 2016

Page No: 3

development, prove to be of archaeological or palaeontological significance a Phase 2 rescue operation might be necessary, and a permit will be needed before mitigation is carried out. You may contact SAHRA APM Unit for further details: (Nokukhanya Khumalo/John Gribble 021 202 8652). If any unmarked human burials are uncovered then please contact the SAHRA BGG Unit (Itumeleng Masiteng/Mimi Seetelo 012 320 8490). A professional archaeologist or palaeontologist, depending on the nature of the finds, must be contracted as soon as possible to inspect the findings at the expense of the developer. If the newly discovered heritage resources prove to be of archaeological or palaeontological significance, a Phase 2 rescue operation may be required at the expense of the developer.

The above conditions should be included into the EMPr for the project for implementation during construction, operation and decommissioning of the facility.

Should you have any further queries, please contact the designated official using the case number quoted above in the case header.

Yours faithfully

Nokukhanya Khumalo  
Heritage Officer  
South African Heritage Resources Agency

John Gribble  
Manager: Maritime and Underwater Cultural Heritage Unit / Acting Manager: Archaeology, Palaeontology and Meteorites Unit  
South African Heritage Resources Agency

## 30 Year Ash Disposal Facility for Kendal power Station

Our Ref: 2574, 16/5/1 Kendal Power Station Ash Disposal



an agency of the  
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za  
South African Heritage Resources Agency | 111 Harrington Street | Cape Town  
P.O. Box 4637 | Cape Town | 8001  
[www.sahra.org.za](http://www.sahra.org.za)

Enquiries: Nokukhanya Khumalo

Tel: 021 462 4502

Email: [nkhumalo@sahra.org.za](mailto:nkhumalo@sahra.org.za)

CaseID: 2574

Date: Tuesday September 20, 2016

Page No: 4

### ADMIN:

Direct URL to case: <http://www.sahra.org.za/node/121433>  
(DEA, Ref: 14/12/16/3/3/68)

**INTEGRATED ENVIRONMENTAL IMPACT  
ASSESSMENT AND WASTE MANAGEMENT LICENCE  
APPLICATION FOR PROPOSED 30-YEAR ASH  
DISPOSAL FACILITY AT KENDAL POWER STATION**

(DEA REF. NO.:14/12/16/3/3/3/68) (NEAS REF.NO.:  
DEA/EIA/00001624/2013)

**COMMENT SHEET FOR THE DRAFT ENVIRONMENTAL  
IMPACT REPORT**

Available for public review from  
Wednesday, 24 August 2016 to Monday, 24 October 2016



**EIA Public Participation Office**

Tricia Njapha

Zitholele Consulting (Pty) Ltd

P O Box 6002, Halfway House, 1685

Tel: (011) 207 2060

Fax: 086-676-9950

Email: publicprocess@zitholele.co.za

Please complete by Monday, 24 October 2016 and return to the EIA Public Participation Office (as above)

TITLE	MR.	FIRST NAME	Harry Basic	
INITIALS	H.B.	SURNAME	Van Biljon	
ORGANISATION (Please do not use any acronyms)				
ADDRESS	SCHOONGESIGT FARM 1/1 NEAR TRANSNET P.O. BOX 13 KENDAL		POSTAL CODE	2225.
TELEPHONE NO	0732643643 / 0786864363			
FAX NO				
CELL PHONE NO	0782643643 / 0786864363.			
E-MAIL ADDRESS				
SIGNATURE				
DATE	21/09/16			

**REGISTRATION TO RECEIVE AN ELECTRONIC COPY OF THE DRAFT IMPACT ASSESSMENT REPORT**

**BASIC ASSESSMENT REPORT**

I would like to receive an electronic copy of the Draft Impact Assessment Report (please circle the appropriate block)

CD by mail	YES	NO
------------	-----	----

1. Have your questions, concerns, issues and suggestions been captured? If not, please indicate below.

.....

.....

2. Of the issues already covered, do you wish to add additional aspects that have not yet been mentioned?

.....

.....

3. Please tell us, did you find the Draft Impact Report useful? Please indicate below.

YES, USEFUL	<input checked="" type="checkbox"/>	Please tell us why: <i>Eskom or ZITHOLELE HAVING FULLY EXPLAINED</i>
NEED IMPROVEMENT	<input type="checkbox"/>	.....
NO, NOT USEFUL	<input type="checkbox"/>	.....

4. Any other comments you may have:

*Some Residents DON'T HAVE  
TIFLIG PEEPS, SO WE HAVE A PROBLEM WITH IT.*

**THANK YOU FOR YOUR CONTRIBUTION**



# agriculture, forestry & fisheries

Department:  
Agriculture, forestry & fisheries  
**REPUBLIC OF SOUTH AFRICA**

Directorate Land Use & Soil Management, P.O. Box 8806, NELSPRUIT, 1200  
31 Brown Street, Standard Bank Centre 3<sup>rd</sup> Floor

**From:** N.F Mashabela  
**Tel:** (013) 754 0730 **Fax:** (013) 754 0735 **e-mail:** FransMas@nda.agric.za  
**Enquiries:** Frans Mashabela Ref: LUSM/19/7/2/1/Nls/MP

Zitholele Consulting (pty) Ltd  
P.O Box 6002  
HALFWAY HOUSE  
1685  
05 October 2016

Dear Sir/Madam

Att: Tania Oosthuizen

## THE PROPOSED KENDAL 30 – YEAR DISPOSAL FACILITY ON THE HEUVELFONTEIN 2015 IR AND SCHOONGEZICHT 218 IR FARMS IN THE EMALAHLENI LOCAL MUNICIPALITY IN MPUMALANGA PROVINCE.

You're Ref: 12935

This project covers a large area of agricultural importance, therefore the Department of Agriculture, Forestry and Fisheries view it as a challenge which should be tackled through faces as to minimize damage.

### Current land use

The land parcels in question are currently used for intensive cultivation practices. These practices are consistent with the surrounding land uses of the area. Mostly planted are annual crops. It is unknown if irrigation practices are applied to all cultivated fields but the presence of centre pivots on some of the land parcels is acknowledged.

### Land capability

The Land Capability Classification for the areas concerned mainly consists of Class III and that indicates moderate potential agricultural land.

It may have some limitations that can reduce the choice of plants or that may require moderate conservation practices. However it has the capability to be used for cultivation, with few limitations and with practices that are easy to apply.

### Grazing capacity

According to the 1993 grazing capacity these farms have the grazing capacity of 3Ha/LUSM making the areas highly suited for grazing purposes. However due to the cultivation practices very limited natural veld has remained for this purpose

The construction phases of this project can be used to minimize damage if well followed.

## A. CONSTRUCTION PHASE

### Site Clearing

- Site clearing should take place in a phased matter, as and when required. Areas which are not be affected by construction should not be cleared as to reduce erosion risk. The area to be cleared should be demarcated and strictly maintained.
- Erosion control measures should be implemented in areas where these risks are more prevalent.
- Topsoil removed should be neatly stockpiled in stockpiles of not higher than 1.5 m adjacent to the excavations ready for backfill when required.
- Minimizes the impact on vegetation outside the immediate areas of the work.
- In sensitive environments, proper perimeter fence should be erected around the work area. Signs should also be erected to indicate no go zone areas.
- No activity allowed which will affect the quality of the environment.
- Maintain site demarcations in positions until completion of construction works.

### Soil impacts

#### ❖ Topsoil

- The full depth of top soil should be stripped from areas affected by construction and related activities prior to commencement of major earthworks.
- Care should be taken not to mix topsoil and subsoil during stripping
- Polluted soil should be disposed of at licensed landfill site.

#### ❖ Soil stripping

- No soil stripping should take place on areas within the site that the constructor does not require for construction work.
- Subsoil and overburden should be stockpiled separately to be returned for backfilling in the correct soil horizon order

#### ❖ Stockpiles

- Stockpiles should not be positioned in such a way that they will obstruct natural water way and drainage channels.
- If stockpiles are exposed to heavy rain, they should be covered by impermeable material to prevent soil loss.
- Stockpiles should be further protected by building beams around their bases.
- Stockpiles should be kept clear of weeds and alien vegetation.

#### ❖ Fuel storage

- Topsoil and subsoil to be protected from contamination
- Fuel and material storage should be away from stockpiles.
- Contaminated soil should be contained and disposed of at an approved landfill site

#### ❖ Erosion

- Storm water control should be undertaken to prevent soil loss from site.
- All erosion control measures need to be regularly maintained.

- Retention of vegetation where possible.
- Re-vegetation of disturbed areas and surfaces should occur immediately after the construction activities are completed.

## B. CONSTRUCTION PHASE

### Erosion control

- Loss of topsoil should be minimized.
- Erosion and subsequent siltation must be limited.
- Drainage channels should be suitably maintained to ensure that erosion does not occur.
- All areas susceptible to erosion should be protected and stabilization measures implemented.

## C. REHABILITATION PHASE


### Rehabilitation

- Stripping and replacing or stripping and stockpiling of soil has a severe deteriorating impact on land capability and soil potential even if proper and precise rehabilitation procedures are followed because the natural horizon sequences and natural balanced processes in the soil profile are disturbed and cannot be reconstructed.
- The rehabilitation process which include shaping of spoil surfaces and stripping and replacing of topsoil should be monitored continuously by a competent third party. The rehabilitation should be documented as a future reference.
- This will be the only way to ensure that rehabilitation of high standards take place.

### **Recommendation.**

The Department of Agriculture, Forestry and Fisheries supports this project and also reserves the right to alter or amend its viewpoint based on forthcoming studies, documentation and information which may become available as the process progresses.

Kindly regards

  
On behalf of: EXECUTIVE OFFICER: ACT NO. 43 of 1983  
DIRECTORATE: LAND USE AND SOIL MANAGEMENT

## Tania Oosthuizen

**From:** Tania Oosthuizen  
**Sent:** Tuesday, October 11, 2016 2:02 PM  
**To:** '0731897250@mtnloaded.co.za'; 'a.beetge@sanbi.org.za'; 'a321@lantic.net'; 'deltap@lantic.net'; 'admin@jgprinsloo.co.za'; 'admin@rockblend.co.za'; 'admin@truterboerdery.co.za'; 'tbtt@mweb.co.za'; 'admin@wozungithathe.com'; 'adri@geosoilwater.co.za'; 'adri@penta-net.co.za'; 'advocacy@birdlife.org.za'; 'afaasen@wwf.org.za'; 'ahuis@gptglobal.com'; 'albert.froneman@gmail.com'; 'alcedo@lantic.net'; 'allenmhlambda@yahoo.com'; 'alphatow@theskylink.net'; 'Alucica.tjale@shandukacoal.com'; 'amuller@cozamail.co.za'; 'andre.cherry3@gmail.com'; 'andreas@bio-select.com'; 'admin@bio-select.com'; 'andreb@ewt.org.za'; 'andrebr@interwaste.co.za'; 'anettenortjie@gmail.com'; 'angela@lrc.org.za'; 'arthurp@cefgroup.co.za'; 'aubrey@ross.co.za'; 'jos@ross.co.za'; 'awanzi@telkomrsa.net'; 'babamthembu025@gmail.com'; 'barrydoman@hotmail.co.za'; 'baumannj@bdfm.co.za'; 'Ben.greylung@geckogrp.com'; 'ben@acusolv.co.za'; 'bennie@hydrosol.co.za'; 'bert@wescoal.com'; 'bezboerdery@plaasweb.co.za'; 'peet@plaasweb.co.za'; 'bhavenga@gibb.co.za'; 'bhswilgeconserv@vox.co.za'; 'wentzelca@yahoo.com'; 'bhutid@wetcs.co.za'; 'bigboy@employworx.co.za'; 'bjmtshali@telkomrsa.net'; 'bjmtshali@telkomrsa.net'; 'bncube@anglocoal.co.za'; 'bomamac@gmail.com'; 'bongani.mkhari@power.alstom.com'; 'bongani@mpmirror.co.za'; 'bongzaonkarabile@gmail.com'; 'botesannelie@gmail.com'; 'buks.brickmart@gmail.com'; 'carelfrylink@telkomrsa.net'; 'ccolvin@wwf.org.za'; 'ceo@birdlife.org.za'; 'secretary@birdlife.org.za'; 'cfggerber@penta-net.co.za'; 'chantelle.gerber@angloamerican.com'; 'charles@kuipersgroup.co.za'; 'christina@delmasmunic.co.za'; 'christo.vandermerwe@bhpbilliton.com'; 'christoffvdmerwe@gmail.com'; 'claude@kusilemining.com'; 'cmzimu@vodamail.co.za'; 'constanthal@ewt.org.za'; 'correvanniekerk@telkomrsa.net'; 'crisalix@penta-net.co.za'; 'cscmabona@mpg.gov.za'; 'cuba@vodamail.co.za'; 'd.zoekop@lando.co.za'; 'danie@blastmanagement.co.za'; 'danier@sgbcape.co.za'; 'DavidN@abenzi.co.za'; 'davidowen@telkomrsa.net'; 'dcat9@tiscali.co.za'; 'deltap@lantic.net'; 'desbeldertien@vodamail.co.za'; 'desiree@justcoal.co.za'; 'dnel@wwfsa.org.za'; 'dsinger@iafrica.com'; 'dumsani13motha@gmail.com'; 'dupreez@eskom.co.za'; 'duv.sec@gmail.com'; 'duv\_sec@global.co.za'; 'duvenagejag@gmail.com'; 'eben.kotze@wspgroup.co.za'; 'eci168@gmail.com'; 'elizabeth@wescoal.com'; 'elsabe.telperion@gmail.com'; 'fellaaa@telkom.co.za'; 'fmingwe@vodamail.co.za'; 'Fulufhelo.Mabuduga@bhpbilliton.com'; 'gemay@germartrust.co.za'; 'gerson@vodamail.co.za'; 'gert@smithfarm.co.za'; 'giep@gptglobal.com'; 'glanga@salga.org.za'; 'graeme@streeknuus.co.za'; 'granny.kgole@shandukacoal.com'; 'hanlie@solidariteit.co.za'; 'hanrec@interwaste.co.za'; 'haplap@kleinfontein.net'; 'hbooyse5@gmail.com'; 'henk@romabricks.co.za'; 'hmcloete@vodamail.co.za'; 'howard.parry@sasol.com'; 'hvrkantoor@telkomrsa.net'; 'idejongh@xstratacoal.co.za'; 'ikuhne@rapport.co.za'; 'info@botetitraders.co.za'; 'info@iea.org'; 'info@mtadventures.co.za'; 'info@telefinder.co.za'; 'info@wessanorth.co.za'; 'kmars@wessanorth.co.za'; 'J.Dini@sanbi.org.za'; 'janetl@lrc.org.za'; 'jexecutor@gmail.com'; 'JE.Pillay@shandukacoal.com'; 'jeanre@telkomrsa.net'; 'jenny.day@uct.ac.za'; 'jjpotgieter@gmail.com'; 'jmabona@gmail.com'; 'jmeyerc@mweb.co.za'; 'Stefan@topigssa.co.za'; 'joe@wescoal.com'; 'joesingh@justcoal.co.za'; 'johan.f.fourie@angloamerican.com'; 'johan.henning@babcock.co.za'; 'johan.swanepoel@angloamerican.com'; 'john.strick@baesystems.com'; 'john.wesson@wessa.co.za'; 'john@fairacres.co.za'; 'jouberar@eskom.co.za'; 'jsolomon@hmesa.net'; 'jswolv@gmail.com'; 'juliana.erasmus@yahoo.com'; 'june1botha@vodamail.co.za'; 'JValdicept@yahoo.com'; 'kendals@afgri.co.za'; 'kendals@afgri.co.za'; 'kerrynm@ewt.org.za'; 'kerryn@savingcranes.org';

'kevinr@mhp.co.za'; 'khethokuhle@gmail.com'; 'KhozaMR@telkom.co.za';  
'kleynme@mweb.co.za'; 'kobus.wach74@ymail.com'; 'kopo.mokale@mega.gov.za';  
'kotzemh@eskom.co.za'; 'l.p.louw@angloamerican.com'; 'lareze@streeknuus.co.za';  
'lbetha@wessanorth.co.za'; 'lemonmare@gmail.com';  
'leonard.durow@angloamerican.com'; 'leoseng@telkomsa.net';  
'linda.ndhlovu@eskom.co.za'; 'Lindie.Moore@bhpbilliton.com';  
'lkboerdery@gmail.com'; 'lkboerdery@gmail.com'; 'LLMofokeng0096@gmail.com';  
'lourensl@ewt.org.za'; 'louwboshoff@hotmail.com'; 'lucas.mtsweni@hotmail.co.za';  
'MahlanguNM@gmail.com'; 'mail@spiros.co.za'; 'makgolp@eskom.co.za';  
'marijetiestenberg@gmail.com'; 'mariettel@pea.org.za'; 'mariettel@iburst.co.za';  
'mariusberry@vodamail.co.za'; 'mark.pickering@globeeq.com';  
'marten.bartle@jsgroup.co.za'; 'martham@mbuyelo.com';  
'martin@engineeringnews.co.za'; 'newsdesk@miningweekly.co.za';  
'martin@kuipersgroup.co.za'; 'masangoabel@gmail.com';  
'mathapelo.phala@wessa.co.za'; 'mathebula.freeda15@gmail.com';  
'mathekud@yahoo.com'; 'matrixpr@anzani.co.za'; 'matshanej@sabc.co.za';  
'mattpretorius686@gmail.com'; 'melchior.joseph@angloamerican.com';  
'melg.welmans@geckogr.com'; 'mfourie@cer.org.za';  
'michael.naidoo@angloamerican.com'; 'mike.verteu@angloamerican.com';  
'mikee@vodamail.co.za'; 'mkhabas86@gmail.com';  
'moeketsi.mofokeng@angloamerican.com';  
'mokhine.makgalemele@angloamerican.com'; 'mp.landbou@mweb.co.za';  
'mphobheki@gmail.com'; 'mrberry@icon.co.za'; 'mrsukwene@gmail.com';  
'Mukoma.peter@nbi.org.za'; 'Nandi.Sibanyoni@bhpbilliton.com';  
'hardus.ellis@eskom.co.za'; 'naseema@irc.org.za'; 'naudekobie@gmail.com';  
'Ngomanmv@eskom.co.za'; 'niel@witbankbrickworks.co.za';  
'nkabindesolomon@gmail.com'; 'nkhumalo@sahra.org.za'; 'nloser@cer.org.za';  
'nomsa@lantic.net'; 'nventer@joy.co.za'; 'nvjw@mweb.co.za';  
'ogieslibrary@gmail.com'; 'ogiespholatxi@telkomsa.net';  
'onverwacht@mweb.co.za'; 'owen.mgaute@gmail.com'; 'owen@soft.co.za';  
'pamatrust@gmail.com'; 'pashton@csir.co.za'; 'patriciamabaso@gmail.com';  
'paul@malachitemining.co.za'; 'pauline.shole@angloamerican.com'; 'paulosnkosi704@gmail.com';  
'pavan.rajal@angloamerican.com'; 'pennymahon@hugocronje.co.za';  
'Phillipjini@gmail.com'; 'phumisani@gmail.com';  
'phumzile.matsimbi@bhpbilliton.com'; 'pietprok@gmail.com';  
'poobalan.naidoo@transnet.net'; 'ppnkosi@mtnloaded.co.za';  
'prudencemantombi@gmail.com'; 'pta.newsdesk@nl.co.za'; 'putter7@saps.gov.za';  
'qwabe511@gmail.com'; 'qwabes11@gmail.com'; 'tfebruary@wwf.org.za';  
'rhugo@cer.org.za'; 'rico@groundwork.org.za'; 'rk@kusilemining.com'; 'robindewitt4@gmail.com';  
'sstrydom32@gmail.com'; 'Rudzani.Nemukula@wessa.co.za';  
'washington@wwf.org.za'; 'rynettec@ewt.org.za';  
'samuel.ngwenya@webmail.co.za'; 'sandria64@gmail.com';  
'sanetdejong@lantic.net'; 'schalkb@schalkburger.co.za'; 'sekhukhuni@gmail.com';  
'sharon.clark@bhpbilliton.com'; 'sidney.sekhukhune@angloamerican.com';  
'siphon.mkhathsha@shandukacoal.com'; 'sitholje@eskom.co.za';  
'sizanani@worldonline.co.za'; 'siziwe@groundwork.org.za'; 'skamanja@cer.org.za';  
'smme@mweb.co.za'; 'SMudau@chamberofmines.org.za';  
'bnxusani@bullion.org.za'; 'soniac@aemfc.co.za'; 'ssmnqunsi@gmail.com';  
'sssmarothis@yahoo.com'; 'stanley@wrc.org.za'; 'stefan@topigssa.co.za';  
'strydom@eskom.co.za'; 'suane.stapelberg@gmail.com';  
'sunil.mungaroo@shandukacoal.com'; 'sylvester.mokoena@gauteng.gov.za';  
'sylvester.peverelle@bhpbilliton.com'; 'Taaibos@absamail.co.za';  
'teboho.motinyane@bhpbilliton.com'; 'tellus@sowetan.co.za';  
'teresa.steele@angloamerican.com'; 'teresabo@telkomsa.net';  
'thandi@nokengmun.co.za'; 'thandieleonor@gmail.com'; 'sanco86@gmail.com';  
'thanyani.nthangeni@angloamerican.com'; 'theherald@telkomsa.net';  
'thembani.mashamba@bhpbilliton.com'; 'thokozani.chris@webmail.co.za';

**To:** 'thusi.zandi@gmail.com'; 'ThuynsWF@eskom.co.za'; 'tlu@axxess.co.za';  
'tntimbane@yahoo.com'; 'tobie@mobserver.co.za'; 'trorke@bme.co.za';  
'tshepo@geovicon.co.za'; 'ursulaf@ewt.org.za'; 'vik.cogho@glencore.co.za';  
'vikesh.dhanooklal@bhpbilliton.com'; 'vvuurej2@telkom.co.za';  
'wayleaves@sasol.com'; 'westa1@workmail.co.za'; 'witbank@tyresandmore.com';  
'witlibrary@mweb.co.za'; 'sweetladysam@gmail.com'; 'wtbnews@mweb.co.za';  
'yolanf@ewt.org.za'; 'ewt@ewt.org.za'; 'zaalklap@gmail.com'; 'barry.hertsog76@gmail.com';  
'zephhsbdy@gmail.com'; 'zeroplus@penta-net.co.za';  
'zowmar@pixie.co.za'

**Subject:** EIA FOR KENDAL 30 YEAR ADF - Review Period Ending

Dear Stakeholder

**DEA Reference No: 14/12/16/3/3/3/68; NEAS REF.NO.:  
DEA/EIA/00001624/2013**

**ENVIRONMENTAL IMPACT ASSESSMENT AND WASTE MANAGEMENT LICENCE APPLICATION FOR NEW  
30 YEAR ASH DISPOSAL FACILITY AT KENDAL POWER STATION**

Please note that the review period is ending on **Monday, 24 October 2016** at close of business.

Please note that the report and appendices are still available on the Zitholele website at:  
<http://www.zitholele.co.za/ea-wml-for-30yr-ash-disposal-facility-at-kendal-power-station>

Kindly submit your comments to Tania Oosthuizen Tel: (011) 207 2060 or Fax: 086 676 9950 or Email:  
[publicprocess@zitholele.co.za](mailto:publicprocess@zitholele.co.za).

We look forward to receiving your comments.

Kind regards,

**Tania Oosthuizen** [Masters Environmental Management]  
**Environmental Practitioner**  
Building 1, Magwa Crescent, Maxwell Office Park, Cnr Allandale & Maxwell Drive,  
Waterfall City, Midrand, RSA  
**T:** +27 11 207 2060 **D:** +27 11 088 8462 **F:** +27 86 676 9950 **C:** +27 83 504 9881  
**E:** [taniao@zitholele.co.za](mailto:taniao@zitholele.co.za) **W:** [www.zitholele.co.za](http://www.zitholele.co.za)



*Please consider the environment before printing this e-mail!*



**Tania Oosthuizen**

---

**From:** Careen Swart <CareenS@mpuhealth.gov.za>  
**Sent:** Tuesday, October 11, 2016 4:53 PM  
**To:** Tricia Njapha  
**Subject:** A FOR KENDAL 30 YEAR ASH DISPOSAL FACILITY - Reminder of Review Period  
Endin

Dear Trician

As Departement we do not have any comments, but will monitor the process for possible recommendations

The district municipality who is the main stakeholder will comment

**Kindest Regards**

Contact details

Mrs Careen Swart  
Provincial Environmental Health Manager

Tel 013 766 3448  
Cell 082 820 7950  
E-mail: Careens@mpuhealth.gov.za



---

**LEGAL DISCLAIMER AND CONFIDENTIALITY NOTICE**

Contact: 013 766 3034 or visit [www.mpuhealth.gov.za/disclaimer](http://www.mpuhealth.gov.za/disclaimer)

---







2/25/2016	<a href="#">bulk.smssouthafrica.co.za/sms_hist_detail.aspx?Type=ALL&amp;EventID=plus6NPQ7MrcffEplusplii0IXKw==&amp;Archive=false</a>
27780016943	13/Oct/2016 13:03
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at <a href="mailto:publicprocess@zitholele.co.za">publicprocess@zitholele.co.za</a> or call on 0112072060.	DELIVRD
27728194081	13/Oct/2016 13:03
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at <a href="mailto:publicprocess@zitholele.co.za">publicprocess@zitholele.co.za</a> or call on 0112072060.	DELIVRD
27823435149	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at <a href="mailto:publicprocess@zitholele.co.za">publicprocess@zitholele.co.za</a> or call on 0112072060.	DELIVRD
27728084386	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at <a href="mailto:publicprocess@zitholele.co.za">publicprocess@zitholele.co.za</a> or call on 0112072060.	DELIVRD
27725743332	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at <a href="mailto:publicprocess@zitholele.co.za">publicprocess@zitholele.co.za</a> or call on 0112072060.	EXPIRED
27799810559	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at <a href="mailto:publicprocess@zitholele.co.za">publicprocess@zitholele.co.za</a> or call on 0112072060.	EXPIRED
27768962940	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at <a href="mailto:publicprocess@zitholele.co.za">publicprocess@zitholele.co.za</a> or call on 0112072060.	DELIVRD
27828681048	13/Oct/2016 13:03
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at <a href="mailto:publicprocess@zitholele.co.za">publicprocess@zitholele.co.za</a> or call on 0112072060.	DELIVRD
27738642187	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at <a href="mailto:publicprocess@zitholele.co.za">publicprocess@zitholele.co.za</a> or call on 0112072060.	DELIVRD
27722869772	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at <a href="mailto:publicprocess@zitholele.co.za">publicprocess@zitholele.co.za</a> or call on 0112072060.	DELIVRD
27825667311	13/Oct/2016 13:03
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at <a href="mailto:publicprocess@zitholele.co.za">publicprocess@zitholele.co.za</a> or call on 0112072060.	DELIVRD
27737169808	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at <a href="mailto:publicprocess@zitholele.co.za">publicprocess@zitholele.co.za</a> or call on 0112072060.	UNDELIV
27735231320	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at <a href="mailto:publicprocess@zitholele.co.za">publicprocess@zitholele.co.za</a> or call on 0112072060.	DELIVRD
27738249414	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at <a href="mailto:publicprocess@zitholele.co.za">publicprocess@zitholele.co.za</a> or call on 0112072060.	DELIVRD
27823769878	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at <a href="mailto:publicprocess@zitholele.co.za">publicprocess@zitholele.co.za</a> or call on 0112072060.	UNDELIV
27721307398	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at <a href="mailto:publicprocess@zitholele.co.za">publicprocess@zitholele.co.za</a> or call on 0112072060.	EXPIRED
27764198094	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at <a href="mailto:publicprocess@zitholele.co.za">publicprocess@zitholele.co.za</a> or call on 0112072060.	DELIVRD
27727366958	13/Oct/2016 13:03
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at <a href="mailto:publicprocess@zitholele.co.za">publicprocess@zitholele.co.za</a> or call on 0112072060.	DELIVRD
27820693342	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at <a href="mailto:publicprocess@zitholele.co.za">publicprocess@zitholele.co.za</a> or call on 0112072060.	DELIVRD
27733707639	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at <a href="mailto:publicprocess@zitholele.co.za">publicprocess@zitholele.co.za</a> or call on 0112072060.	UNDELIV
27845481607	13/Oct/2016 13:04
	DELIVRD





	bulk.smssouthafrica.co.za/sms_hist_detail.aspx?Type=ALL&EventID=plus6NPQ7MrcffEpluspli0IXKw==&Archive=false
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.	
27790796799	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.	EXPIRED
27747453481	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.	EXPIRED
27836465718	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.	UNDELIV
27714859349	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.	DELIVRD
27829362192	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.	UNDELIV
27727836966	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.	DELIVRD
27731571247	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.	DELIVRD
27825791619	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.	DELIVRD
27825975483	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.	EXPIRED
27834270129	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.	DELIVRD
27828728747	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.	DELIVRD
27725853516	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.	EXPIRED
27826736451	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.	EXPIRED
27822966385	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.	DELIVRD
27738289038	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.	EXPIRED
27828042446	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.	DELIVRD
27829289825	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.	EXPIRED
27823883387	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.	DELIVRD
27727428815	13/Oct/2016 13:04
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.	EXPIRED





27829683331	13/Oct/2016 13:04	DELIVRD
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.		
27823742347	13/Oct/2016 13:04	DELIVRD
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.		
27836765200	13/Oct/2016 13:04	DELIVRD
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.		
27825722793	13/Oct/2016 13:04	DELIVRD
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.		
27796279963	13/Oct/2016 13:04	DELIVRD
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.		
27832921984	13/Oct/2016 13:04	DELIVRD
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.		
27824664064	13/Oct/2016 13:04	DELIVRD
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.		
27823994344	13/Oct/2016 13:04	DELIVRD
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.		
27796451091	13/Oct/2016 13:04	UNDELIV
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.		
27832836087	13/Oct/2016 13:04	DELIVRD
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.		
27834777385	13/Oct/2016 13:04	DELIVRD
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.		
27726448462	13/Oct/2016 13:04	UNDELIV
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.		
27829233741	13/Oct/2016 13:04	DELIVRD
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.		
27833085522	13/Oct/2016 13:04	DELIVRD
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.		
27720463749	13/Oct/2016 13:04	DELIVRD
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.		
27836734273	13/Oct/2016 13:04	DELIVRD
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.		
27829086589	13/Oct/2016 13:04	DELIVRD
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.		
27761438094	13/Oct/2016 13:04	EXPIRED
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.		
27828458005	13/Oct/2016 13:04	DELIVRD
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.		
27827908535	13/Oct/2016 13:04	DELIVRD
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.		
27839814075	13/Oct/2016 13:04	EXPIRED
<a href="http://bulk.smssouthafrica.co.za/ams_hist_detail.aspx?Type=ALL&amp;EventID=plus6NPQ7MrcffEplusli0IXKw==&amp;Archive=false">http://bulk.smssouthafrica.co.za/ams_hist_detail.aspx?Type=ALL&amp;EventID=plus6NPQ7MrcffEplusli0IXKw==&amp;Archive=false</a>		

27824439347	13/Oct/2016 13:04	DELIVRD
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.		
27790372650	13/Oct/2016 13:04	EXPIRED
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.		
27824975320	13/Oct/2016 13:04	DELIVRD
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.		
27823984656	13/Oct/2016 13:04	DELIVRD
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.		
27798790888	13/Oct/2016 13:04	DELIVRD
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.		
27796866106	13/Oct/2016 13:04	DELIVRD
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.		
27832478836	13/Oct/2016 13:04	DELIVRD
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.		
27844878000	13/Oct/2016 13:04	DELIVRD
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.		
27824149861	13/Oct/2016 13:04	DELIVRD
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.		
27827851926	13/Oct/2016 13:04	DELIVRD
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.		
27836524127	13/Oct/2016 13:04	DELIVRD
Reminder: Kendal 30yr EIA public review period ending 24 Oct 2016. Submit comments to Tania Oosthuizen at publicprocess@zitholele.co.za or call on 0112072060.		

**Tania Oosthuizen**

**From:** Tania Oosthuizen  
**Sent:** Tuesday, October 25, 2016 1:48 PM  
**To:** 'Charity Mthimunye'  
**Subject:** RE: FW: EIA FOR KENDAL 30 YEAR ASH DISPOSAL FACILITY - Reminder of Review Period Ending

Hi Charity

Hope you are well? I've been trying to get hold of you telephonically, but can't reach you.

My client has instructed me to submit the FEIR to the DEA this week, therefore I cannot wait for your comments much longer. If you can submit them today, I can still incorporate them. Alternatively, you can submit them directly to the DEA to Masina Litsoane ([MLitsoane@environment.gov.za](mailto:MLitsoane@environment.gov.za)).

Kind regards,

**Tania Oosthuizen** [Masters Environmental Management]  
**Environmental Practitioner**  
Building 1, Magwa Crescent, Maxwell Office Park, Cnr Allandale & Maxwell Drive,  
Waterfall City, Midrand, RSA  
**T:** +27 11 207 2060 **D:** +27 11 088 8462 **F:** +27 86 676 9950 **C:** +27 83 504 9881  
**E:** [taniao@zitholele.co.za](mailto:taniao@zitholele.co.za) **W:** [www.zitholele.co.za](http://www.zitholele.co.za)



 Please consider the environment before printing this e-mail!

**From:** Charity Mthimunye [<mailto:cnmthimunye@mpg.gov.za>]

**Sent:** Friday, October 14, 2016 12:02 PM

**To:** Tania Oosthuizen <[taniao@zitholele.co.za](mailto:taniao@zitholele.co.za)>

**Subject:** RE: FW: EIA FOR KENDAL 30 YEAR ASH DISPOSAL FACILITY - Reminder of Review Period Ending

Good Afternoon Tania

As per our telephonic conversation earlier on, kindly be informed that I will task one official to review your document as I have stated that I have a lot of work load and acting on my behalf of my supervisor. You will therefore receive comments on the 31st October 2016 as requested.

Kind Regards,  
Charity

>>> Tania Oosthuizen <[taniao@zitholele.co.za](mailto:taniao@zitholele.co.za)> 2016/10/12 09:11 AM >>>  
Hi Charity

Noted. Please advise by when we could receive your comments.

Kind regards,

**Tania Oosthuizen** [Masters Environmental Management]  
**Environmental Practitioner**  
Building 1, Magwa Crescent, Maxwell Office Park, Cnr Allandale & Maxwell Drive,  
Waterfall City, Midrand, RSA  
**T:** +27 11 207 2060 **D:** +27 11 088 8462 **F:** +27 86 676 9950 **C:** +27 83 504 9881  
**E:** [taniao@zitholele.co.za](mailto:taniao@zitholele.co.za) **W:** [www.zitholele.co.za](http://www.zitholele.co.za)

 Please consider the environment before printing this e-mail!

**From:** Charity Mthimunye [<mailto:cnmthimunye@mpg.gov.za>]

**Sent:** Tuesday, October 11, 2016 3:17 PM

**To:** Tania Oosthuizen <[taniao@zitholele.co.za](mailto:taniao@zitholele.co.za)>

**Subject:** Re: FW: EIA FOR KENDAL 30 YEAR ASH DISPOSAL FACILITY - Reminder of Review Period Ending

Good Afternoon Tania

We have noted that the review period has ended on the 10 October 2016. However to minimize any delays, it would be appreciated that in future documents for the region can be sent directly to our office.

Kind Regards,  
Charity

>>> Tania Oosthuizen <[taniao@zitholele.co.za](mailto:taniao@zitholele.co.za)> 2016/10/11 11:12 AM >>>

Good day Ms Mthimunye

**DEA Reference No.: 14/12/16/3/3/3/68) (NEAS REF.NO.:  
DEA/EIA/00001624/2013**

**ENVIRONMENTAL IMPACT ASSESSMENT AND WASTE MANAGEMENT LICENCE APPLICATION FOR NEW  
30 YEAR ASH DISPOSAL FACILITY AT KENDAL POWER STATION**

I have been informed by Mr Selby Hlatshwayo that you are the person responsible to provide us with comments on the DEIR on behalf of the Mpumalanga Department of Economic Development, Environmental and Tourism.

Please note that the review period ended on **Monday, 10 October 2016** at close of business. Could you please advise whether you will still submit any comments and by when?

Please note that the report and appendices are still available on the Zitholele website at:  
<http://www.zitholele.co.za/ea-wml-for-30yr-ash-disposal-facility-at-kendal-power-station>

A copy of the report was also submitted to your Nelspruit office on the 24<sup>th</sup> of August 2016.

Kindly submit your comments to Tania Oosthuizen Tel: (011) 207 2060 or Fax: 086 676 9950 or Email:  
[publicprocess@zitholele.co.za](mailto:publicprocess@zitholele.co.za).

We look forward to receiving your comments.

Kind regards,

**Tania Oosthuizen** [Masters Environmental Management]  
**Environmental Practitioner**  
Building 1, Magwa Crescent, Maxwell Office Park, Cnr Allandale & Maxwell Drive,  
Waterfall City, Midrand, RSA  
**T:** +27 11 207 2060 **D:** +27 11 088 8462 **F:** +27 86 676 9950 **C:** +27 83 504 9881  
**E:** [taniao@zitholele.co.za](mailto:taniao@zitholele.co.za) **W:** [www.zitholele.co.za](http://www.zitholele.co.za)

 Please consider the environment before printing this e-mail!

**Tania Oosthuizen**

**From:** Tania Oosthuizen  
**Sent:** Friday, October 14, 2016 9:41 AM  
**To:** 'aubrey.tshivhandekano@dmr.gov.za'; 'samuel.mathavhela@dmr.gov.za'  
**Subject:** FW: EIA FOR KENDAL 30 YEAR ASH DISPOSAL FACILITY - Reminder of Review Period Ending  
  
**Importance:** High

Good day Mr Tshivhandekano and Mr Mathavhela

Please note that the review period for this DEIR has ended. I have been trying to contact Mr Aubrey Tshivhandekano telephonically on numerous occasions, but can't get hold of him.

I have spoken with Mr Samuel Mathavhela and he has indicated that the DMR has no comments from an environmental point of view.

Therefore, this email is to confirm that the DMR has not submitted any comments and have no objection to the above-mentioned project.

Kind regards,

**Tania Oosthuizen** [Masters Environmental Management]  
**Environmental Practitioner**  
Building 1, Magwa Crescent, Maxwell Office Park, Cnr Allandale & Maxwell Drive, Waterfall City, Midrand, RSA  
**T:** +27 11 207 2060 **D:** +27 11 088 8462 **F:** +27 86 676 9950 **C:** +27 83 504 9881  
**E:** [taniao@zitholele.co.za](mailto:taniao@zitholele.co.za) **W:** [www.zitholele.co.za](http://www.zitholele.co.za)  
 Please consider the environment before printing this e-mail!



**From:** Tricia Njapha  
**Sent:** Friday, September 16, 2016 1:30 PM  
**To:** aubrey.Tshivhandekano@dmr.gov.za  
**Cc:** Tania Oosthuizen <[taniao@zitholele.co.za](mailto:taniao@zitholele.co.za)>  
**Subject:** EIA FOR KENDAL 30 YEAR ASH DISPOSAL FACILITY - Reminder of Review Period Ending  
**Importance:** High

**DEA Reference No.: 14/12/16/3/3/68) (NEAS REF.NO.:  
DEA/EIA/00001624/2013**

Dear Mr Tshivhandekano  
C/O: Department of Mineral Resources

**ENVIRONMENTAL IMPACT ASSESSMENT AND WASTE MANAGEMENT LICENCE APPLICATION FOR NEW 30 YEAR ASH DISPOSAL FACILITY AT KENDAL POWER STATION**

I trust you are well.  
I have tried to contact you but to no avail.

Please be reminded that the review period on the aforementioned project is scheduled to end on **Monday, 10 October 2016** at close of business.

Kindly submit comments on or by **Monday, 10 October 2016** to Tricia Njapha at the Public Participation Office on Tel: (011) 207 2060 or Fax: 086 676 9950 or Email: [publicprocess@zitholele.co.za](mailto:publicprocess@zitholele.co.za).

Kindly note that the report and appendices are still available on the Zitholele website at:  
<http://www.zitholele.co.za/ea-wml-for-30yr-ash-disposal-facility-at-kendal-power-station>

Please confirm that all the above and is correct and in order.  
We look forward to receiving your comments.

Have a lovely day further.

Kind regards,

**Tricia Njapha**  
**Public Participation Practitioner**  
Building 1, Maxwell Office Park, Magwa Crescent West, cnr Allandale Road & Maxwell Drive, Waterfall City, Midrand, RSA  
**T:** +27 11 207 2060 **D:** +27 11 088 8454 **F:** +27 86 206 7720/+27 86 676 9950 **C:** +27 83 420 1597 **E:** [trician@zitholele.co.za](mailto:trician@zitholele.co.za) **W:** [www.zitholele.co.za](http://www.zitholele.co.za)  
 Please consider the environment before printing this e-mail!



## Tania Oosthuizen

---

**From:** Tania Oosthuizen  
**Sent:** Monday, October 24, 2016 5:56 PM  
**To:** 'bmoduka@mpg.gov.za'  
**Subject:** Kendal 30 yr: Comment on homestead  
**Attachments:** Case 2574\_2.pdf

Good day Mr Moduka

Please refer to the attached letter from SAHRA.

The HIA can be downloaded from this dropbox link:

<https://www.dropbox.com/s/x buc5a36a6kbkmg/App%20F5%20Heritage.pdf?dl=0>

The letter from SAHRA states that we should obtain comment from you on the homestead (KAD15).

Could you please provide us with your comment on this aspect?

Kind regards,

**Tania Oosthuizen** [Masters Environmental Management]  
**Environmental Practitioner**  
Building 1, Magwa Crescent, Maxwell Office Park, Cnr Allandale & Maxwell Drive,  
Waterfall City, Midrand, RSA  
**T:** +27 11 207 2060 **D:** +27 11 088 8462 **F:** +27 86 676 9950 **C:** +27 83 504 9881  
**E:** [taniao@zitholele.co.za](mailto:taniao@zitholele.co.za) **W:** [www.zitholele.co.za](http://www.zitholele.co.za)



 Please consider the environment before printing this e-mail!

**Tania Oosthuizen**

**From:** Tania Oosthuizen  
**Sent:** Tuesday, October 25, 2016 5:52 PM  
**To:** 'Maloba Mokgadi (BHT)'; 'molepome@eskom.co.za'  
**Cc:** 'Petro Hendriks'  
**Subject:** FW: Kendal 30yr: Draft EIR for Review

Hi Mokgadi

My client has instructed me to submit the FEIR to the DEA this week, therefore I cannot wait for your comments any longer.

Please submit your comments directly to the DEA to Masina Litsoane ([MLitsoane@environment.gov.za](mailto:MLitsoane@environment.gov.za)) as soon as they are signed off.

Kind regards, Tania

---

**From:** Tania Oosthuizen  
**Sent:** Monday, October 24, 2016 9:34 AM  
**To:** 'Maloba Mokgadi (BHT)' <[MalobaM@dwa.gov.za](mailto:MalobaM@dwa.gov.za)>; 'Emmy Molepo' <[MolepoME@eskom.co.za](mailto:MolepoME@eskom.co.za)>  
**Cc:** 'Petro Hendriks' <[HendriPe@eskom.co.za](mailto:HendriPe@eskom.co.za)>  
**Subject:** FW: Kendal 30yr: Draft EIR for Review

Hi Mokgadi

Hope you are well? I have still not received your comments on the Kendal 30 year DEIR. Please note that your 60 day comment period has lapsed.

Kind regards,

**Tania Oosthuizen** [Masters Environmental Management]  
**Environmental Practitioner**  
Building 1, Magwa Crescent, Maxwell Office Park, Cnr Allandale & Maxwell Drive,  
Waterfall City, Midrand, RSA  
**T:** +27 11 207 2060 **D:** +27 11 088 8462 **F:** +27 86 676 9950 **C:** +27 83 504 9881  
**E:** [taniao@zitholele.co.za](mailto:taniao@zitholele.co.za) **W:** [www.zitholele.co.za](http://www.zitholele.co.za)



---

**From:** Tania Oosthuizen  
**Sent:** Thursday, September 29, 2016 11:50 AM  
**To:** 'Maloba Mokgadi (BHT)' <[MalobaM@dws.gov.za](mailto:MalobaM@dws.gov.za)>  
**Cc:** 'Petro Hendriks' <[HendriPe@eskom.co.za](mailto:HendriPe@eskom.co.za)>; 'Emmy Molepo' <[MolepoME@eskom.co.za](mailto:MolepoME@eskom.co.za)>  
**Subject:** FW: Kendal 30yr: Draft EIR for Review

Hi Mokgadi

Just a reminder to please send us your comments on the Kendal 30 yr DEIR by 22 October 2016.

Kind regards,

**Tania Oosthuizen** [Masters Environmental Management]

**Environmental Practitioner**

Building 1, Magwa Crescent, Maxwell Office Park, Cnr Allandale & Maxwell Drive,

Waterfall City, Midrand, RSA

**T:** +27 11 207 2060 **D:** +27 11 088 8462 **F:** +27 86 676 9950 **C:** +27 83 504 9881

**E:** [taniao@zitholele.co.za](mailto:taniao@zitholele.co.za) **W:** [www.zitholele.co.za](http://www.zitholele.co.za)

Please consider the environment before printing this e-mail!



**From:** Tania Oosthuizen

**Sent:** Monday, August 29, 2016 10:34 AM

**To:** 'Maloba Mokgadi (BHT)' <[MalobaM@dws.gov.za](mailto:MalobaM@dws.gov.za)>

**Cc:** 'Emmy Molepo' <[MolepoME@eskom.co.za](mailto:MolepoME@eskom.co.za)>; 'Petro Hendriks' <[HendriPe@eskom.co.za](mailto:HendriPe@eskom.co.za)>; Tricia Njapha <[trician@zitholele.co.za](mailto:trician@zitholele.co.za)>

**Subject:** Kendal 30yr: Draft EIR for Review

Hi Mokgadi

Please note that the comment period started (**24 August 2016**) and lasts for 60 days in accordance with Section 56 (8) of GN 543 - because it is a waste management activity.

The DWS therefore have until **22 October 2016** to concur and issue a record of decision in terms of section 49(2) of the Waste Act (59 of 2008).

Kind regards,

**Tania Oosthuizen** [Masters Environmental Management]

**Environmental Practitioner**

Building 1, Magwa Crescent, Maxwell Office Park, Cnr Allandale & Maxwell Drive,

Waterfall City, Midrand, RSA

**T:** +27 11 207 2060 **D:** +27 11 088 8462 **F:** +27 86 676 9950 **C:** +27 83 504 9881

**E:** [taniao@zitholele.co.za](mailto:taniao@zitholele.co.za) **W:** [www.zitholele.co.za](http://www.zitholele.co.za)

Please consider the environment before printing this e-mail!



**Tania Oosthuizen**

---

**From:** Emmy Molepo <MolepoME@eskom.co.za>  
**Sent:** Monday, October 24, 2016 12:30 PM  
**To:** Tania Oosthuizen  
**Cc:** Emeldah Madike; Edwin Seitei; tim@amberearth.co.za  
**Subject:** RE: Kendal 30 year

Good day Tania

I spoke with Tim over the phone to further understand the concern. So far it was explained to him that Kendal will be using the excess material (e.g topsoil) for their ash disposal facility' rehabilitation.

Tim indicated a follow-up question/comment that the mine has interest to participate in Eskom research for ashing in mined areas.

The answer to this question/comment was that Kendal is not considering the option of ashing into mined area. It will be using the normal surface area. I will however forward the contact details of the Eskom Research department to Tim for further discussion should they be doing similar studies elsewhere.

Regards,  
Emmy

---

**From:** Tania Oosthuizen [mailto:taniao@zitholele.co.za]  
**Sent:** 24 October 2016 11:45 AM  
**To:** Emmy Molepo  
**Cc:** Emeldah Madike; Edwin Seitei  
**Subject:** FW: Kendal 30 year

Hi Emmy

Please find below one of the comments received. Could you please provide me with a response on behalf of Eskom so that I can include it in the CRR?

Kind regards, Tania

---

**From:** Lebo Petlane  
**Sent:** Monday, October 24, 2016 8:26 AM  
**To:** Sharon Meyer <[sharonm@zitholele.co.za](mailto:sharonm@zitholele.co.za)>  
**Cc:** Tania Oosthuizen <[taniao@zitholele.co.za](mailto:taniao@zitholele.co.za)>  
**Subject:** FW: Kendal 30 year

---

**From:** Tim Van Stormbroek [mailto:[tim@amberearth.co.za](mailto:tim@amberearth.co.za)]  
**Sent:** Monday, October 24, 2016 8:09 AM  
**To:** Public Participation Process <[publicprocess@zitholele.co.za](mailto:publicprocess@zitholele.co.za)>  
**Subject:** Kendal 30 year

Hi Tania

As discussed on the phone on Friday, please register me as an IAP for the project on behalf of Wescoal. Wescoal would be interested in taking any excess hard or soft overburden that may be available to help with their balance of backfill for rehabilitation.

Kind regards  
Tim van Stormbroek  
0824826202

Sent from my Samsung Galaxy smartphone.

I'm part of the 49Million initiative...  
[www.eskom.co.za/idm](http://www.eskom.co.za/idm)

NB: This Email and its contents are subject to the Eskom Holdings SOC Limited EMAIL LEGAL NOTICE which can be viewed at [http://www.eskom.co.za/Pages/Email\\_Legal\\_Spam\\_Disclaimer.aspx](http://www.eskom.co.za/Pages/Email_Legal_Spam_Disclaimer.aspx)

**Tania Oosthuizen**

---

**From:** Emmy Molepo <MolepoME@eskom.co.za>  
**Sent:** Monday, October 24, 2016 12:33 PM  
**To:** tim@amberearth.co.za  
**Cc:** Tania Oosthuizen; Emeldah Madike  
**Subject:** Eskom Research department details

Hi Tim

As promised, please find the contact details of our research department below:

General Manager: Barry Maccoll

Tel: 011 629 5585  
Email: [mCollB@eskom.co.za](mailto:mCollB@eskom.co.za)



Ms Emmy Molepo "Pr.Sci.Nat"  
Group Sustainability: EIA Centre of Excellence  
Megawatt Park, 1 Maxwell Drive, Sunninghill  
E-mail:[molepome@eskom.co.za](mailto:molepome@eskom.co.za) Tel :+27 (0) 11 800 4211  
Fax:086 660 3848 Mobile: +27 (0) 82 860 0919

I'm part of the 49Million initiative...  
[www.eskom.co.za/idm](http://www.eskom.co.za/idm)

NB: This Email and its contents are subject to the Eskom Holdings SOC Limited EMAIL LEGAL NOTICE  
which can be viewed at [http://www.eskom.co.za/Pages/Email\\_Legal\\_Spam\\_Disclaimer.aspx](http://www.eskom.co.za/Pages/Email_Legal_Spam_Disclaimer.aspx)

Tania Oosthuizen

**From:** Maema, Thabiso <Thabiso.Maema@afgri.co.za>  
**Sent:** Tuesday, October 25, 2016 3:29 PM  
**To:** Tania Oosthuizen; De Sousa, Jan L  
**Subject:** RE: EIA FOR KENDAL 30 YEAR ASH DISPOSAL FACILITY - Reminder of Review Period Ending

Hi Tania,

Hope you are well, my apologies that we are so late to respond we really appreciate your call today  
And AFGRI legal requested that I should confirm that we have no comment and you can proceed with the finalization of the project documentation

Thank you,

**Thabiso Maema**  
Compliance Risk Manager



---

AFGRI Grain Management PO Box 11054 Centurion 0046 M 082 514 0804  
12 Byls Bridge Boulevard GPS 25°51'46.13"S 28°12'24.74"E T 011 063 2312  
Highveld Ext 73 Centurion 0157 F 087 941 7270  
thabiso.maema@afgri.co.za [www.afgri.co.za](http://www.afgri.co.za)

**From:** Tania Oosthuizen [mailto:[taniao@zitholele.co.za](mailto:taniao@zitholele.co.za)]

**Sent:** Tuesday, October 04, 2016 10:11 AM

**To:** De Sousa, Jan L <[Jan.DeSousa@afgri.co.za](mailto:Jan.DeSousa@afgri.co.za)>

**Cc:** Maema, Thabiso <Thabiso.Maema@afgri.co.za>

**Subject:** RE: EIA FOR KENDAL 30 YEAR ASH DISPOSAL FACILITY - Reminder of Review Period Ending

Good dal all

Just another reminder of the review period ending next week **Monday 10 October 2016** at close of business.

Kind regards,

**Tania Oosthuizen** [Masters Environmental Management]  
**Environmental Practitioner**  
Building 1, Magwa Crescent, Maxwell Office Park, Cnr Allandale & Maxwell Drive,  
Waterfall City, Midrand, RSA  
**T:** +27 11 207 2060 **D:** +27 11 088 8462 **F:** +27 86 676 9950 **C:** +27 83 504 9881  
**E:** [taniao@zitholele.co.za](mailto:taniao@zitholele.co.za) **W:** [www.zitholele.co.za](http://www.zitholele.co.za)

Please consider the environment before printing this e-mail!



---

**From:** Tricia Njapha  
**Sent:** Wednesday, September 14, 2016 5:22 PM  
**To:** [jan.desousa@afgri.co.za](mailto:jan.desousa@afgri.co.za)  
**Cc:** [Thabiso.maema@afgri.co.za](mailto:Thabiso.maema@afgri.co.za); Tania Oosthuizen <[taniao@zitholele.co.za](mailto:taniao@zitholele.co.za)>  
**Subject:** EIA FOR KENDAL 30 YEAR ASH DISPOSAL FACILITY - Reminder of Review Period Ending  
**Importance:** High

**DEA Reference No.: 14/12/16/3/3/3/68) (NEAS REF.NO.:  
DEA/EIA/00001624/2013**

Dear Mr de Sousa  
C/O: Afgri Grain Management

**ENVIRONMENTAL IMPACT ASSESSMENT AND WASTE MANAGEMENT LICENCE APPLICATION FOR NEW  
30 YEAR ASH DISPOSAL FACILITY AT KENDAL POWER STATION**

This email serves to confirm our telephonic discussion held today, 14 September 2016.

Thank you for your confirmation of receipt of the Draft Environmental Impact Report (DEIR). Attached is the proof of delivery.

You have forwarded the DEIR to Mr Thabiso Maema (Risk Manager) for his review and comment on the report.

Please be reminded that the review period is scheduled to end on **Monday, 10 October 2016** at close of business.

Please note that the report and appendices are still available on the Zitholele website at:  
<http://www.zitholele.co.za/ea-wml-for-30yr-ash-disposal-facility-at-kendal-power-station>

Kindly submit comments on or by **Monday, 10 October 2016** to Tricia Njapha at the Public Participation Office on Tel: (011) 207 2060 or Fax: 086 676 9950 or Email: [publicprocess@zitholele.co.za](mailto:publicprocess@zitholele.co.za).

Please confirm that all the above and is correct and in order.

We look forward to receiving your comments.

Kind regards,

**Tricia Njapha**  
**Public Participation Practitioner**  
Building 1, Maxwell Office Park, Magwa Crescent West, cnr Allandale Road & Maxwell  
Drive, Waterfall City, Midrand, RSA  
**T:** +27 11 207 2060 **D:** +27 11 088 8454 **F:** +27 86 206 7720/+27 86 676  
9950 **C:** +27 83 420 1597 **E:** [trician@zitholele.co.za](mailto:trician@zitholele.co.za) **W:** [www.zitholele.co.za](http://www.zitholele.co.za)

Please consider the environment before printing this e-mail!



**Disclaimer**

The information contained in this communication is confidential and may be legally privileged. It is intended solely for the use of [taniao@zitholele.co.za](mailto:taniao@zitholele.co.za) and others authorized to receive it. If you are not [taniao@zitholele.co.za](mailto:taniao@zitholele.co.za) you are hereby notified that any disclosure, copying, distribution or taking action in reliance of the contents of this information is strictly prohibited and may be unlawful. This e-mail and its contents are subject to the AFGRI e-mail legal notice available at [Link to AFGRI Disclaimer](#)

## Tania Oosthuizen

**From:** Tania Oosthuizen  
**Sent:** Wednesday, October 26, 2016 10:52 AM  
**To:** 'Vilakazi, Sandile Felicity SF'  
**Subject:** RE: Kendal 30 year ADF Project Comments

Hi Sandile

Thanks. Our client wants me to submit on Friday. Therefore, I will not have time to incorporate your comments if I receive them then.

You can send your comments directly to the DEA, Masina Litsoane ([MLitsoane@environment.gov.za](mailto:MLitsoane@environment.gov.za)) as soon as they are ready, and copy me.

Kind regards,

**Tania Oosthuizen** [Masters Environmental Management]  
**Environmental Practitioner**  
Building 1, Magwa Crescent, Maxwell Office Park, Cnr Allandale & Maxwell Drive,  
Waterfall City, Midrand, RSA  
**T:** +27 11 207 2060 **D:** +27 11 088 8462 **F:** +27 86 676 9950 **C:** +27 83 504 9881  
**E:** [taniao@zitholele.co.za](mailto:taniao@zitholele.co.za) **W:** [www.zitholele.co.za](http://www.zitholele.co.za)

Please consider the environment before printing this e-mail!



**From:** Vilakazi, Sandile Felicity SF [mailto:[vilakaziSF@emalahleni.gov.za](mailto:vilakaziSF@emalahleni.gov.za)]  
**Sent:** Wednesday, October 26, 2016 10:22 AM  
**To:** Tania Oosthuizen <[taniao@zitholele.co.za](mailto:taniao@zitholele.co.za)>  
**Subject:** RE: Kendal 30 year ADF Project Comments

Morning Tania,

Our team was not able to get to the report on time. We unfortunately have only one person available for all reports.

We will furnish the comments by this Friday. I will then forward them to you.

Kind Regards,



<b>Sandile F Vilakazi</b>
<b>Executive Director: Environmental &amp; Waste Management</b>
<b>TEL: 013 690 6555</b>
<b>CEL: 071 755 2638</b>
<b>e-mail: <a href="mailto:vilakazisf@emalahleni.gov.za">vilakazisf@emalahleni.gov.za</a></b>

EMALAHLENI LOCAL MUNICIPALITY

**From:** Tania Oosthuizen [[taniao@zitholele.co.za](mailto:taniao@zitholele.co.za)]  
**Sent:** 25 October 2016 01:21 PM

**To:** Vilakazi, Sandile Felicity SF <[vilakaziSF@emalahleni.gov.za](mailto:vilakaziSF@emalahleni.gov.za)>

**Subject:** Kendal 30 year ADF Project Comments

Good day Sandile

Our telephone conversation refers.

Could you please advise if the comments on the above-mentioned report is available yet? And please forward them to us?

Alternatively, please let us know when we will receive them?

Kind regards,

**Tania Oosthuizen** [Masters Environmental Management]  
**Environmental Practitioner**  
Building 1, Magwa Crescent, Maxwell Office Park, Cnr Allandale & Maxwell Drive,  
Waterfall City, Midrand, RSA  
**T:** +27 11 207 2060 **D:** +27 11 088 8462 **F:** +27 86 676 9950 **C:** +27 83 504 9881  
**E:** [taniao@zitholele.co.za](mailto:taniao@zitholele.co.za) **W:** [www.zitholele.co.za](http://www.zitholele.co.za)

Please consider the environment before printing this e-mail!

