



## **environmental affairs**

Department:  
Environmental Affairs  
REPUBLIC OF SOUTH AFRICA

Private Bag X 447 · PRETORIA · 0001 · Fedsure Building · 315 Pretorius Street · PRETORIA  
Tel (+ 27 12) 310 3911 · Fax (+ 2712) 322 2682

NEAS Reference: DEAT/EIA/12198/2011

DEA Reference: 12/12/20/1868

Enquiries: Gabisile Hlongwane

Telephone: 012-310-3805 Fax: 012-320-7539 E-mail: [ghlongwane@environment.gov.za](mailto:ghlongwane@environment.gov.za)

Mr Peter Teurlings  
BKS (Pty) Ltd  
P.O. Box 3173  
PRETORIA  
0001

Fax no: (012) 421 3601

**PER FACSIMILE / MAIL**

Dear Mr Teurlings,

**APPLICATION FOR ENVIRONMENTAL AUTHORISATION: ACCEPTANCE OF THE SCOPING REPORT FOR THE PROPOSED 400 KV SINGLE CIRCUIT TRANSMISSION POWERLINE FROM THE EXISTING PHILIPPI SUBSTATION TO A PROPOSED MITCHELL'S PLAIN SUBSTATION AND PHILIPPI SUBSTATION UPGRADE, WESTERN CAPE PROVINCE**

The Final Scoping Report (FSR) and Plan of Study for the Environmental Impact Assessment (PoSEIA) dated November 2010 and received by the Department on 17 November 2010 refers.

The Department has evaluated the submitted FSR dated November 2010 and is satisfied that the FSR complies with the minimum requirements of the Environmental Impact Assessment (EIA) Regulations, 2006. The FSR is hereby accepted by the Department in terms of GN R.385 (31) (1) (a) of the EIA Regulations, 2006.

You may proceed with the environmental impact assessment process in accordance with the tasks contemplated in the plan of study for environmental impact assessment as required in terms of the EIA Regulations, 2006.

Please ensure that comments from all relevant authorities and key stakeholders are submitted to the Department with the Final Environmental Impact Report (FEIR).

The applicant is hereby reminded to comply with the requirements of GN R.385 (77) with regard to the time period allowed for complying with the requirements of the Regulations, and GN R. 385 (58) and (59) with regard to the allowance of a comment period for interested and affected parties on all reports submitted to the competent authority for decision-making. The reports referred to are listed in GN R. 385 (58) (3a-3g).

Please ensure that the Final EIR includes at least one A3 regional map of the area and the locality maps illustrating the different proposed alignments. The maps must be of acceptable quality and as a minimum, have the following attributes:

- Maps are relatable to one another;
- Cardinal points;
- Co-ordinates;
- Legible legends;
- Indicate alternatives;
- Latest land cover;
- Vegetation types of the study area; and
- A3 size locality map.

Further, it must be reiterated that, should an application for Environmental Authorisation be subject to the provisions of Chapter II, Section 38 of the National Heritage Resources Act, Act 25 of 1999, then this Department will not be able to make nor issue a decision in terms of your application for Environmental Authorisation pending a letter from the pertinent heritage authority categorically stating that the application fulfils the requirements of the relevant heritage resources authority as described in Chapter II, Section 38 (8) of the National Heritage Resources Act, Act 25 of 1999.

Please submit at least one electronic copy (CD/DVD) and two (2) full hardcopies of the FEIR.

You are hereby reminded that the activity may not commence prior to an environmental authorisation being granted by the Department.

Yours faithfully



Mr Dumisani Mthembu

**DIRECTOR: ENVIRONMENTAL IMPACT EVALUATION**

Department of Environmental Affairs

Date: 14/02/2011

CC: Mr K. Makhanya

Eskom Holdings Limited

Fax: (011) 800 3917