



environmental affairs

Department:
Environmental Affairs
REPUBLIC OF SOUTH AFRICA

Private Bag X 447 · PRETORIA · 0001 · Environment House · 473 Steve Biko Road · Arcadia · Pretoria,
Tel (+ 27 12) 399 9372

DEA Reference: 14/12/16/3/3/1/1597

Neas Reference: DEA/EIA/0000410/2016

Enquiries: Ms Constance Musemburi

Telephone: 012-399-9416 **E-mail:** CMusemburi@environment.gov.za

Mr. Neo Masemola
Eskom Holdings SOC limited
P. O. Box 8610
JOHANNESBURG
2000

Tel: (011) 711 2824
Cell: 079 412 0171
E-mail: Neo.masemola@eskom.co.za

PER EMAIL / MAIL

Dear Mr Masemola

ENVIRONMENTAL AUTHORISATION IN TERMS OF THE NATIONAL ENVIRONMENTAL MANAGEMENT ACT, 1998: GN R. 982/983/985 FOR THE CONSTRUCTION OF A 132kV POWER LINE AND PLAATJIES SUBSTATION AND THE UPGRADE OF THE PRINCESS-THABISO 88kV RING LINE TO 132kV CAPACITY, GAUTENG PROVINCE

With reference to the above application, please be advised that the Department has decided to grant authorisation. The environmental authorisation (EA) and reasons for the decision are attached herewith.

In terms of regulation 4(2) of the Environmental Impact Assessment Regulations, 2014 (the Regulations), you are instructed to notify all registered interested and affected parties, in writing and within 14 (fourteen) days of the date of the EA, of the Department's decision in respect of your application as well as the provisions regarding the submission of appeals that are contained in the Regulations.

Your attention is drawn to Chapter 2 of Government Notice No. R.993, which prescribes the appeal procedure to be followed. An appellant must submit an appeal to the appeal administrator, and a copy of the appeal to the applicant, any registered interested and affected party and any organ of state with interest in the matter within 20 days from the date that the notification of the decision was sent to the registered interested and affected parties by the applicant.

By post: Private Bag X 447,
Pretoria,
0001; or

By hand: Environment House
473 Steve Biko Road,
Arcadia,
Pretoria

MS

Email: Appealsdirector@environment.gov.za

Please note that in terms of section 43(7) of the National Environmental Management Act, 1998, an appeal under section 43 of that Act will suspend the environmental authorisation or any provision or condition attached thereto. In the instance where an appeal is lodged, you cannot commence with the activity until such time that the appeal is finalised.

For guidance on appeals submitted to the Minister in terms of NEMA and the SEMAs, please find a copy of the guideline on the administration of appeals on the Department's website:

https://www.environment.gov.za/documents/forms#legal_authorisations

Kindly include a copy of this document with the letter of notification to interested and affected parties.

Yours faithfully



Mr Sabelo Malaza
Chief Director: Integrated Environmental Authorisations
Department of Environmental Affairs

Date: 11/11/2016

| | | | | |
|-----|----------------|---|-------------------|--------------------------------------|
| CC: | Thabang Sekele | Envirolution Consulting (Pty) Ltd. | Tel: 0861 444 499 | Email: thabang@envirolution.co.za |
| | Steven Mukhola | Gauteng Department of Agriculture and Rural Development | Tel: 011 240 2500 | Email: steven.mukhola@gauteng.gov.za |





environmental affairs

Department:
Environmental Affairs
REPUBLIC OF SOUTH AFRICA

Environmental Authorisation

In terms of Regulation 25 of the Environmental Impact Assessment Regulations, 2014

CONSTRUCTION OF A 132KV POWER LINE AND PLAATJIES SUBSTATION AND THE UPGRADE OF THE PRINCESS-THABISO 88KV RING LINE TO 132 KV CAPACITY, GAUTENG PROVINCE

City of Johannesburg Metropolitan Municipality

| | |
|---------------------------------------|--|
| Authorisation register number: | <i>14/12/16/3/3/1/1597</i> |
| NEAS reference number: | <i>DEA/EIA/0000410/2016</i> |
| Last amended: | <i>First issue</i> |
| Holder of authorisation: | <i>Eskom Holdings SOC Limited</i> |
| Location of activity: | <i>GAUTENG PROVINCE: Within Ward 49 of the City of Johannesburg Metropolitan Municipality.</i> |

This environmental authorisation does not negate the holder of the authorisation's responsibility to comply with any other statutory requirements that may be applicable to the undertaking of the activity.

Decision

The Department is satisfied, on the basis of information available to it and subject to compliance with the conditions of this environmental authorisation, that the applicant should be authorised to undertake the activities specified below.

Non-compliance with a condition of this environmental authorisation may result in criminal prosecution or other actions provided for in the National Environmental Management Act, 1998 and the EIA Regulations, 2014.

Details regarding the basis on which the Department reached this decision are set out in Annexure 1.

Activities authorised

By virtue of the powers conferred on it by the National Environmental Management Act, 1998 (Act No.107 of 1998) and the Environmental Impact Assessment Regulations, 2014 the Department hereby authorises –

ESKOM HOLDINGS SOC LIMITED

with the following contact details –

Mr. Neo Masemola

Eskom Holdings SOC limited

P. O. Box 8610

JOHANNESBURG

2000

Tel: (011) 711 2824

Cell: 079 412 0171

E-mail: Neo.masemola@eskom.co.za

to undertake the following activities (hereafter referred to as "the activity") indicated in Listing Notice 1 and Listing Notice 3 (GN R. 983 and GN. R. 985):

| Listed activities | Activity/Project description |
|---|--|
| <p><u>GN R. 983 Item 11:</u> <i>The development of facilities or infrastructure for the transmission and distribution of electricity-</i> <i>(i) outside urban areas or industrial complexes with a capacity of more than 33 but less than 275 kilovolts</i></p> | <p>The proposed development will be constructed outside an urban area and will be transmitting 132kV of power.</p> |
| <p><u>GN R. 983 Item 12:</u> <i>The development of</i> <i>(xii) infrastructure or structures with a physical footprint of 100 square metres or more; where such development occurs-</i> <i>(a) within a watercourse;</i></p> | <p>The Princess-Thabiso power line upgrade activities will be located within 32m of a watercourse.</p> |
| <p><u>GN R. 983 Item 19:</u> <i>The infilling or depositing of any material of more than 5 cubic metres into, or the dredging, excavation, removal or moving of soil, sand, shells, shell grit, pebbles or rock of more than 5 cubic metres from-</i> <i>(i) a watercourse</i></p> | <p>There will be pylon structures that interact with the watercourse. Excavations and depositing of concrete will take place for pylon foundations that interact with the watercourse buffer zone.</p> |
| <p><u>GN R. 985 Item 14:</u> <i>The development of-</i> <i>(xii) infrastructure or structures with a physical footprint of 10 square metres or more;</i> <i>b) In Gauteng</i> <i>iv) Sites identified as Critical Biodiversity Areas (CBAs) and Ecological Support Areas (ESAs) in the Gauteng Conservation Plan or in bioregional plans; -</i></p> | <p>The Princess-Thabiso-Plaatjies power line will interact with a watercourse, in an area identified as an Ecological Support Area in the Gauteng C plan.</p> |

M.S

as described in the Basic Assessment Report (BAR) dated August 2016 at:

| Princess-Thabiso 88 kV ring to be expanded/upgraded | Latitude | Longitude |
|--|-----------------|------------------|
| Starting point of activity | 26°10'29.31"S | 27°50'44.34"E |
| Middle point of activity | 26°11'13.21"S | 27°51'07.60"E |
| End point of activity | 26°10'58.40"S | 27°52'06.10"E |

| Preferred new 132kV power line | Latitude | Longitude |
|---------------------------------------|-----------------|------------------|
| Starting point of activity | 26°10'58.40"S | 27°52'06.10"E |
| Middle point of activity | 26°11'02.52"S | 27°52'03.40"E |
| End point of activity | 26°11'06.00"S | 27°52'04.85"E |

| Preferred Plaatjies Substation Site- four corner points | Latitude | Longitude |
|--|-----------------|------------------|
| | 26°10'58.40"S | 27°52'06.10"E |
| | 26°10'55.10"S | 27°52'07.20"E |
| | 26°10'56.80"S | 27°51'59.80"E |
| | 26°10'53.90"S | 27°52'00.50"E |

- for the construction of a 132kV power line and Plaatjies Substation and the upgrade of the Princess-Thabiso 88kV ring line to 132kV capacity, Gauteng Province, hereafter referred to as "the property".

The proposed development entails the following;

- The construction of a new 132kV Plaatjies Substation with a footprint of 2.25 hectares.
- The construction of a new 132kV power line from Plaatjies Substation to the existing Princess-Thabiso 88kV ring line, approximately 300 m in length.
- The expansion/upgrade of the existing Princess-Thabiso 88 kV ring line to 132kV capacity. This power line is approximately 8km in length.

Conditions of this Environmental Authorisation

Scope of authorisation

1. The preferred Plaatjies Substation in conjunction with the preferred new 132kV power line and the expansion/upgrade of the existing Princess-Thabiso 88kV ring to 132kV capacity, with the above-mentioned co-ordinates as indicated in the final BAR dated August 2016 is hereby approved.
2. Authorisation of the activity is subject to the conditions contained in this environmental authorisation, which form part of the environmental authorisation and are binding on the holder of the authorisation.
3. The holder of the authorisation is responsible for ensuring compliance with the conditions contained in this environmental authorisation. This includes any person acting on the holder's behalf, including but not limited to, an agent, servant, contractor, sub-contractor, employee, consultant or person rendering a service to the holder of the authorisation.
4. The activities authorised must only be carried out at the property as described above.
5. Any changes to, or deviations from, the project description set out in this environmental authorisation must be approved, in writing, by the Department before such changes or deviations may be effected. In assessing whether to grant such approval or not, the Department may request such information as it deems necessary to evaluate the significance and impacts of such changes or deviations and it may be necessary for the holder of the authorisation to apply for further environmental authorisation in terms of the regulations.
6. The holder of an environmental authorisation must apply for an amendment of the environmental authorisation with the competent authority for any alienation, transfer or change of ownership rights in the property on which the activity is to take place.
7. This activity must commence within a period of five (5) years from the date of issue of this environmental authorisation. If commencement of the activity does not occur within that period, the authorisation lapses and a new application for environmental authorisation must be made in order for the activity to be undertaken.
8. Commencement with one activity listed in terms of this environmental authorisation constitutes commencement of all authorised activities.

Notification of authorisation and right to appeal

9. The holder of the authorisation must notify every registered interested and affected party, in writing and within 14 (fourteen) calendar days of the date of this environmental authorisation, of the decision to authorise the activity.
10. The notification referred to must –
 - 10.1. specify the date on which the authorisation was issued;
 - 10.2. inform the interested and affected party of the appeal procedure provided for in the National Appeal Regulations, 2014;
 - 10.3. advise the interested and affected party that a copy of the authorisation will be furnished on request; and
 - 10.4. give the reasons of the competent authority for the decision.
11. The holder of the authorisation must publish a notice –
 - 11.1. informing interested and affected parties of the decision;
 - 11.2. informing interested and affected parties where the decision can be accessed; and
 - 11.3. drawing the attention of interested and affected parties to the fact that an appeal may be lodged against this decision in terms of the National Appeal Regulations, 2014.

Commencement of the activity

12. The authorised activity must not commence within twenty (20) days of the date of signature of the authorisation.
13. In terms of Section 43(7), an appeal under section 43 of the National Environmental Management Act, 1998 will suspend the environmental authorisation or any provision or condition attached thereto. In the instance where an appeal is lodged you may not commence with the activity until such time that the appeal has been finalised.

Management of the activity

14. The Environmental Management Programme (EMPr) submitted as part of the Application for EA is hereby approved. This EMPr must be implemented and adhered to.

Frequency and process of updating the EMPr

15. The EMPr must be updated where the findings of the environmental audit reports, contemplated in environmental audit reports, indicate insufficient mitigation of environmental impacts associated with the undertaking of the activity, or insufficient levels of compliance with the environmental authorisation or EMPr.
16. The updated EMPr must contain recommendations to rectify the shortcomings identified in the environmental audit report.
17. The updated EMPr must be submitted to the Department for approval together with the environmental audit report, as per Regulation 34 of GN R. 982. The updated EMPr must have been subjected to a public participation process, which process has been agreed to by the Department, prior to submission of the updated EMPr to the Department for approval.
18. In assessing whether to grant approval of an EMPr which has been updated as a result of an audit, the Department will consider the processes prescribed in Regulation 35 of GN R.982. Prior to approving an amended EMPr, the Department may request such amendments to the EMPr as it deems appropriate to ensure that the EMPr sufficiently provides for avoidance, management and mitigation of environmental impacts associated with the undertaking of the activity.
19. The holder of the authorisation may apply for an amendment of an EMPr, if such amendment is required before an audit is required. The holder must notify the Department of its intention to amend the EMPr at least 60 days prior to submitting such amendments to the EMPr to the Department for approval. In assessing whether to grant such approval or not, the Department will consider the processes and requirements prescribed in Regulation 37 of GN R. 982.

Monitoring

20. The holder of the authorisation must appoint an experienced independent Environmental Control Officer (ECO) for the construction phase of the development that will have the responsibility to ensure that the mitigation/rehabilitation measures and recommendations referred to in this environmental authorisation are implemented and to ensure compliance with the provisions of the approved EMPr.
 - 20.1. The ECO must be appointed before commencement of any authorised activities.
 - 20.2. Once appointed, the name and contact details of the ECO must be submitted to the *Director: Compliance Monitoring* of the Department.

- 20.3. The ECO must keep record of all activities on site, problems identified, transgressions noted and a task schedule of tasks undertaken by the ECO.
- 20.4. The ECO must remain employed until all rehabilitation measures, as required for implementation due to construction damage, are completed and the site is ready for operation.

Recording and reporting to the Department

21. All documentation e.g. audit/monitoring/compliance reports and notifications, required to be submitted to the Department in terms of this environmental authorisation, must be submitted to the *Director: Compliance Monitoring* of the Department.
22. The holder of the environmental authorisation must, for the period during which the environmental authorisation and EMPr remain valid, ensure that project compliance with the conditions of the environmental authorisation and the EMPr are audited, and that the audit reports are submitted to the *Director: Compliance Monitoring* of the Department.
23. The frequency of auditing and of submission of the environmental audit reports must be as per the frequency indicated in the EMPr, taking into account the processes for such auditing as prescribed in Regulation 34 of GN R. 982.
24. The holder of the authorisation must, in addition, submit an environmental audit reports to the Department within 30 days of completion of the construction phase (i.e. within 30 days of site handover) and a final environmental audit report within 30 days of completion of rehabilitation activities.
25. The environmental audit reports must be compiled in accordance with Appendix 7 of the EIA Regulations, 2014 and must indicate the date of the audit, the name of the auditor and the outcome of the audit in terms of compliance with the environmental authorisation conditions as well as the requirements of the approved EMPr.
26. Records relating to monitoring and auditing must be kept on site and made available for inspection to any relevant and competent authority in respect of this development.

Notification to authorities

27. A written notification of commencement must be given to the Department no later than fourteen (14) days prior to the commencement of the activity. Commencement for the purposes of this condition includes site preparation. The notice must include a date on which it is anticipated that
-

the activity will commence, as well as a reference number. This notification period may coincide with the notice of intent to appeal period.

Operation of the activity

28. A written notification of operation must be given to the Department no later than fourteen (14) days prior to the commencement of the activity operational phase.

Site closure and decommissioning

29. Should the activity ever cease or become redundant, the holder of the authorisation must undertake the required actions as prescribed by legislation at the time and comply with all relevant legal requirements administered by any relevant and competent authority at that time.

Specific conditions

30. A permit must be obtained from the relevant nature conservation agency for the removal or destruction of indigenous protected and endangered plant species.
31. Only indigenous plants of the area must be utilised for rehabilitation purposes.
32. Should any heritage remains be exposed during excavations or any activity on the site, these must immediately be reported to the Provincial Heritage Resources Authority, (in accordance with the applicable legislation). Heritage remains uncovered or disturbed during earthworks must not be disturbed further until the necessary approval has been obtained from Provincial Authority.
33. An integrated waste management approach must be implemented that is based on waste minimisation and must incorporate reduction, recycling, re-use and disposal.

General

34. A copy of this environmental authorisation, the audit and compliance monitoring reports, and the approved EMPr, must be made available for inspection and copying-
- 34.1. at the site of the authorised activity;
 - 34.2. to anyone on request; and
 - 34.3. where the holder of the environmental authorisation has a website, on such publicly accessible website.

35. National government, provincial government, local authorities or committees appointed in terms of the conditions of this authorisation or any other public authority shall not be held responsible for any damages or losses suffered by the holder of the authorisation or his/her successor in title in any instance where construction or operation subsequent to construction be temporarily or permanently stopped for reasons of non-compliance by the holder of the authorisation with the conditions of authorisation as set out in this document or any other subsequent document emanating from these conditions of authorisation.

Date of environmental authorisation: 11/11/2012



Mr Sabelo Malaza

Chief Director Integrated Environmental Authorisations
Department of Environmental Affairs

Annexure 1: Reasons for Decision

1. Information considered in making the decision

In reaching its decision, the Department took, *inter alia*, the following into consideration -

- a) The information contained in the BAR dated August 2016;
- b) The comments received from interested and affected parties as included in the BAR dated August 2016;
- c) Mitigation measures as proposed in the BAR dated August 2016 and the EMPr;
- d) The information contained in the specialist studies contained within Appendix D of the BAR; and
- e) The objectives and requirements of relevant legislation, policies and guidelines, including section 2 of the National Environmental Management Act, 1998 (Act No.107 of 1998).

2. Key factors considered in making the decision

All information presented to the Department was taken into account in the Department's consideration of the application. A summary of the issues which, in the Department's view, were of the most significance is set out below.

- a) The findings of all the specialist studies conducted and their recommended mitigation measures.
- b) The need for the proposed project was well explained and the Department considered the need of the project.
- c) The BAR dated August 2016 identified all legislations and guidelines that have been considered in the preparation of the BAR.
- d) The methodology used in assessing the potential impacts identified in the BAR dated August 2016 and the specialist studies have been adequately indicated.
- e) A sufficient public participation process was undertaken and the applicant has satisfied the minimum requirements as prescribed in the EIA Regulations, 2014 for public involvement.

3. Findings

After consideration of the information and factors listed above, the Department made the following findings -

- a) The identification and assessment of impacts are detailed in the BAR dated August 2016 and sufficient assessment of the key identified issues and impacts have been completed.
- b) The procedure followed for impact assessment is adequate for the decision-making process.
- c) The proposed mitigation of impacts identified and assessed adequately curtails the identified impacts.
- d) The information contained in the BAR dated August 2016 is accurate and credible.
- e) EMPr measures for the pre-construction, construction and rehabilitation phases of the development were proposed and included in the BAR and will be implemented to manage the identified environmental impacts during the construction phase.

In view of the above, the Department is satisfied that, subject to compliance with the conditions contained in the environmental authorisation, the authorised activities will not conflict with the general objectives of integrated environmental management laid down in Chapter 5 of the National Environmental Management Act, 1998 and that any potentially detrimental environmental impacts resulting from the authorised activities can be mitigated to acceptable levels. The environmental authorisation is accordingly granted.