

Ian Gildenhuys
 Air Quality Management
 246 Voortrekker Road
 Vasco
 7460

Date:
 4 March 2020

Enquiries: Hilton Westman
 (021) 9415856

Ref: ACP/2020/02

Dear Mr Gildenhuys

ACACIA POWER STATION'S MONTHLY EMISSIONS REPORT FOR THE MONTH OF FEBRUARY 2020

This serves as the monthly report required in terms of Section 5.4.1 and Sections 8.1.1 of Acacia Power Station's Atmospheric Emission License **WCCT023**. The information is applicable for the month of February 2020.

1. Raw Materials and Products (Licence 5.4.1)

Quantity of Raw Materials and Products used/produced for the month

Element	Performance	Reporting Unit
Fuel type : Kerosene		
Total Fuel Consumption	66.178	Tons
Electricity Produced	171	MWh
Average Fuel Consumption	0.387	Tons / MWh
Maximum fuel consumption rate	15 645	Kg per hour

2. Operating times of units (Licence 5.4.1)

a. Total Hours

	Hours operated	Total Fuel Consumption	Energy Production
	Hours	Litres	MWh
Unit One	1.41	77 193	60
Unit Two	1.41		54
Unit Three	1.41		59

b. Detailed operating times

See Annexure1.

3. Complaints Register (Licence reference 8.1.1)

No complaints were registered for the month of February 2020.

4. General

National Control started up Acacia to generate electricity for the grid once during February due to an unexpected supply shortfall of power available.

KAS (Koeberg Auto Start) testing was also performed.

The monthly Ambient Air Quality Report compiled by Argos Scientific for air quality monitoring at the Acacia AQM station, will be sent to your office as soon as it is received.

We trust that the above information complies with your requirements.

Yours sincerely



Pamela Mrubata

Plant Manager

ACACIA POWER STATION

Annexure 1. Acacia Hours of operation

Date	Unit One			Unit two			Unit 3		
	Start	Finish	Total Hours	Start	Finish	Total Hours	Start	Finish	Total Hours
1									
2									
3									
4									
5									
6									
7									
8									
9	09:48:00	10:06:00	00:18:00	09:48:00	10:06:00	00:18:00	09:48:00	10:06:00	00:18:00
10									
11									
12									
13									
14	19:56:00	21:03:00	01:07:00	19:56:00	21:03:00	01:07:00	19:56:00	21:03:00	01:07:00
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									

Load Factor –February 2020

0.20 % per Unit