

Lukhanyo Mgdle
 Chief Air Quality Officer Buffalo City Metropolitan Municipality
 2 Beaconsfield Road North End
 East London
 5201

Date:
 3 May 2021

Enquiries: Hilton Westman
 (021) 9415856

Ref: PRX/2021/04

Dear Mr Mgdle

ESKOM PORT REX POWER STATION'S MONTHLY EMISSIONS REPORT FOR THE MONTH OF APRIL 2021

Atmospheric Emissions License: ECBC_000603

This serves as the monthly report and the information is applicable for the month of April 2021.

1. Raw Materials and Products (Licence 6.1)

Quantity of Raw Materials and Products used/produced for the month

Element	Performance	Reporting Unit
Fuel type : Diesel		
Total Fuel Consumption	0.448	Tons
Electricity Produced	0	MWh
Average Fuel Consumption	0	Tons / MWh
Maximum fuel consumption rate	4480	Kg per hour

2. Operating times of units (Licence 5.4)

a. Total Hours

	Hours operated	Total Fuel Consumption	Energy Production
	Hours and minutes	Litres	MWh
Unit One	0hrs 6min	522	0
Unit Two	0		0
Unit Three	0		0

Peaking

Port Rex Power Station
 9 Wells Road Woodbrook East London
 PO Box 1281 East London 5201
 Tel +27 043 703 5771

Eskom Holdings SOC Ltd Reg No 2002/015527/30

b. Detailed operating times

See Annexure 1

3. Complaints Register (Licence 7.6)

No complaints were registered for the month of April 2021.

4. General

Port Rex was not requested to generate for the grid to supplement power availability. Routine 4 monthly service was performed on Unit1, with run up to SCO mode.

We trust that the above information complies with your requirements.

Yours sincerely



Pamela Mrubata
Plant Manager

PORT REX POWER STATION

Annexure 1. Port Rex Hours of operation

Date	Unit One			Unit two			Unit 3		
	Start	Finish	Total Hours	Start	Finish	Total Hours	Start	Finish	Total Hours
1									
2									
3									
4									
5									
6									
7	10:36:00	10:42:00	00:06:00						
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									

Load factor
0.01 %