

this than 1447 Breinen 1984 - Padeurs Building, 318 Pretorian Sheet, Pateur, Cott. Tel. (+27 12) \$10 1811 Fax (+27 12) 32x 2882

Ref: 12/13/20/005 Tel: (012) 310 3080 Fax: (012) 320 7530 e-mail: <u>dumit@deat.00v.za</u> Enquiries: DVJ Smit

Ms D Herbst Environmental Manager: Generation Division PO Box 1091 JOHANNESBURG 2000

Dear Ms Deirdre Herbst

PROPOSED ESTABLISHMENT OF A NEW COALFRED POWER STATION NEAR LEPHALALE IN LIMPOPO PROVINCE.

The Scoping Report for the proposed development of the proposed new coal-fired Power Station dated November 2005 refers.

This Department and the Limpopo Department of Economic Development, Environment and Tourism, have evaluated the Scoping Report and are satisfied that it compiles with the requirements as stipulated in GN No. R. 1183 section 5(2).

By virtue of the power delegated to me in terms of section 33(1) of the Environment Conservation Act, 1989 (Act No. 73 of 1989) I hereby, in terms of section 6(3)(b) of GN No. R. 1183 accept the Scoping Report and request you to further follow the prescribed EIA process by submitting a Plan of Study for the Environmental Impact Assessment.

Please note that the Environmental impact Report (問動):must include the following:

A more detailed description of the process used to determine the choice of Lephalale, the alternatives
studied and the assessment criteria as background to the project and explanation of the need and
justification for the project.

 A visual presentation of the proposed plant and triptorint of the station as this is of great importance in terms of the socio-economic impacts associated with the proposed development and the final placement of the station and associated infrastructure.

Detail on the water study that is currently underway from the Department of Water Affairs and Forestry. The proponent must obtain all relevant information from the DWAF for incorporation into the EIR. The water study must also include a study on the current groundwater pollution as already present in the study area, and possible future pollution of the groundwater, and recommend measures for control, mitigation and improvement of the water quality as applicable.

All specialist studies as recommended by the Sciping Report should be completed as part of the EIA
phase for incorporation into the EIR.

Muhanto we zen Visupo na Visiandelamariango i Litiko is Testrondzanis nilatu-Vatasha i baba lamicintal yokulanggonjanyo norvanasus rozannis ye Timbuka & Mosnyo-Departamani: Ongawing an Toerlane (Lajacha la Tikoloha ia Italiahi audi - Lafacha la Tikologo la Bojanski Konto ya Tikologo la kiosi i Untriyango weenbihudulato nokultahalijia - Unusjengo Videamyelo Robundakasha

Bazino Pule » plitting paople fire

Recommendations:

- This department is of the opinion that by limiting the study to only two alternative sites, it might have serious consequences for the project should any of the two sites be found unsuitable for development at a late stage in the EIA process. It is therefore recommended that at least one more site be added to the final assessment.
- The option of ashing back to the pit should be explored further as an alternative option.

Yours sincerely

Ms Pam Yako Director - General

Department of Environmental Affairs and Tourism

Letter signed by: D W J Smit

Designation: Acting Deputy Director, Env. Impact Mngt