

Private Bag X 447· PRETORIA · 0001·Environment House, 473 Steve Biko Road, Arcadia, PRETORIA, 0001. Tel (+ 27 12) 399 9372

Reference: DEA/EIA/0002111/2013 DEA Reference: 14/12/16/3/3/1/1039 Enquiries: Mr Jay-Jay Mpelane

Telephone: (012) 399 9404 Fax: E-mail: jmpelane@environment.gov.za

Ms Ria Pretorius Texture Environmental Consultant P.O Box 36593 MENLOPARK 0102

Telephone number:

(082) 568 6344

Email address:

ria@peopletexture.co.za

PER EMAIL / MAIL

Dear Ms Pretorius

ACCEPTANCE OF THE BASIC ASSESSMENT REPORT FOR THE PROPOSED CONSTRUCTION OF PIENAARSRIVIER CUSTOMER NETWORK CENTRE (CNC) WITHIN THE BELA-BELA LOCAL MUNICIPALITY IN THE LIMPOPO PROVINCE

The final Basic Assessment Report (BAR) dated December 2014 and received by the Department on 15 December 2014 refers.

The Department has evaluated the submitted final BAR dated December 2014 and is satisfied that the final BAR complies with the minimum requirements of the Environmental Impact Assessment (EIA) Regulations, 2010. The final BAR is hereby accepted by the Department in terms of regulation (24)(1)(a) of the EIA Regulations, 2010.

You are hereby reminded of Section 24F of the National Environmental Management Act, Act No 107 of 1998, as amended, that no activity may commence prior to an environmental authorisation being granted by the Department.

Yours faithfully

Mr Sabelo Malaza

Chief Director: Integrated Environmental Authorisations

Department of Environmental Affairs

Date: 23/03/2015

CC:	Ms Nkateko Msimango	Eskom Holdings SOC Limited	msimannp@eskom.co.za	Tel: 015 299 0012
	Mr Victor Mongwe	DEA: Limpopo province	mongwev@ledet.gov.za	Tel: 082 412 5605