May 2009
Impact Assessment Phase

ENVIRONMENTAL IMPACT ASSESSMENT

Bravo Integration Project —Bravo 3: Construction of a 400 kV line from Bravo (Kusile) Power Station to Lulamisa.

DEAT REF NO: 12/12/20/1094

Proponent: Eskom Transmission

FINAL ENVIRONMENTAL IMPACT REPORT

Project 10637

May 2009 i 10637

PURPOSE OF THIS DOCUMENT

The growing demand for electricity is placing increasing pressure on Eskom's existing power generation and transmission capacity. Eskom is committed to implementing a Sustainable Energy Strategy that complements the policies and strategies of National Government. Eskom aims to improve the reliability of electricity supply to the country, and in particular to provide for the growth in electricity demand in the Gauteng and Mpumalanga provinces. For this reason, Eskom obtained environmental authorisation to construct the new 400 kV Bravo (Kusile) coal-fired Power Station between Bronkhorstspruit and Witbank in 2007. Construction of this power station has already commenced.

Due to this construction, the new Bravo Power Station needs to be integrated with the existing Eskom electricity infrastructure. This proposed project is to construct a new 400 kV overhead power line from the Bravo Power Station to the Lulamisa substation. Each of these lines is approximately 70 km in length.

Eskom Transmission has appointed Zitholele Consulting (Pty) Ltd, an independent company, to conduct an Environmental Impact Assessment (EIA) to evaluate the potential environmental and social impacts of the proposed project.

The first phase of the EIA (Scoping Phase) has been completed. The second phase of an EIA is the Impact Assessment Phase. In the Scoping Phase public issues, concerns and suggestions were identified and these were used to shape the terms of references for the specialist studies that were conducted. The findings of the specialists are being reported on in this document – the culmination of the second phase (Impact Assessment Phase) of the EIA

An EIA must show the authorities, the stakeholders and the proponent what the impact of the proposal on a particular alternative will be in environmental, economical and social terms and provide informed findings of the specialist investigations.

In accordance with the EIA Regulations, Interested and Affected Parties (I&APs) must be given the opportunity to verify that all the issues mentioned during the stakeholder engagement process, have been addressed in the Impact Assessment. For this reason, a Draft Environmental Impact Report (DEIR) is compiled and presented to the I&AP's during public meetings. A DEIR was made available for public review from 23 March to 30 April 2009. After public review, the DEIR was updated and is being submitted to the lead authority, the National Department of Environmental Affairs and Tourism (DEAT) as the Final EIR, for a decision about the project.

Summary of what the Final Environmental Impact Report Contains

This report contains the following for comment by stakeholders:

- A complete overview of the proposed project;
- An overview of the EIA process followed;
- A complete summary of the Public Participation (PP) Process followed;
- Project alternatives including the "No-go" (no development) option;
- An overview of the baseline receiving environment;
- The assessment by specialists of the potential environmental impacts of the proposed project along with the mitigation measures to reduce the negative impacts and enhance the positive impacts; and
- An Environmental Management Plan (EMP).

AN EIA CONSISTS OF SEVERAL PHASES

Scoping Phase Impact Assessment Environmental Decision-making To identify issues, to Phase **Impact Report** Phase focus the EIA **Detailed studies of potential** Consolidate findings of Proponent and authorities impacts, positive and negative impact assessment use EIA findings to decide studies if project goes ahead

May 2009 ii 10637

EXECUTIVE SUMMARY

Overview of the Proposed Project

On 5 June 2007, Eskom received environmental authorisation (12/12/20/807) from the National Department of Environmental Affairs and Tourism (DEAT) to proceed with the construction of the new Kusile (then Bravo) Power Station, between Bronkhorstspruit and Witbank in Mpumalanga. The EIA for the Bravo Power Station was conducted by a consulting company called Ninham Shand (Pty) Ltd. A copy of the RoD can be accessed form the Eskom website (www.Eskom.co.za) or www.deat.gov.za.

On 29 February 2008 Eskom awarded contracts for its "Bravo Project", a coal-fired power station to be built near Emalahleni in Mpumalanga by 2017. Site clearance for this station has already started. The first unit is planned to be online by 2013. The proposed Bravo Integration Project is necessary to integrate and connect Bravo Power Station (which will aid in the delivery of additional electricity supply) into the existing Eskom electricity network.

Bravo Integration Project

The Bravo Integration project consists of the following five components:

Phase 1: Sol – Camden By-Pass Power Line.

The intention of Bravo 1 is to build two 400 kV by-pass lines for Zeus substation, the two 400 kV lines from Sol Substation and the two 400 kV power lines from Camden Power Station will be disconnected from Zeus substation and joined to each other to form two Camden- Sol 400 kV power lines. The location of the two by-pass lines is planned to be within approximately 10 km radius of the Zeus substation. The project is located within the Govan Mbeki District Municipality.

Phase 2: Apollo and Kendal loop in and loop out lines

Eskom propose to construct four new 400 kV overhead power lines, located within the Emalahleni Local Municipality in Mpumalanga, to loop in and out of Bravo Power Station. The existing Kendal-Apollo line will be looped in and out of Bravo to form the Bravo-Apollo and Bravo-Kendal lines. In addition, the existing Duvha-Minerva 400 kV overhead power line will be looped in and out of Bravo Power Station, to form the Bravo-Duvha and Bravo-Minerva lines. The study area in which the alternatives were selected is within the 10 km radius surrounding the new Bravo Power Station and each of the alternative 400 kV power lines will be not exceed 10 km in length.

Phase 3: Construction of a 400 kV power line from Bravo Power Station to Lulamisa Substation

In order for the Bravo Power Station to be integrated within the existing Eskom infrastructure, Eskom propose to construct a new 400 kV power line from the new Bravo Power Station to the existing Lulamisa substation, near Diepsloot. This line will be approximately 150 km in length. The construction of this proposed 400 kV power line is aimed to ensure sufficient electricity supply to the Diepsloot and Johannesburg North areas, where currently frequent electricity shortages are

experienced. The alternative Bravo power line corridors are located on the eastern Highveld of Southern Africa. The corridors cover an area from Witbank in the east, to Diepsloot in the west.

Phase 4: Two new 70 km Kendal –Zeus 400 kV Power Lines

Eskom propose to construct two new 400 kV power lines, one from Bravo to Zeus and the other one from the Kendal Power Station (near Ogies) to the Zeus substation (near Secunda), Mpumalanga. These lines will run parallel to each other and will be approximately 70 km's in length. The three alternative route corridors will be 5 km's wide. These three alternative corridors merge into two corridors approximately 30 km's from the Zeus substation.

Phase 5: New 10 km Bravo-Vulcan Power Line

Eskom propose to construct a 400 kV overhead power line, by-passing the existing Duvha substation, to form a new Bravo-Vulcan line near Emahlahleni, Mpumalanga. This by-pass line is planned to be approximately 10 km in length. The area to be investigated for this by-pass line is a 10 km radius surrounding the existing Duvha substation.

Purpose of this Report

This report constitutes the Final Environmental Impact Report, a key component of the Environmental Authorisation Process for Phase 3 Construction of new Bravo (Kusile) to Lulamisa 400 kV power line.

Environmental Impact Assessment Process

An Environmental Impact Assessment (EIA) for the proposed Bravo Integration Project –Bravo 3: Construction of a 400 kV line from Bravo (Kusile) Power Station to Lulamisa has been undertaken in accordance with the Environmental Impact Assessment (EIA) Regulations promulgated in terms of Section 24 (5) of the National Environmental Management Act (NEMA). This EIA was undertaken in order to identify environmental issues associated with the proposed project, and determine which issues require further investigation.

To ensure effective public participation in the EIA phase, the public participation process was implemented in stages. This process included the identification of, and consultation with all relevant stakeholders, as well as ongoing communication and networking with I&APs throughout the duration of the project. Issues and concerns raised during this process were compiled in an Issues and Response Report, and included within the Scoping, and this Final Environmental Impact Report.

The Draft Environmental Impact Report was made available for public review. During the review period, public feedback meetings were held to discuss the report. Comments received from the public have been incorporated into this Final Environmental Impact Report, which is to be presented to the National Department of Environment Affairs and Tourism for comment, consideration and authorisation.

Conclusion

This section provides a short sensitivity matrix, which compares the three different alternatives and their associated environmental sensitivities. The "Lulamisa to Minerva" alternative is included in the matrix below as this portion of the line is representative of the portion of the line where all three alternatives merge into one route.

Sensitivity	Alternative 1	Alternative 2	Alternative 3	Lulamisa to Minerva
Geology	None	None	None	None
Climate	None	None	None	None
Topography	None	None	None	None
Land Use	Traverses short section of ridges land farmland	Traverses Bronkhorstspruit Dam and farmland	Traverses agricultural land and short section of residential area	Traverses short section of farmland and urban areas
Surface Water	Traverses over several rivers and small un-named tributaries on site	Traverses a large section of the Bronkhorstspruit Dam	Traverses over several rivers, small un-named tributaries and wetland areas on site	Traverses over one main river and vlei
Soils & Land Capability	Mainly agricultural, rocky soils and sensitive clay soils	Along sensitive wetland and clay soils	Along sensitive wetland and clay soils	Along disturbed soils
Flora	Sensitive vegetation units and plants present	Sensitive vegetation units and plants present	Sensitive vegetation units and plants present	Sensitive vegetation units and plants present in undisturbed areas
Fauna	None	None	None	None
Wetlands	Few sensitive wetlands	Traverses wetland	Traverses wetland	Transverse wetlands
Visual	Moderate Visibility	Moderate visibility	Moderate visibility	High visibility
Heritage	Low, mainly stone walls and graves	None	Low, limited graves visible.	None
Social	Low - Moderate	Low - Moderate	Low	Moderate
Total Sensitivities	3	4	4	5

On the basis of the matrix presented above, it is suggested that the Bravo 3 Alternative 1 be utilised as the preferred alternative for the proposed project, as it has the least sensitive features associated with the alignment.

TABLE OF CONTENTS

SE	CTION		PAGE
1	INTR	RODUCTION	1
	1.1	Background Information	1
	1.2	Purpose and Motivation for the Proposed Project	2
	1.3	The Project Team	4
	1.4	Project Progress	5
2	LEG	AL CONTEXT	7
	2.1	National Environmental Management Act (No 107 of 1998)	7
	2.2	Environmental Conservation Act (Act No 73 of 1989)	9
	2.3	Additional Legal Requirements and Frameworks	10
3	ENV	IRONMENTAL IMPACT ASSESSMENT PROCESS	12
	3.1	Study Approach and Progress to Date	12
	3.2	Draft Environmental Impact Assessment Report and Environmental Management Plan	17
	3.3	Announcement of opportunity to comment on findings	
	3.4	Distribution	
	3.5	Methods of public review and obtaining comments	
	3.6	Issues and Response Report and acknowledgements	
4	ISSL	JES AND CONCERNS RAISED	
	4.1	Authorities	21
	4.2	Stakeholders	21
5	DES	CRIPTION OF DEVELOPMENT ACTIVITIES	22
	5.1	Activity to be undertaken	22
	5.2	Location	22
	5.3	Description of the Development Activities	22
6	TEC	HNOLOGY REVIEW / ALTERNATIVES INVESTIGATED	28
	6.1	Project Alternatives	28
	6.2	Route Alternatives	28
	6.3	Design Alternatives	29
	6.4	The No-Go Alternative	31
7	BAS	ELINE RECEIVING ENVIRONMENT	32
	7.1	Bio-Physical Environment	32
	7.2	Cultural Environment	109
	7.3	Socio-Economic Environment	113
8	IMP/	ACT ASSESSMENT METHODOLOGY	131
	8.1	Significance Assessment	131
	8.2	Spatial Scale	132
	8.3	Duration Scale	133
	8.4	Degree of Probability	133
	8.5	Degree of Certainty	134
	8.6	Quantitative Description of Impacts	134

	8.7	Notation of Impacts	135
9	ALTE	RNATIVE SENSITIVITY ANALYSIS	136
10	IMPA	CT ASSESSMENT	137
	10.1	Construction Phase	137
	10.2	Operational Phase	192
	10.3	Decommissioning Phase	221
	10.4	Impact Assessment Summary	222
11	ENVIF	RONMENTAL MANAGEMENT PLAN	227
	11.1	Introduction	227
	11.2	Purpose of this EMP	227
	11.3	Objectives of the EMP	228
	11.4	Legal Context	228
	11.5	Eskom and Contractor Commitment	229
	11.6	Reporting Structure	230
	11.7	Responsibilities and Duties	230
	11.8	Training	232
	11.9	Commissioning of Tenders for the Project	233
	11.10	Environmental Authorisation	233
	11.11	Environmental Management Measures	234
	11.12	General Requirements during Construction	310
	11.13	Scheduling of Management Measures	311
	11.14	Site Documentation / Monitoring / Reporting	311
	11.15	Environmental Contact Persons	314
	11.16	Emergency Numbers	315
	11.17	Oil Spill Contact Numbers	315
12	ENVIF	RONMENTAL IMPACT STATEMENT	316
	12.1	Alternatives Assessed	316
	12.2	Environmental Aspects addressed in the EIA	317
	12.3	Summary of Impacts Identified	317
	12.4	Summary of Mitigation Measures Proposed	319
	12.5	EAP Opinion of the Preferred Alternative	320

LIST OF FIGURES

Figure 1: Environmental Assessment Practitioners.	5
Figure 2: Overview of the Bravo Integration Project.	6
Figure 3: Technical and public Participation process and activities that comprise the impact assessment for the proposed construction of a new 400 kV power line from station to Lulamisa substation.	n Bravo power
Figure 4: Proposed Alternative Routes for the Bravo-Lulamisa power Lines	27
Figure 5: Overhead versus Underground Power Lines.	30
Figure 6: Geological Lithology of the Study Area	33
Figure 7: Existing Power Line river crossings	36
Figure 8: Surface water and catchments	37
Figure 9: Surface water and drainage features of the eastern section of the site	38
Figure 10: Surface water and drainage features of the central part of the site	39
Figure 11: Surface water and drainage features of the western part of the site	40
Figure 12: Power Lines located on a ridge	41
Figure 13: Eastern Topography of Site	42
Figure 14: Central Topography of Site	43
Figure 15: Western Topography of Site	44
Figure 16: Ridges Map	45
Figure 17: Soil Type Map for the eastern part of the site	48
Figure 18: Soil Type Map for the central part of the site	49
Figure 19: Soil Type Map of the western part of the site	50
Figure 20 : Hutton Soil Form (Soil Classification, 1991)	51

Figure 21: Clovelly soil form (Soil Classification, 1991)	52
Figure 22: Avalon Soil Form (Soil Classification, 1991)	53
Figure 23: Griffin Soil Form (Soil Classification, 199)	53
Figure 24: Bainsvlei Soil Form (Soil Clasiffication, 1991)	54
Figure 25: Shortlands Soil Form (Soil Classification, 1991)	54
Figure 26: Mispah soil form (Memoirs on the Natural Resources of South Africa, no. 15, 1991)	55
Figure 27: Glenrosa Soil Form (Soil Classification, 1991)	56
Figure 28: Witbank Soil Form (Soil Classification, 1991)	56
Figure 29: Kroonstad Soil Form (Soil Classification, 1991)	57
Figure 30: Wasbank Soil Form (Soil Classification, 1991)	58
Figure 31: Soft plinthic B-horizon.	58
Figure 32: Longlands Soil Form (Soil Classification, 1991)	59
Figure 33: Westleigh Soil Form (Soil Classification 1991)	59
Figure 34: Katspruit Soil form (Soil Classification, 1991)	60
Figure 35: Arcadia Soil Form (Soil Classification, 1991)	61
Figure 36: Rensburg Soil Form (Soil Classification, 1991)	61
Figure 37: Willowbrook Soil Form (Soil Classification 1991)	62
Figure 38: Eastern Land Capability Map	65
Figure 39: Central Land Capability Ma	66
Figure 40: Western Land Capability Map	67
Figure 41: Land Use Map	69
Figure 42: Vegetation Unit Ma	73

Figure 43: Vegetation Unit Map
Figure 44: Vegetation Unit Map
Figure 45 Photos of Egoli Granite Grassland vegetation along the corridors
Figure 46:Photos of Rand Highveld Grassland
Figure 47: Marikana Thornveld encountered along the route
Figure 48:Wetlands Found along the Power Line Corridors
Figure 49: Western Vegetation
Figure 50: Central Vegetation
Figure 51: Western Vegetation
Figure 52: Sensitive Vegetation units found on site
Figure 53: Riparian and wetland delineation map of the eastern section
Figure 54: Riparian and wetland delineation map of the central section
Figure 55: Riparian and wetland delineation map of the western section
Figure 56: Biodiversity Rating Map
Figure 57: View of the existing power line on site
Figure 58: Viewshed from the Alternative 1 alignment
Figure 59: Viewshed from the Alternative 2 alignment
Figure 60: Viewshed from the Alternative 3 alignment
Figure 61: Viewshed from the Alternative 4 alignment
Figure 62:- The project area near Bronkhorstspruit in the east is characterised by outstretched grass veldt agricultural fields and quartzite ridges. Note existing northern corridor running across crest of ridge 110
Figure 63:- The central option for the proposed new 400 kV Bravo/Lulamisa power line runs across the Bronkhorstspruit Dam near Bronkhorstspruit

Figure 64: Comparative educational profile (Grouped) for the Study Area
Figure 65: Land use surrounding the northern alternative within the KLM
Figure 66: Land use surrounding the central alternative within the KLM
Figure 67: Land use surrounding the southern corridor within the KLM (new corridor parallel to existing transmission power line in distance)
Figure 68: Land use surrounding the proposed route corridor section through the CTMM
Figure 69: Land use surrounding the Lulumisa substation in the Diepsloot area
Figure 70: Land use surrounding proposed route corridor north of the N14
Figure 71: Olievenhoutbosch with corridor in distance (parallel to existing transmission power lines
Figure 72: Overview of Monthly Personal Income (2001 and 2007 compared)
Figure 73: Maslow's Hierarchy of Needs
Figure 74: Stone walls, memorabilia commemorating the battle of bronkhorstspruit and graveyards in and near the project area.
Figure 75: Quartzite stone walls on a ridge to the south of Bronkhorstspruit. Some of these stone walls served as dwellings for farm workers. It is also possible that some of the walls may have served as defensive structures during the Battle of Bronkhorstspruit (1880) (above)
Figure 76: Monument commemorating Battle of Bronkhorstpruit (1880) (above)
Figure 77: GY01 close to southern option for the proposed new 400 kV Bravo/Lulamisa power line (below)
Figure 78: One of at least three graves near the northern option for the proposed near Bravo/Lulamisa power line. This grave is associated with a few stone walls
Figure 79: Areas of settlement within servitude on the section between the Lulumisa and Minerva Substations
Figure 80: Areas of settlement within servitude on the section between Minerva Substation and the Apollo Converter Station

Figure 81: Areas of settlement within servitude on the northern alternative section between the Converter Station and the Bravo Power Station	_
Figure 82: Affected structures along the central alternative.	167
Figure 83: Areas of settlement within servitude on the southern alternative section between the	Apollo
Converter Station and the Bravo Power Station	167
Figure 84: Land use change process	170
Figure 85: Location of irrigation points (centre pivots) in relation to corridor alternatives	200
Figure 86: Location of mining operations in relation to corridor alternatives	205

LIST OF TABLES

Table 1: Eskom's Vision.	. 1
Table 2: Advertisements placed during the announcement phase	15
Table 3: List of stakeholder meetings that were advertised and held as part of the public review period of the Draft Scoping Report.	
Table 4: List of public places where the Draft Scoping Report was available	l 6
Table 5: Advertisements and announcements to announce the availability of the Draft Environmental Impact Assessment Report and the opportunity to comment on the findings of the EIA	
Table 6: Public meetings to comment on the Draft environmental impact report	9
Table 7: Construction Schedule for the Bravo-Lulamisa 400 kV overhead power line	22
Table 8: Rainfall and temperature data for the Funda Muni Training Centre weather station	35
Table 9: Terrain units and associated Soil Forms	16
Table 10: Land Capability of the soils on site for agricultural use	54
Table 11: Avifauna Red Data Species List	37
Table 12: Conservation Status Determination9) 5
Table 13: Conservation Status Rating9) 6
Table 14: Functional Status Determination) 6
Table 15: Functional Status Rating9	€7
Table 16: Biodiversity Value Rating9	€7
Table 17: Biodiversity Rating for the Egoli Granite Grassland unit	98
Table 18: Biodiversity Rating for the Rand Highveld Grassland unit	98
Table 19: Biodiversity Rating for the Eastern Highveld Grassland unit	98
Table 20: Biodiversity Rating for the Cartonville Dolomite Grassland unit9)9

Table 21: Biodiversity Rating for the <i>Gold Reef Mountain Bushveld</i> unit	99
Table 22: Biodiversity Rating for the <i>Gold Reef Mountain Bushveld</i> unit	99
Table 23: Biodiversity Rating for the <i>Marikana Thornveld</i> unit	100
Table 24: Biodiversity Rating for the Eastern Temperate Freshwater Wetlands	100
Table 25: Dynamic Impact Table	108
Table 26: Visual Impact Matrix	108
Table 27: Summary of Population Characteristics	115
Table 28: Summary of Employment and Economic Sectors	125
Table 29: Overview of Municipal Service Delivery to the Affected Areas	128
Table 30: Quantitative rating and equivalent descriptors for the impact assessment criteria	131
Table 31: Description of the significance rating scale.	132
Table 32: Description of the significance rating scale.	132
Table 33: Description of the temporal rating scale.	133
Table 34: Description of the degree of probability of an impact accruing	133
Table 35: Description of the degree of certainty rating scale	134
Table 36: Example of Rating Scale.	134
Table 37: Impact Risk Classes.	135
Table 38: Alternative Sensitivity Matrix	136
Table 39: Geology Additional Impact Assessment	138
Table 40: Geology Residual Impact Assessment	139
Table 41: Topography Additional Assessment	139
Table 42: Topography Residual Impact Assesment	140

Table 43: Soil and Land Capability Initial Impact Assessment	41
Table 44: Soil Impact	.42
Table 45: Soil and Land Capability Additional Impact Assessment – Alternative 1 and 3	.42
Table 46: Soil and Land Capability Additional Impact Assessment – Alternatives 2	.42
Table 47: Soil, Land Capability and Land Use Cumulative Impact Rating Scale	.42
Table 48: Surface water Initial Impact Rating Scale	.44
Table 49: Surface water Additional-Impact Rating Scale	.44
Table 50: Surface water Cumulative Impact Rating Scale	.45
Table 51: Flora Initial Impact Rating Scale	.46
Table 52: Flora Impact	.46
Table 53: Vegetation Additional-Impact Rating ScaleAlternative 1	.47
Table 54: Vegetation Additional-Impact Rating ScaleAlternative 2	.47
Table 55: Vegetation Additional-Impact Rating ScaleAlternative 3	.47
Γable 56: Vegetation Additional-Impact Rating Scale: Minirva to Lulamisa 1-	.48
Table 57: Vegetation Cumulative-Impact Rating Scale1	.48
Table 58: Vegetation Residual-Impact Rating Scale	.49
Table 59: Fauna Initial Impact Assessment	.50
Table 60: Fauna Additional Impact Assessment	.50
Table 61: Visual Initial Rating Scale	.51
Гable 62: Visual Visual Additional Impact Rating Scale	.52
Table 63: Coordinates for stone walls on quartzite ridges located in the general area where the Battle Bronkhorstspruit occurred during 1880 (above). Some of these stone walls also served as resident dating from the early 20th century (above)	ces

Table 64: Coordinates for a monument and Garden of Remembrance associated with the Battle of Bronkhorstspruit (1880) on opposite sides of the R25/42 to the south Bronkhorstspruit (above)
Table 65: Coordinates for graveyards in close proximity of the various options for the 400 kV Bravo/Lulamisa power line (above)
Table 66: Expected Demographic Change Processes
Table 67: Construction & Decommissioning Phases: Demographic Change Processes Category 1 Impact Assessment
Table 68: Construction & Decommissioning Phases: Demographic Change Processes Category 2 Impact Assessment: Relocation of Households and/or Population Segment
Table 69: Geographical Change Processes
Table 70: Construction & Decommissioning Phases: Geographical Change Processes Category 1 Impact Assessment
Table 71: Economical Change Processes
Table 72: Construction & Decommissioning Phase: Economical Change Processes Category 1 Impact Assessment
Table 73: Institutional & Empowerment Change Processes
Table 74: Construction & Decommissioning Phase: Institutional & Empowerment Change Processes Category 1 Impact Assessment
Table 75: Socio-Cultural Change Processes
Table 76: Construction & Decommissioning Phase: Socio-Cultural Change Processes Category 1 Impact Assessment
Table 77: Fauna Additional Impact Rating Scale
Table 78: Fauna Residual Impact Rating Scale
Table 79: Operation & Maintenance Phase: Geographical Change Processes Category 1 Impact Assessment
Table 80: Operation & Maintenance Phase: Geographical Change Processes Category 2 Impact Assessment: Cultivated land (including irrigation)

Table 81: Operation & Maintenance Phase: Geographical Change Processes Category 2 Assessment: Mining Operations	_
Table 82: Operation & Maintenance Phase: Economical Change Processes Category 1 Assessment	_
Table 83: Operation & Maintenance Phase: Socio-Cultural Change Processes Category 1 Assessment	_
Table 84: Operation & Maintenance Phase: Socio-Cultural Change Processes Category 2 Assessment: Sense of Place	_
Table 85: Summary of the Construction Phase Impacts	223
Table 86: Summary of the Operational Phase Impacts	225
Table 87: Legal Requirements for this emp.	228
Table 88: Environmental Management Measures during construction initiation	235
Table 89: Environmental Management Measures during site establishment and demarcation	238
Table 90: Environmental Management Measures for water management	246
Table 91: Environmental Management Measures for hazardous substance spills	250
Table 92: Environmental Management Measures for the delivery of materials	252
Table 93: Environmental Management Measures for building, civil's and structural steel work	253
Table 94: Environmental Management Measures for circuit breakers and current transformers	256
Table 95: Environmental Management Measures for access roads	258
Table 96: Environmental Management Measures for waste management	262
Table 97: Environmental Management Measures for fire prevention.	268
Table 98: Environmental Management Measures for designated storage areas	270
Table 99: Environmental Management Measures for tower positioning.	276
Table 100: Environmental Management Measures for claims from damages	279

Table 101: Environmental Management Measures for erosion, donga and river crossings	281
Table 102: Environmental Management Measures for flora management	283
Table 103: Environmental Management Measures for fauna management	298
Table 104: Environmental Management Measures for interaction with adjacent landowners 3	301
Table 105: Environmental Management Measures for noise management	303
Table 106: Environmental Management Measures for infrastructure	304
Table 107: Environmental Management Measures for archaeology	306
Table 108: Environmental Management Measures for management of residential property 3	308
Table 109: Checklist for monitoring environmental performance on site	311

LIST OF APPENDICES

Appendix A: List of Abbreviations	I
Appendix B: EIA Application Form	II
Appendix C: List of Potentially Affected Landowners	III
Appendix D: Project Locality Map	IV
Appendix E: DEAT Authorisation Requirements From FSR	V
Appendix F: Interested and Affected Parties Database	VI
Appendix G: Background Information Document & Comments from Stakeholders	VII
Appendix H: Site Notices	VIII
Appendix I: Newspaper Advertisements	IX
Appendix J: Personalised letters to all individuals and organisations on the mailing list	X
Appendix K: Issues and Response Report	XI
Appendix L: Minutes of Public Meeting	XII
Appendix M: EMP Audit Inspection Protocol	XIII
Appendix N: EMP Schedule	XIV
Appendix O: Transmission Environmental Policy (TPL41-435)	XV
Appendix P: Transmission line tower and line construction	XVI
Appendix Q: Stringing of conductors and connection of droppers	XVII
Appendix R: Specialist Studies	XVIII
Appendix S: Electric and Magnetic Report	XIX
Appendix T: TRMSCAAC1 rev 3	XX
Appendix U: TRMSCAA1	XXI
Appendix V: possible health effects of EMF {Eskom Holdings Limited (Pretorius 2006)}	XXII