



environmental affairs

Department:
Environmental Affairs
REPUBLIC OF SOUTH AFRICA

Private Bag X 447 · PRETORIA · 0001 · Fedsure Building · 315 Pretorius Street · PRETORIA
Tel (+ 27 12) 310 3911 · Fax (+ 2712) 322 2682

Reference: 12/12/20/1568

Enquiries: Ms. B.Xalipi

Telephone: (012) 310 3805 Fax: (012) 395 1771 Email: Bxalipi@environment.gov.za

Ms Sonja van Eden
Nemai Consultant
P.O. Box 1673
SUNNINGHILL
2157

Fax: (011) 781 1731

Dear Ms van Eden

RE: SCOPING ACCEPTANCE: THE PROPOSED ESTABLISHMENT OF THE ANDERSON 400KV SUBSTATION IN BROEDERSTROOM, NORTH WEST.

The final scoping report (FSR) and plan of study for the environmental impact assessment dated December 2010 and received by the Department on 3 January 2010 refers.

The Department has evaluated the submitted FSR dated December 2010 and is satisfied that the FSR comply with the minimum requirements of the Environmental Impact Assessment (EIA) Regulations, 2006. The FSR is hereby accepted by the Department in terms of GN R.385 (31) (1) (a) of the EIA Regulations, 2006.

You may now proceed with the environmental impact assessment process in accordance with the tasks outlined in the plan of study for environmental impact assessment as required in terms of the EIA Regulations, 2006.

Please ensure that comments from all relevant authorities are submitted to the Department with the Final Environmental Impact Report. Proof of correspondence with the various stakeholders must be included in the Final EIR.

The applicant is hereby reminded to comply with the requirements of GN R.385 (77) with regard to the time period allowed for complying with the requirements of the Regulations, and GN R. 385 (58) and (59) with regard to the allowance of a comment period for interested and affected parties on all reports submitted to the competent authority for decision-making. The reports referred to are listed in GN R. 385 (58) (3a-3g).

Please ensure that the Final EIR includes at least one A3 regional map of the area .The maps must be of acceptable quality and as a minimum, have the following attributes:

- Maps are relatable to one another;
- Cardinal points;
- Co-ordinates;
- Legible legends;
- Indicate alternatives;
- Latest land cover;
- Vegetation types of the study area; and
- A3 size locality map.

Further, it must be reiterated that, should an application for Environmental Authorisation be subject to the provisions of Chapter II, Section 38 of the National Heritage Resources Act, Act 25 of 1999, then this Department will not be able to make nor issue a decision in terms of your application for Environmental Authorisation pending a letter from the pertinent heritage authority categorically stating that the application fulfils the requirements of the relevant heritage resources authority as described in Chapter II, Section 38 (8) of the National Heritage Resources Act, Act 25 of 1999.

Please submit at least one electronic copy (CD/DVD) of the complete final report with the hard copy documents.

You are hereby reminded that the activity may not commence prior to an environmental authorisation being granted by the Department.

Yours faithfully,



Ms Sibusisiwe Hlela

CHIEF DIRECTOR: ENVIRONMENTAL IMPACT MANAGEMENT (Acting)

Department of Environmental Affairs

Letter signed by: Mr. Dumisane Mthembu

Designation: Director: Environmental Impact Evaluation

Date: 3/03/2011

CC: Ms Mmamokolo Seabe

Eskom Holdings Limited

Fax: (011) 800 3917