



environmental affairs

Department:
Environmental Affairs
REPUBLIC OF SOUTH AFRICA

Private Bag X 447 · PRETORIA · 0001 · Fedsure Building · 315 Pretorius Street · PRETORIA
Tel (+ 27 12) 310 3911 · Fax (+ 2712) 322 2682

NEAS Reference: DEAT/EIA/0000511//2011

DEA Reference: 12/12/20/2411

Enquiries: Nyiko Ngoveni

Tel: 012 395 1694/1768 Fax: 012 320 7539 E-mail: nngoveni@environment.gov.za

Munyadziwa Rikhotso
Nsovo Environmental Consulting
Postnet Suite 697
Private Bag X29
GALLO MANOR
2052

Fax: 086 602 8821

Tel: 071 602 2369

PER FACSIMILE / MAIL

Dear Sir/Madam

ACKNOWLEDGEMENT OF RECEIPT AND ACCEPTANCE OF NEW APPLICATION FOR ENVIRONMENTAL AUTHORISATION (SCOPING/EIA PROCESS) FOR THE THE PROPOSED FOSKOR-MERENSKY 275KV ±130KM POWER LINE & ASSOCIATED SUBSTATIONS WORKS TO ACCOMMODATE THE POWER LINE, LIMPOPO PROVINCE

The Department confirms having received the Application Form and EAP Declaration of Interest on 2 September 2011 for environmental authorisation for the abovementioned project. The Application is accepted.

Please include both reference numbers (NEAS Reference and DEA Reference), as listed above, on all documents and correspondence submitted to the Department.

Please note that one hard copy and one electronic copy (saved on CD/DVD) of draft reports, and five hard copies and one electronic copy of final reports must be submitted to the Department.

In addition, please consider the following during compilation of reports for this application for environmental authorisation:

- All applicable Departmental Guidelines must be considered throughout the application process. These can be downloaded from the Department's website: www.environment.gov.za, Environmental Impact Management button, listed under "EIA Administration": Integrated Environmental Management Information Series link. These include, but are not limited to, the following topics: Scoping, Environmental Impact Reporting, Stakeholder Engagement, Specialist Studies, Impact Significance, Cumulative Effects Assessments, Alternatives in EIA and Environmental Management Plans.
- Please be advised that in terms of the EIA Regulations and NEMA the investigation of alternatives is mandatory. Alternatives must therefore be identified, investigated to determine if they are feasible and reasonable. It is also mandatory to investigate and assess the option of not proceeding with the proposed activity (the "no-go" option).
- Should water, solid waste removal, effluent discharge, stormwater management and electricity services be provided by the municipality, you are requested to provide this office with written proof that the municipality has sufficient capacity to provide the necessary services to the proposed development. Confirmation of the availability of services from the service providers must be provided together with the reports to be submitted.
- In the reports to be submitted it must clearly be demonstrated in which way the proposed development will meet the requirements of sustainable development. You must also consider energy efficient technologies and water saving devices and technologies for the proposed development. This could include measures such as the recycling of waste, the use of low voltage or compact fluorescent lights instead of incandescent globes, maximising the use of solar heating, the use of dual flush toilets and low-flow shower heads and taps, the management of storm water, the capture and use of rainwater from gutters and roofs, the use of locally indigenous vegetation during landscaping and the training of staff to implement good housekeeping techniques.
- The applicant/EAP is required to inform this Department in writing upon submission of any draft report, of the contact details of the relevant State Departments (that administer laws relating to a matter affecting the environment) to whom copies of the draft report were submitted for comment. Upon receipt of this confirmation, this Department will in accordance with Section 24O(2) & (3) of the National Environmental Management Act, 1998 (Act 107 of 1998) inform the relevant State Departments of the commencement date


of the 40 day commenting period, or 60 days in the case of the Department of Water Affairs for waste management activities which also require a licence in terms of the National Water Act, 1998 (Act 36 of 1998).

- Should it be necessary to apply for a permit in terms of the National Heritage Resources Act, 1999 (Act 25 of 1999), please submit the necessary application to SAHRA or the relevant provincial heritage agency and submit proof thereof with the Basic Assessment Report/Environmental Impact Assessment Report. The relevant heritage agency should also be involved during the public participation process and have the opportunity to comment on all the reports to be submitted to this Department.

In terms of regulation 67 of the EIA Regulations, 2010 this application will lapse if the applicant (or the EAP on behalf of the applicant) fails to comply with a requirement in terms of the Regulations for a period of six months after having submitted the application, unless the reasons for failure have been communicated to and accepted by this Department.

You are hereby reminded that the activity may not commence prior to an environmental authorisation being granted by the Department.

Yours sincerely



Mr Ishaam Abader

Deputy Director-General: Environmental Quality and Protection

Department of Environmental Affairs

Letter signed by: Ms Nyiko Ngoveni

Designation: Environmental Officer: Environmental Impact Evaluation

Date: 14/09/2011

CC:	Mmamoloko Seabe	Eskom	Tel: 011 800 2345	Fax: 011 800 3917
	Victor Mongwe	Limpopo DEDET	Tel: 015 293 8300	Fax: 015 293 8319
	Mr S B Gagiano	Ba-Phalaborwa Local Municipality	Tel: 015 780 6427	Fax: 015 780 6408
	John Sekgobela	Greater Tubatse	Tel: 013 231 1000/1200	Fax: 086 501 2168
	Nyatja Letsoalo	Fetakgomo Local municipality	Tel: 015 622 8000	Fax: 015 622 8026
	Isaac Kanyane	Lepele-Nkumpi Local municipality	Tel: 015 633 4500	Fax: 015 6336896
	Mrs Tsakani tivani	Maruleng Local Municipality	Tel: 013 231 7815	Fax: 015 383 9944