



environmental affairs

Department:
Environmental Affairs
REPUBLIC OF SOUTH AFRICA

Private Bag X 447 · PRETORIA · 0001 · Environment House · 473 Steve Biko Road, Arcadia, · PRETORIA
Tel (+ 27 12) 399 9372

DEA Reference: 14/12/16/3/3/3/110

Enquiries: Ms Bongeka Ngcoliso

Telephone: 012-399 9376 **E-mail:** BNgcoliso@environment.gov.za

Ms Sharon Meyer
Zitholele Consulting (Pty)Ltd
PO Box 6002
HALFWAY HOUSE
1685

Tel: 078 415 7801
Email: mail@zitholele.co.za

PER FACSIMILE / MAIL

Dear Ms Meyer

ACCEPTANCE OF THE FINAL SCOPING REPORT FOR THE PROPOSED PROPOSED RETROFITTING OF A FLUE GAS DESULPHURISATION (FGD) SYSTEM AT MEDUPI POWER STATION, LEPHALALE IN THE LIMPOPO PROVINCE

The Final Scoping Report (FSR) and Plan of Study for Environmental Impact Assessment dated June 2015 and received by the Department on 12 June 2015 refer.

The Department has evaluated the submitted FSR and the Plan of Study for Environmental Impact Assessment dated June 2015 and is satisfied that the documents comply with the minimum requirements of the Environmental Impact Assessment (EIA) Regulations, 2010. The FSR is hereby accepted by the Department in terms of regulation 30(1) (a) of the EIA Regulations, 2010.

You may proceed with the environmental impact assessment process in accordance with the tasks contemplated in the Plan of Study for Environmental Impact Assessment as required in terms of the EIA Regulations, 2010.

Please ensure that comments from all relevant stakeholders are submitted to the Department with the Final Environmental Impact Report (EIR). Proof of correspondence with the various stakeholders must be included in the Final EIR. Should you be unable to obtain comments, proof should be submitted to the Department of the attempts that were made to obtain comments.

You are required to amend the application form to include applicable waste listed activity as per GN R.921 as your application was lodged after GN R. 718 were repealed in terms of National Environmental Management: Waste Act, Act 59 of 2008 and also include these applicable waste listed activities on the final EIR.

The applicant is hereby reminded to comply with the requirements of Regulation 67 with regard to the time period allowed for complying with the requirements of the Regulations, and Regulations 56 and 57 with regard to the allowance of a comment period for interested and affected parties on all reports submitted to the competent authority for decision-making. The reports referred to are listed in Regulation 56(3a-3h).

Please ensure that the Final EIR includes at least one A3 regional map of the area and the locality maps included in the final EIR illustrate the different proposed alignments and above ground storage of fuel. The maps must be of acceptable quality and as a minimum, have the following attributes:

- Maps are relatable to one another;
- Cardinal points;
- Co-ordinates;
- Legible legends;
- Indicate alternatives;
- Latest land cover;
- Vegetation types of the study area; and
- A3 size locality map.

Further, it must be reiterated that, should an application for Environmental Authorisation be subject to the provisions of Chapter II, Section 38 of the National Heritage Resources Act, Act 25 of 1999, then a letter from the pertinent heritage authority categorically stating that the application fulfils the requirements of the relevant heritage resources authority as described in Chapter II, Section 38(8) of the National Heritage Resources Act, Act 25 of 1999 will be required.

You are requested to submit two (2) copies of the Environmental Impact Report (EIR) to the Department and at least one electronic copy (CD/DVD) of the complete final report with the hard copy documents.

You are hereby reminded of Section 24F of the National Environmental Management Act, Act No 107 of 1998, as amended, that no activity may commence prior to an environmental authorisation being granted by the Department.

Yours faithfully



Mr Sabelo Malaza
Chief Director: Integrated Environmental Authorisations
Department of Environmental Affairs
Letter signed by: Ms Pumeza Skepe-Mngciza
Designation: Deputy Director: IPS & S24G

Date: 28/07/2015

cc	Mr D Tunncliff	Eskom Holdings SOC Ltd	Tel:011 800 5145	Email:david.tunncliff@eskom.co.za
	Mr/Ms T Tshuketana	LEDET (Limpopo)	Tel:015 293 8300	Email:TshuketanaTL@ledet.gov.za